

ACIDIC PRECIPITATION
IN ONTARIO STUDY

DAILY AMBIENT AIR
CONCENTRATION LISTINGS
1988

JULY 1990



Ontario

Environment
Environnement

Jim Bradley, Minister/ministre

Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact ServiceOntario Publications at copyright@ontario.ca

ACIDIC PRECIPITATION IN ONTARIO STUDY

DAILY AMBIENT AIR

CONCENTRATION LISTINGS

1988

ARB-005-90

Report Prepared by:
Atmospheric Research and Special Projects Section
Air Resources Branch
Ontario Ministry of the Environment

JULY 1990



Copyright: Queen's Printer for Ontario, 1990
This publication may be reproduced for non-commercial purposes
with appropriate attribution.

PIBS 1046
log 90-2207-005

TD

196

A25

A10

1958

MSE

128 05

APIR

ACKNOWLEDGEMENT

This report was prepared by Diane Green of the APIOS Atmospheric Deposition and Chemistry Program. However, the data themselves are a product of the combined efforts of many individuals. Collection of air filter samples was coordinated by Bill Trayling (in Northeastern Region), Steve Elliott (in Southeastern Region), Scott Kennedy (in Southwestern Region), Wim Smits (in Northwestern Region) and J.P. Varto (in Central Region). Sample handling was carried out by Mike Stevenson and overall coordination by Bill Bardswick at the Air Resources Branch. Chemical analysis were performed at the Laboratory Services and Applied Research Branch under the coordination of Frank Tomassini. Invaluable clerical and computer assistance were provided by Koshy Mathew and Joe Lamb, respectively, of C.C. and C. Computer Systems. All enquiries regarding the reported data should be directed to Neville Reid, Co-ordinator, Atmospheric Deposition and Chemistry Program at (416) 326-1670.

TABLE OF CONTENTS

	<u>Page</u>
PART I INTRODUCTION	II
PART II STATION DESCRIPTION AND LOCATION MAP	V
PART III CENTRAL REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Balsam Lake	1
Dorset Lab.	19
PART IV NORTHEASTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Gowganda	37
High Falls	55
PART V NORTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Fernberg	75
PART VI SOUTHEASTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Charleston Lake Provincial Park	93
PART VII SOUTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS	
Egbert	109
Longwoods Conservation Area	115
Wellesley	135
PART VIII OUT OF PROVINCE	
Penn. State	153

PART I

INTRODUCTION

INTRODUCTION

The data listed herein are a summary of the 1988 results acquired from the APIOS daily ambient air sampling network. Collection of daily ambient air samples began in the southwestern region (Longwoods) on March 3, 1981; in the Central Region (Dorset) on July 25, 1980; in the Southwestern Region (Charleston Lake) on March 23, 1981; and in the Northwestern Region (Fernberg) on October 2, 1981. All data presented in this report have been screened for validity. Remarks and qualifications have been appended to record, and/or results where necessary. The screening procedure involves the application of gross limit checks by comparing each analytical result with a calculated upper limit. Gross limit checks were applied to the results. Upper limits were determined as $M + 2S$ where median (M) and scale (S) represent robust estimates of mean and standard deviation respectively. Scale of the distribution was estimated from a interquartile distance, i.e. $S = 0.74$ (3rd quartile - 1st quartile) based upon lograthmically transformed results. In a situation where the distribution is significantly bounded by reported detection limits, S may be estimated as follows, $S = 1.48$ (3rd quartile - 2nd quartile). All lower gross limits were specified as zero. Upper limits were calculated for each region. Also, the structure of each sample was examined by conducting a principle components analyses and plotting each sample's score (PC 1 vs. PCII)¹. Samples that were determined to be obvious outliers were flagged as unreliable.

The sampler utilized for daily air sampling is the Metrex Sequential Air Sampler type SAS 8-25. The sampler is loaded once weekly with 7 active filter packs and 1 passive filter pack. Each filter pack is exposed for 24 hours beginning at 0800 h local time and terminating at 0800 h local time the next day, except at Fernberg, 0700 h local time is utilized, because the zone time is one hour later at Fernberg than at the other three stations. The passive filter pack is for blank correction. Sampling details are described in another document².

Harris, R.J. (1975). A Primer of Multivariate Statistics. Academic Press, New York, 332 pp.

Chan, W.H., Orr, D.B. and Vet, R.I. (1982). Acidic Precipitation in Ontario Ministry of the Environment Report #ARB-11-82-ARSP.

Station Identification

The station identification is defined by four descriptive fields (e.g. Dorset/Daily/Sequential #2). The first field refers to the sampling location. The second and third fields describe sampling interval and the instrumentation used respectively. The last numerical field refers to the index code utilized on the location map.

Daily Ambient Air Concentration Listings

All analytical results presented in this report were corrected for passive loadings unless otherwise specified. Prior to 1986, if a passive result was reported as less than the analytical detection limit, then a value corresponding to one half the detection limit was utilized for passive correction. These values are no longer halved. If the passive result is equal to or exceeds the active results, then a zero is reported. Each filter pack is loaded with a teflon filter, a nylon filter and a pair of Whatman 41 filters with the first two filter types being upstream and the last filter type being downstream. The teflon filter is analysed for particulate SO_2 , NO_2 and NH_3 . The nylon filter is analysed for gaseous HNO_3 and SO_2 retention, and the Whatman 41 filter (impregnated with K_2CO_3 - glycerol) is analysed for gaseous SO_2 . The reported parameter "TOTAL" NO_3 represents total nitrates and is calculated by the summation of N-HNO_3 and N-NO_3 . Prior to 1986, if a detection limit was encountered in the calculation of "TOTAL NO_3 ", then a value corresponding to one half the detection limit was utilized. This value is no longer halved. The parameters "SULPHUR DIOXIDE" represents the summation of gaseous SO_2 on Whatman 41 and on nylon filters. In these reports the sulphur loading on nylon filters is interpreted as sulphur dioxide. However, it is possible that organic compounds also contribute to this loading. Methods do not currently exist to quantify this contribution in routine network operation. In the presented data listings the parameters "NITRIC" represents nitric acid. Remarks codes (e.g. U, A and G) appended to individual results are defined in a later section.

- | | |
|-------------------------------------|--------------------------------|
| A - Sampler malfunction | E - Filter placement incorrect |
| B - Hydro failure (known/suspected) | F - Sample not submitted |
| C - Flow volume suspected | Q - Other |
| D - Contamination (known/suspected) | |

Office Comment Code Index

- F - Abnormal flow volume - flow volume rate less than 14,000 litres per day or greater than 43,200 litres per day.
- Z - Abnormal sampling period
- X - Sample lost

Result Remarks Code Index

- > - actual results greater than value reported
- < - actual result less than value reported
- <T - actual result less than criterion of detection
- <W - no response, minimum possible result reported
- A - approximate value
- U - unreliable results
- P - not corrected for passive
- <P - not corrected for passive - reported value is a detection limit
- UG - outlier of gross Limit Checks

APIOs DAILY SEQUENTIAL SAMPLERS
CONVERSION TO ERT FILTERS

1 9 8 8

DORSET 1	2-stage 47mm June22-July18	3-stage 47mm July19-Aug17	3-stage 50mm Aug18-onwards
DORSET 2	2-stage 47mm June22-July18	2-stage 47mm/6hr July19-Aug14	2-stage 50mm/6hr Aug15-Sept1
	2-stage 50mm Sept2-Oct19	3-stage 50mm Oct20-onwards	
EGBERT	3-stage 50mm from inception		
BALSAM LAKE	2-stage 47mm prior to Jun10	3-stage 47mm Jun10-Aug18	3-stage 50mm Aug19-onwards
PENN STATE 1 AND 2	2-stage 47mm May11-July1	3-stage 47mm July2-Aug31	3-stage 50mm Sept1-onwards
CHARLESTON LAKE	2-stage 47mm undetermined	3-stage 47mm undetermined	3-stage 50mm Dec13-onwards
FERNBERG	2-stage 47mm undetermined	3-stage 47mm undetermined	3-stage 50mm Oct-onwards
GOWGANDA	2-stage 47mm till JUL5	3-stage 47mm JUL6-AUG23	3-stage 50mm AUG24-onwards
HIGH FALLS	2-stage 47mm till JUL5	3-stage 47mm JUL6-AUG30	3-stage 50mm AUG31-onwards
LONGWOODS	2-stage 47mm till AUG22		3-stage 50mm 23Aug-onwards
WELLESLEY	2-stage 47mm till AUG22		3-stage 50mm 23 Aug-onwards

PART II

STATION DESCRIPTION AND LOCATION MAP

ONTARIO MINISTRY OF THE ENVIRONMENT
APIOS-ACIDIC PRECIPITATION IN ONTARIO STUDY
DAILY AMBIENT AIR SITES

STATION ID	MOE REGION	STATION NAME	ELEV (M)	LATITUDE (NORTH)	LONGITUDE (WEST)	UTM GRID CO-ORDINATES	
						(NORTHING)	(EASTING)
000002-21-21-1011	SOUTHWESTERN	LONGWOODS	239	42°53'03"	81°28'50"	4747849	460756
000002-21-21-2011	SOUTHWESTERN	WELLESLEY	344	43°28'05"	80°45'33"	4812606	519481
000002-21-21-2031	SOUTHWESTERN	EGBERT	253	44°13'57"	79°46'53"	4898202	597322
000002-21-21-3011	CENTRAL	DORSET	320	45°13'25"	78°55'51"	5009656	662429
000002-21-21-3031	CENTRAL	BALSAM LAKE	259	44°37'45"	78°51'22"	4943776	670063
000002-21-21-4011	SOUTHEASTERN	CHARLESTON LAKE	92	44°29'50"	76°02'40"	4927414	416963
000002-21-21-5061	NORTHEASTERN	GOWGANDA	343	47°39'04"	80°46'32"	5277329	516647
000002-21-21-5171	NORTHEASTERN	HIGH FALLS	215	46°22'55"	81°32'43"	5136412	458068
000002-21-21-6051	NORTHWESTERN	FERNBERG	506	47°56'51"	91°29'26"	5311349	612714
000002-21-21-7021	PENNSYLVANIA	PENN. STATE ✓	120	40°47'18"	77°56'47"	4519229	251390

LEGEND

1. Melbourne
2. Longwoods
3. N. Easthope
4. Wellesley
5. Raven Lake
6. Balsam Lake
7. Nithgrove
8. Dorset
9. Whitman Creek
- 9A. Wilmer
10. Railton
11. Charleston Lake
12. Graham Lake
13. Forbes Township
14. Quetico Centre
15. Lac La Croix
16. Fernberg
17. Dawson
18. Gowganda
19. High Falls
20. Egbert
21. Penn State (Pa)

0 15 30
Km



Ontario

Ministry
of the
Environment

PART III

CENTRAL REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
JAN 16,88	JAN 15,88	800	800	1	19251.0	84030	2	1		
JAN 17,88	JAN 16,88	800	800	1	26708.0	84031	2	1	EFQ	
JAN 18,88	JAN 17,88	800	800	1	22162.0	84032	2	1		
JAN 19,88	JAN 18,88	800	800	1	25183.0	84033	2	1		
JAN 20,88	JAN 19,88	800	800	1	26247.0	84034	2	1		
JAN 21,88	JAN 20,88	800	800	1	25334.0	84038	2	1		
JAN 22,88	JAN 21,88	800	800	1	24782.0	84039	2	1		
JAN 23,88	JAN 22,88	800	800	1	26498.0	84040	2	1		
JAN 24,88	JAN 23,88	800	800	1	25233.0	84041	2	1		
JAN 25,88	JAN 24,88	800	800	1	24681.0	84042	2	1		
JAN 26,88	JAN 25,88	800	800	1	25675.0	84043	2	1		
JAN 27,88	JAN 26,88	800	800	1	27652.0	84044	2	1		
JAN 27,88	JAN 27,88	800	1200	1	38740.0	84045	2	1	QA	Z
JAN 28,88	JAN 27,88	1250	800	1	24320.0	84047	2	1	E	
JAN 29,88	JAN 28,88	800	800	1	24038.0	84048	2	1		
JAN 30,88	JAN 29,88	800	800	1	26367.0	84049	2	1		
JAN 31,88	JAN 30,88	800	800	1	25243.0	84050	2	1		
FEB 1,88	JAN 31,88	800	800	1	23888.0	84051	2	1		
FEB 2,88	FEB 1,88	800	800	1	24239.0	84052	2	1		
FEB 3,88	FEB 2,88	800	800	1	26728.0	84053	2	1		
FEB 4,88	FEB 3,88	800	800	1	27542.0	84187	2	1		
FEB 5,88	FEB 4,88	800	800	1	25173.0	84188	2	1		
FEB 6,88	FEB 5,88	800	800	1	25826.0	84189	2	1		
FEB 7,88	FEB 6,88	800	800	1	27742.0	84190	2	1		
FEB 8,88	FEB 7,88	800	800	1	25725.0	84191	2	1		
FEB 9,88	FEB 8,88	800	800	1	26859.0	84192	2	1		
FEB 10,88	FEB 9,88	800	800	1	24510.0	84193	2	1		
FEB 11,88	FEB 10,88	1020	800	1	27853.0	84195	2	1		
FEB 12,88	FEB 11,88	800	800	1	23126.0	84196	2	1		
FEB 13,88	FEB 12,88	800	800	1	25294.0	84197	2	1		
FEB 14,88	FEB 13,88	800	800	1	26287.0	84198	2	1		
FEB 15,88	FEB 14,88	800	800	1	25695.0	84199	2	1		
FEB 16,88	FEB 15,88	800	800	1	25745.0	84200	2	1		
FEB 17,88	FEB 16,88	800	800	1	25595.0	84201	2	1		
FEB 18,88	FEB 17,88	800	800	1	27100.0	84080	2	1		
FEB 19,88	FEB 18,88	800	800	1	23456.0	84081	2	1		
FEB 20,88	FEB 19,88	800	800	1	23868.0	84082	2	1		
FEB 21,88	FEB 20,88	800	800	1	27240.0	84083	2	1		
FEB 22,88	FEB 21,88	800	800	1	27231.0	84084	2	1		
FEB 23,88	FEB 22,88	800	800	1	26317.0	84085	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 2

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
JAN 16,88	JAN 15,88	1P	27.17	1P	4.36	1P	0.61	1P	1.476	1P	0.68	1P	0.78	1P	1.29
JAN 17,88	JAN 16,88		*****		4.31		0.69		1.345		0.55		0.53		1.24
JAN 18,88	JAN 17,88		9.01		4.37		0.47		2.207		1.00		0.39		1.47
JAN 19,88	JAN 18,88		5.29		2.65		0.25		0.525	<T	0.00		0.37		0.26
JAN 20,88	JAN 19,88		2.49		2.47		0.16		0.549		0.04		0.44		0.20
JAN 21,88	JAN 20,88		4.51		2.10		0.39		0.755		0.04		0.56		0.43
JAN 22,88	JAN 21,88		2.29		0.72		0.08		0.168		0.05		0.91		0.13
JAN 23,88	JAN 22,88		5.48		2.76		0.22		0.876		0.60		0.90		0.82
JAN 24,88	JAN 23,88		9.46		4.32		0.65		1.423		0.20		0.91		0.84
JAN 25,88	JAN 24,88		10.46		2.38		0.39		0.746		0.00		1.13		0.39
JAN 26,88	JAN 25,88		5.74		1.33		0.17		0.347		0.01		0.87		0.17
JAN 27,88	JAN 26,88		4.60		0.54		0.08		0.151		0.01		0.80		0.09
JAN 27,88	JAN 27,88	1P	0.09	1P	0.04	1P	0.01	1P	0.000	1P	0.01	1P	0.12	1P	0.02
JAN 28,88	JAN 27,88		6.38		2.13		0.56		0.572		0.39		0.31		0.96
JAN 29,88	JAN 28,88		12.18		2.64		0.14		0.412		0.07		0.23		0.21
JAN 30,88	JAN 29,88		25.20		3.94		0.82		1.286		0.51		0.48		1.33
JAN 31,88	JAN 30,88		6.61		3.40		0.54		1.474		0.87		0.40		1.42
FEB 1,88	JAN 31,88		2.89		3.89		0.34		0.909		0.28		0.24		0.62
FEB 2,88	FEB 1,88		1.27		1.96		0.07		0.120		0.02		0.21		0.09
FEB 3,88	FEB 2,88		6.06		1.46		0.07		0.090		0.02		0.27		0.09
FEB 4,88	FEB 3,88		2.12		1.28		0.05		0.229		0.05		0.00		0.11
FEB 5,88	FEB 4,88		3.23		1.51		0.07		0.265		0.08		0.23		0.15
FEB 6,88	FEB 5,88		3.04		1.82		0.18		0.423		0.14		0.27		0.32
FEB 7,88	FEB 6,88		4.51		1.47		0.19		0.330		0.12		0.28		0.30
FEB 8,88	FEB 7,88		20.92		2.88		0.46		0.599		0.19		0.30		0.66
FEB 9,88	FEB 8,88		8.11		1.53		0.15		0.351		0.12		0.33		0.27
FEB 10,88	FEB 9,88		18.07		3.98		0.79		0.804		0.09		0.42		0.88
FEB 11,88	FEB 10,88	1P	6.23	1P	1.35	1P	0.09	1P	0.101	1P	0.07	1P	0.51	1P	0.16
FEB 12,88	FEB 11,88		7.52		2.65		0.46		0.470		0.06		0.52		0.52
FEB 13,88	FEB 12,88		15.39		3.72		0.21		0.418		0.02		0.37		0.22
FEB 14,88	FEB 13,88		5.52		1.55		0.10		0.145		0.02		0.24		0.12
FEB 15,88	FEB 14,88		14.63		2.92		0.67		0.715		0.12		0.34		0.79
FEB 16,88	FEB 15,88		14.15		2.45		0.20		0.379		0.02		0.25		0.21
FEB 17,88	FEB 16,88		9.87		4.03		0.54		1.116		0.47		0.27		1.00
FEB 18,88	FEB 17,88		4.19		4.02		0.63		0.986		0.00		0.09		0.63
FEB 19,88	FEB 18,88		4.11		3.68		0.29		2.183		2.01		0.29		2.29
FEB 20,88	FEB 19,88		11.36		2.90		0.54		0.763		0.17		0.50		0.72
FEB 21,88	FEB 20,88		2.49		1.78		0.28		0.355		0.08		0.27		0.35
FEB 22,88	FEB 21,88		11.99		1.96		0.37		0.456		0.33		0.68		0.70
FEB 23,88	FEB 22,88		6.98		1.82		0.26		0.407		0.34		0.49		0.60

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
FEB 24,88	FEB 23,88	800	800	1	26719.0	84086	2	1		
FEB 25,88	FEB 24,88	800	800	1	27311.0	84231	2	1		
FEB 26,88	FEB 25,88	800	800	1	24661.0	84232	2	1		
FEB 27,88	FEB 26,88	800	800	1	25203.0	84233	2	1		
FEB 28,88	FEB 27,88	800	800	1	27180.0	84234	2	1		
FEB 29,88	FEB 28,88	800	800	1	25615.0	84235	2	1		
MAR 1,88	FEB 29,88	800	800	1	27984.0	84236	2	1		
MAR 2,88	MAR 1,88	800	800	1	27180.0	84237	2	1		
MAR 3,88	MAR 2,88	1420	800	1	22845.0	84088	2	1		
MAR 4,88	MAR 3,88	800	800	1	23572.0	84089	2	1		
MAR 5,88	MAR 4,88	800	800	1	24130.0	84090	2	1		
MAR 6,88	MAR 5,88	800	800	1	24648.0	84091	2	1		
MAR 7,88	MAR 6,88	800	800	1	24708.0	84092	2	1		
MAR 8,88	MAR 7,88	800	800	1	23356.0	84093	2	1		
MAR 9,88	MAR 8,88	800	800	1	25236.0	84094	2	1		
MAR 10,88	MAR 9,88	800	800	1	26073.0	84100	2	1		
MAR 11,88	MAR 10,88	800	800	1	25017.0	84101	2	1		
MAR 12,88	MAR 11,88	800	800	1	27567.0	84102	2	1		
MAR 13,88	MAR 12,88	800	800	1	25236.0	84103	2	1		
MAR 14,88	MAR 13,88	800	800	1	25624.0	84104	2	1		
MAR 15,88	MAR 14,88	800	800	1	27577.0	84105	2	1		
MAR 16,88	MAR 15,88	800	800	1	26601.0	84106	2	1		
MAR 17,88	MAR 16,88	800	800	1	89.0	84255	2	1	AF	F
MAR 18,88	MAR 17,88	800	800	1	23452.0	84256	2	1		
MAR 19,88	MAR 18,88	800	800	1	24518.0	84257	2	1		
MAR 20,88	MAR 19,88	800	800	1	26890.0	84258	2	1		
MAR 21,88	MAR 20,88	800	800	1	26302.0	84259	2	1		
MAR 22,88	MAR 21,88	800	800	1	26720.0	84260	2	1		
MAR 23,88	MAR 22,88	800	800	1	26750.0	84261	2	1		
MAR 24,88	MAR 23,88	800	800	1	26053.0	84263	2	1		
MAR 25,88	MAR 24,88	800	800	1	23124.0	84264	2	1		
MAR 26,88	MAR 25,88	800	800	1	23164.0	84265	2	1		
MAR 27,88	MAR 26,88	800	800	1	23813.0	84266	2	1		
MAR 28,88	MAR 27,88	800	800	1	25625.0	84267	2	1		
MAR 29,88	MAR 28,88	800	800	1	26362.0	84268	2	1		
MAR 30,88	MAR 29,88	800	800	1	25157.0	84269	2	1		
MAR 31,88	MAR 30,88	800	1230	1	114604.0	84275	2	1	A	F
APR 1,88	MAR 31,88	1230	800	1	*****	84277	2	1	AF	
APR 2,88	APR 1,88	800	800	1	*****	84278	2	1	AF	
APR 3,88	APR 2,88	800	800	1	9.0	84279	2	1	AF	F

4

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
FEB 24,88	FEB 23,88			1.37	1.45			0.12	0.231		0.09	0.28	0.21	
FEB 25,88	FEB 24,88			1.08	1.85			0.16	0.277		0.19	0.06	0.35	
FEB 26,88	FEB 25,88			0.54	1.23			0.07	0.270		0.15	0.25	0.23	
FEB 27,88	FEB 26,88			6.75	3.93			0.51	0.889		0.05	0.37	0.56	
FEB 28,88	FEB 27,88			3.35	2.44			0.19	0.505		0.05	0.19	0.24	
FEB 29,88	FEB 28,88			13.22	6.21			0.76	1.472		0.42	0.33	1.19	
MAR 1,88	FEB 29,88			3.56	0.81			0.05	0.077		0.06	0.21	0.12	
MAR 2,88	MAR 1,88			3.13	1.43			0.23	0.291		0.28	0.31	0.51	
MAR 3,88	MAR 2,88	1P		20.63	6.13	1P		1.04	1.554	1P	0.21	0.61	1P 1.25	
MAR 4,88	MAR 3,88			11.72	3.89			0.13	0.350		0.07	0.53	0.20	
MAR 5,88	MAR 4,88			5.24	1.89			0.37	1.160		0.99	0.64	1.36	
MAR 6,88	MAR 5,88			5.31	1.99			0.15	0.335		0.08	0.41	0.23	
MAR 7,88	MAR 6,88			8.05	3.67			0.85	2.024		1.44	0.41	2.29	
MAR 8,88	MAR 7,88			0.87	1.40			0.06	0.343		0.02	0.28	0.09	
MAR 9,88	MAR 8,88			5.49	4.08			0.46	1.379		0.66	0.40	1.12	
MAR 10,88	MAR 9,88			2.60	2.68			0.21	0.641		0.03	0.01	0.24	
MAR 11,88	MAR 10,88			3.83	1.15			0.06	0.548		0.05	0.38	0.11	
MAR 12,88	MAR 11,88			0.46	1.15			0.04	0.160		0.10	0.13	0.14	
MAR 13,88	MAR 12,88			0.98	1.66			0.18	0.464		0.29	0.42	0.47	
MAR 14,88	MAR 13,88			10.01	1.90			0.29	0.524		0.04	0.43	0.33	
MAR 15,88	MAR 14,88			11.64	2.75			0.10	0.305		0.09	0.27	0.20	
MAR 16,88	MAR 15,88			9.56	2.33			0.09	0.204		0.08	0.35	0.17	
MAR 17,88	MAR 16,88			*****	*****			*****	*****		*****	*****	*****	
MAR 18,88	MAR 17,88			8.03	1.41			0.06	0.171		0.04	0.47	0.09	
MAR 19,88	MAR 18,88			10.66	2.99			0.19	0.746		0.17	0.39	0.36	
MAR 20,88	MAR 19,88			1.63	1.42			0.25	0.465		0.07	0.32	0.31	
MAR 21,88	MAR 20,88			1.25	0.92			0.20	0.228		0.04	0.82	0.24	
MAR 22,88	MAR 21,88			3.07	1.62			0.03	0.234		0.05	0.25	0.08	
MAR 23,88	MAR 22,88			8.40	2.13			0.07	0.327		0.04	0.37	0.11	
MAR 24,88	MAR 23,88			2.49	1.70			0.23	0.066		0.55	0.00	0.78	
MAR 25,88	MAR 24,88			4.63	5.59			1.06	1.427		0.02	0.31	1.08	
MAR 26,88	MAR 25,88			0.34	5.58			1.18	1.878		0.46	0.52	1.63	
MAR 27,88	MAR 26,88			0.26	0.16			0.94	0.336		0.12	0.39	1.06	
MAR 28,88	MAR 27,88			0.08	0.00			0.12	0.156		0.00	0.12	0.13	
MAR 29,88	MAR 28,88	<W		0.00	<T 0.00			0.00	<W 0.000	<T	0.00	0.00	0.00	
MAR 30,88	MAR 29,88			0.27	0.41			0.49	0.358		0.25	0.40	0.74	
MAR 31,88	MAR 30,88			1.48	4.68			0.39	1.027		0.28	0.23	0.67	
APR 1,88	MAR 31,88			*****	*****			*****	*****		*****	*****	*****	
APR 2,88	APR 1,88			*****	*****			*****	*****		*****	*****	*****	
APR 3,88	APR 2,88			*****	*****			*****	*****		*****	*****	*****	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
APR 4,88	APR 3,88	800	800	1	9.0	84280	2	1	AF	F
APR 5,88	APR 4,88	800	800	1	9.0	84281	2	1	AF	F
APR 6,88	APR 5,88	800	800	1	9.0	84282	2	1	AF	F
APR 8,88	APR 7,88	800	800	1	*****	84296	2	1	AF	
APR 9,88	APR 8,88	800	800	1	*****	84297	2	1	AF	
APR 10,88	APR 9,88	800	800	1	*****	84298	2	1	AF	
APR 11,88	APR 10,88	800	800	1	*****	84299	2	1	AF	
APR 12,88	APR 11,88	800	800	1	*****	84300	2	1	AF	
APR 13,88	APR 12,88	800	800	1	*****	84301	2	1	AF	
APR 14,88	APR 13,88	800	800	1	18790.0	84363	2	1		
APR 15,88	APR 14,88	800	800	1	23811.0	84364	2	1		
APR 16,88	APR 15,88	800	800	1	27438.0	84365	2	1		
APR 17,88	APR 16,88	800	800	1	26591.0	84366	2	1		
APR 18,88	APR 17,88	800	800	1	25794.0	84367	2	1		
APR 19,88	APR 18,88	800	800	1	28065.0	84368	2	1		
APR 20,88	APR 19,88	800	800	1	28872.0	84369	2	1		
APR 21,88	APR 20,88	800	800	1	26317.0	84351	2	1		
APR 22,88	APR 21,88	800	800	1	25765.0	84352	2	1		
APR 23,88	APR 22,88	800	800	1	27592.0	84353	2	1		
APR 24,88	APR 23,88	800	800	1	24289.0	84354	2	1		
APR 25,88	APR 24,88	800	800	1	26116.0	84355	2	1		
APR 26,88	APR 25,88	800	800	1	20777.0	84356	2	1		
APR 27,88	APR 26,88	800	800	1	26598.0	84357	2	1		
APR 28,88	APR 27,88	800	800	1	25398.0	84371	2	1		
APR 29,88	APR 28,88	800	800	1	24173.0	84372	2	1		
APR 30,88	APR 29,88	800	800	1	26503.0	84373	2	1		
MAY 1,88	APR 30,88	800	800	1	26292.0	84374	2	1		
MAY 2,88	MAY 1,88	800	800	1	26925.0	84375	2	1	F	
MAY 3,88	MAY 2,88	800	800	1	26343.0	84376	2	1		
MAY 4,88	MAY 3,88	800	800	1	26654.0	84377	2	1		
MAY 5,88	MAY 4,88	800	800	1	27046.0	84379	2	1		
MAY 6,88	MAY 5,88	800	800	1	24896.0	84380	2	1		
MAY 7,88	MAY 6,88	800	800	1	26263.0	84381	2	1		
MAY 8,88	MAY 7,88	800	800	1	25399.0	84382	2	1		
MAY 9,88	MAY 8,88	800	800	1	25881.0	84383	2	1		
MAY 10,88	MAY 9,88	800	800	1	24002.0	84384	2	1		
MAY 11,88	MAY 10,88	800	800	1	25398.0	84385	2	1		
MAY 12,88	MAY 11,88	800	800	1	25378.0	84399	2	1		
MAY 13,88	MAY 12,88	800	800	1	25670.0	84400	2	1		
MAY 14,88	MAY 13,88	800	800	1	26665.0	84401	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
APR 4,88	APR 3,88	*****	*****	*****	*****	*****	*****	*****
APR 5,88	APR 4,88	*****	*****	*****	*****	*****	*****	*****
APR 6,88	APR 5,88	*****	*****	*****	*****	*****	*****	*****
APR 8,88	APR 7,88	*****	*****	*****	*****	*****	*****	*****
APR 9,88	APR 8,88	*****	*****	*****	*****	*****	*****	*****
APR 10,88	APR 9,88	*****	*****	*****	*****	*****	*****	*****
APR 11,88	APR 10,88	*****	*****	*****	*****	*****	*****	*****
APR 12,88	APR 11,88	*****	*****	*****	*****	*****	*****	*****
APR 13,88	APR 12,88	*****	*****	*****	*****	*****	*****	*****
APR 14,88	APR 13,88	15.33	3.09	1.11	2.276	0.59	0.00	1.70
APR 15,88	APR 14,88	6.10	4.03	0.33	1.021	0.07	0.14	0.40
APR 16,88	APR 15,88	<T 0.17	1.27	0.03	0.273	<T 0.01	0.06	0.04
APR 17,88	APR 16,88	4.19	<T 1.84	0.08	0.425	0.02	0.19	0.10
APR 18,88	APR 17,88	2.78	3.22	0.21	1.027	0.79	0.09	1.00
APR 19,88	APR 18,88	<W 0.01	1.46	0.02	0.241	0.04	0.02	0.06
APR 20,88	APR 19,88	<T 0.09	0.36	0.03	0.069	0.02	0.07	0.05
APR 21,88	APR 20,88	1.76	0.40	0.28	0.499	0.44	0.12	0.72
APR 22,88	APR 21,88	1.75	0.00	<T 0.00	0.000	<T 0.01	1.05	<T 0.01
APR 23,88	APR 22,88	3.33	0.00	0.04	0.000	0.02	0.31	0.06
APR 24,88	APR 23,88	0.89	0.00	0.18	0.000	0.04	0.27	0.22
APR 25,88	APR 24,88	3.20	0.00	0.02	<T 0.000	<T 0.00	0.27	0.02
APR 26,88	APR 25,88	4.18	0.00	0.21	0.000	0.24	0.34	0.46
APR 27,88	APR 26,88	1.65	0.33	0.15	0.019	0.04	0.30	0.19
APR 28,88	APR 27,88	9.50	0.00	0.00	0.027	0.15	0.00	0.15
APR 29,88	APR 28,88	<T 0.00	1.64	0.00	0.496	<T 0.00	0.00	0.00
APR 30,88	APR 29,88	<T 0.00	2.51	0.00	U 0.330	<W 0.00	<T 0.00	0.00
MAY 1,88	APR 30,88	3.45	U 4.23	0.00	U 0.525	<T 0.00	0.00	0.00
MAY 2,88	MAY 1,88	*****	1.96	0.00	0.390	<T 0.00	0.00	0.00
MAY 3,88	MAY 2,88	<T 0.00	2.56	0.00	0.505	<T 0.00	0.00	0.00
MAY 4,88	MAY 3,88	0.90	2.39	0.00	0.600	0.13	0.00	0.13
MAY 5,88	MAY 4,88	0.08	1.71	0.00	0.380	0.12	0.00	0.12
MAY 6,88	MAY 5,88	1.37	5.22	0.24	1.188	0.21	0.11	0.45
MAY 7,88	MAY 6,88	3.46	2.70	0.08	0.601	0.06	0.07	0.13
MAY 8,88	MAY 7,88	<W 0.07	1.09	0.10	0.238	0.16	0.10	0.26
MAY 9,88	MAY 8,88	7.46	6.84	0.62	1.665	0.30	0.24	0.92
MAY 10,88	MAY 9,88	6.09	4.01	0.44	0.991	0.49	0.50	0.93
MAY 11,88	MAY 10,88	0.61	2.90	0.39	0.791	0.07	0.18	0.45
MAY 12,88	MAY 11,88	<T 0.22	0.69	0.03	0.090	0.10	0.13	0.13
MAY 13,88	MAY 12,88	11.68	5.57	0.69	1.211	0.52	0.34	1.21
MAY 14,88	MAY 13,88	<W 0.06	1.01	0.04	0.217	0.03	0.10	0.07

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
MAY 15,88	MAY 14,88	800	800	1	26594.0	84402	2	1		
MAY 16,88	MAY 15,88	800	800	1	24856.0	84403	2	1		
MAY 17,88	MAY 16,88	800	800	1	24856.0	84404	2	1		
MAY 18,88	MAY 17,88	800	800	1	24253.0	84405	2	1		
MAY 19,88	MAY 18,88	800	1140	1	173451.0	84414	2	1	A	F
MAY 20,88	MAY 19,88	1140	800	1	*****	84416	2	1	A	
MAY 21,88	MAY 20,88	800	800	1	*****	84417	2	1	A	
MAY 22,88	MAY 21,88	800	800	1	*****	84418	2	1	A	
MAY 23,88	MAY 22,88	800	800	1	*****	84419	2	1	A	
MAY 24,88	MAY 23,88	800	800	1	*****	84420	2	1	A	
MAY 25,88	MAY 24,88	800	800	1	*****	84421	2	1	A	
MAY 26,88	MAY 25,88	800	800	1	21836.0	84436	2	1		
MAY 27,88	MAY 26,88	800	800	1	25141.0	84437	2	1		
MAY 28,88	MAY 27,88	800	800	1	25549.0	84438	2	1		
MAY 29,88	MAY 28,88	800	800	1	24902.0	84439	2	1		
MAY 30,88	MAY 29,88	800	800	1	24892.0	84440	2	1		
MAY 31,88	MAY 30,88	800	800	1	25021.0	84441	2	1		
JUN 1,88	MAY 31,88	800	800	1	25131.0	84442	2	1		
JUN 2,88	JUN 1,88	800	800	1	26093.0	84450	2	1		
JUN 3,88	JUN 2,88	800	800	1	24738.0	84451	2	1		
JUN 4,88	JUN 3,88	800	800	1	25953.0	84452	2	1		
JUN 5,88	JUN 4,88	800	800	1	25067.0	84453	2	1		
JUN 6,88	JUN 5,88	800	800	1	25386.0	84454	2	1		
JUN 7,88	JUN 6,88	800	800	1	25575.0	84455	2	1		
JUN 8,88	JUN 7,88	800	800	1	25585.0	84456	2	1		
JUN 9,88	JUN 8,88	800	800	1	26986.0	84483	2	1		
JUN 10,88	JUN 9,88	800	800	1	25820.0	84476	2	1		
JUN 11,88	JUN 10,88	800	800	1	52635.0	84477	2	1	C	F
JUN 12,88	JUN 11,88	800	800	1	25288.0	84478	2	1		
JUN 13,88	JUN 12,88	800	800	1	25117.0	84479	2	1		
JUN 14,88	JUN 13,88	800	800	1	31447.0	84480	2	1		
JUN 15,88	JUN 14,88	800	800	1	*****	84481	2	1	A	
JUN 16,88	JUN 15,88	800	800	1	19742.0	84484	2	1		
JUN 17,88	JUN 16,88	800	800	1	25439.0	84485	2	1		
JUN 18,88	JUN 17,88	800	800	1	26082.0	84486	2	1		
JUN 19,88	JUN 18,88	800	800	1	24725.0	84487	2	1		
JUN 20,88	JUN 19,88	800	800	1	24936.0	84488	2	1		
JUN 21,88	JUN 20,88	800	800	1	25509.0	84489	2	1		
JUN 22,88	JUN 21,88	800	800	1	25730.0	84490	2	1		
JUN 23,88	JUN 22,88	800	800	1	26875.0	80272	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 8

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 15,88	MAY 14,88		2.24	1.35	0.21	0.227	0.15	0.20	0.36
MAY 16,88	MAY 15,88		4.35	5.15	0.48	1.412	0.40	0.44	0.88
MAY 17,88	MAY 16,88	<T	0.17	3.18	0.18	0.728	0.02	0.20	0.20
MAY 18,88	MAY 17,88	<W	0.13	1.94	0.06	0.486	0.02	0.20	0.08
MAY 19,88	MAY 18,88		2.35	0.56	0.13	0.851	0.00	0.45	0.13
MAY 20,88	MAY 19,88		*****	*****	*****	*****	*****	*****	*****
MAY 21,88	MAY 20,88		*****	*****	*****	*****	*****	*****	*****
MAY 22,88	MAY 21,88		*****	*****	*****	*****	*****	*****	*****
MAY 23,88	MAY 22,88		*****	*****	*****	*****	*****	*****	*****
MAY 24,88	MAY 23,88		*****	*****	*****	*****	*****	*****	*****
MAY 25,88	MAY 24,88		*****	*****	*****	*****	*****	*****	*****
MAY 26,88	MAY 25,88		0.59	1.20	0.00	0.095	0.00	0.22	0.00
MAY 27,88	MAY 26,88		3.71	2.08	0.39	0.221	0.37	0.31	0.76
MAY 28,88	MAY 27,88		8.11	8.69	0.91	1.719	0.71	0.25	1.62
MAY 29,88	MAY 28,88		4.59	7.35	0.65	1.836	0.33	0.38	0.98
MAY 30,88	MAY 29,88		4.14	12.14	0.47	2.949	0.50	0.57	0.98
MAY 31,88	MAY 30,88		3.08	8.96	0.51	2.219	0.25	0.36	0.76
JUN 1,88	MAY 31,88	UG	15.73	7.72	0.19	1.290	0.08	0.56	0.27
JUN 2,88	JUN 1,88		1.33	2.07	0.00	0.238	0.00	0.02	0.00
JUN 3,88	JUN 2,88	<W	0.10	0.19	0.00	0.000	0.04	0.15	0.04
JUN 4,88	JUN 3,88	<W	0.05	0.70	0.00	0.005	0.03	0.08	0.03
JUN 5,88	JUN 4,88		3.12	1.58	0.00	0.206	0.05	0.20	0.05
JUN 6,88	JUN 5,88		2.73	0.95	0.00	0.017	0.05	0.22	0.05
JUN 7,88	JUN 6,88		8.09	2.54	0.05	0.394	0.03	0.64	0.08
JUN 8,88	JUN 7,88		0.90	5.97	0.04	0.038	0.02	0.17	0.06
JUN 9,88	JUN 8,88		1.15	0.75	<T	0.134	0.00	<T	0.00
JUN 10,88	JUN 9,88		1.68	1.37	0.02	0.273	0.03	0.24	0.06
JUN 11,88	JUN 10,88		2.78	1.24	0.09	0.198	0.06	0.15	0.16
JUN 12,88	JUN 11,88		1.88	3.18	0.25	0.660	0.30	<T	0.13
JUN 13,88	JUN 12,88		5.58	14.17	0.48	3.105	0.20	0.25	0.68
JUN 14,88	JUN 13,88		7.28	12.78	0.62	3.244	0.34	0.33	0.95
JUN 15,88	JUN 14,88		*****	*****	*****	*****	*****	*****	*****
JUN 16,88	JUN 15,88		2.44	6.62	0.08	1.609	0.19	0.77	0.27
JUN 17,88	JUN 16,88	<W	0.12	0.41	0.22	0.028	0.06	0.18	0.28
JUN 18,88	JUN 17,88		0.66	1.08	0.05	0.229	0.08	<T	0.06
JUN 19,88	JUN 18,88	UG	26.72	4.32	0.07	0.872	0.29	0.28	0.36
JUN 20,88	JUN 19,88	UG	16.80	16.15	1.04	4.085	0.38	0.17	1.42
JUN 21,88	JUN 20,88	UG	26.24	5.32	0.34	1.222	0.16	0.37	0.50
JUN 22,88	JUN 21,88		3.70	2.22	0.32	0.597	0.30	0.26	0.62
JUN 23,88	JUN 22,88		0.92	3.15	0.14	0.612	0.02	0.38	0.17

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 24,88	JUN 23,88	800	800	1	25187.0	80273	2	1	
JUN 25,88	JUN 24,88	800	800	1	27126.0	80274	2	1	
JUN 26,88	JUN 25,88	800	800	1	25629.0	80275	2	1	
JUN 27,88	JUN 26,88	800	800	1	26021.0	80276	2	1	
JUN 28,88	JUN 27,88	800	800	1	26594.0	80277	2	1	
JUN 29,88	JUN 28,88	800	800	1	26443.0	80278	2	1	
JUN 30,88	JUN 29,88	800	800	1	28272.0	80280	2	1	
JUL 1,88	JUN 30,88	800	800	1	26303.0	80281	2	1	
JUL 2,88	JUL 1,88	800	800	1	28352.0	80282	2	1	
JUL 3,88	JUL 2,88	800	800	1	25599.0	80283	2	1	
JUL 4,88	JUL 3,88	800	800	1	27177.0	80284	2	1	
JUL 5,88	JUL 4,88	800	800	1	26483.0	80285	2	1	
JUL 6,88	JUL 5,88	800	800	1	26373.0	80286	2	1	
JUL 7,88	JUL 6,88	800	800	1	22334.0	84508	2	1	
JUL 8,88	JUL 7,88	800	800	1	25107.0	84509	2	1	
JUL 9,88	JUL 8,88	800	800	1	26272.0	84510	2	1	
JUL 10,88	JUL 9,88	800	800	1	26112.0	84511	2	1	
JUL 11,88	JUL 10,88	800	800	1	26262.0	84512	2	1	
JUL 12,88	JUL 11,88	800	800	1	26313.0	84513	2	1	
JUL 13,88	JUL 12,88	800	800	1	26694.0	84514	2	1	
JUL 14,88	JUL 13,88	800	800	1	26694.0	84521	2	1	
JUL 15,88	JUL 14,88	800	800	1	25051.0	84522	2	1	
JUL 16,88	JUL 15,88	800	800	1	26993.0	84523	2	1	
JUL 17,88	JUL 16,88	800	800	1	25559.0	84524	2	1	
JUL 18,88	JUL 17,88	800	800	1	25678.0	84525	2	1	
JUL 19,88	JUL 18,88	800	800	1	26993.0	84526	2	1	
JUL 20,88	JUL 19,88	800	800	1	28525.0	84527	2	1	
JUL 21,88	JUL 20,88	800	800	1	26993.0	84534	2	1	
JUL 22,88	JUL 21,88	800	800	1	25340.0	84535	2	1	
JUL 23,88	JUL 22,88	800	800	1	26555.0	84536	2	1	
JUL 24,88	JUL 23,88	800	800	1	25928.0	84537	2	1	
JUL 25,88	JUL 24,88	800	800	1	26156.0	84538	2	1	
JUL 26,88	JUL 25,88	800	800	1	25748.0	84539	2	1	
JUL 27,88	JUL 26,88	800	800	1	24664.0	84540	2	1	
JUL 28,88	JUL 27,88	800	800	1	25860.0	84542	2	1	
JUL 29,88	JUL 28,88	800	800	1	23188.0	84543	2	1	
JUL 30,88	JUL 29,88	800	800	1	27146.0	84544	2	1	
JUL 31,88	JUL 30,88	800	800	1	27307.0	84545	2	1	
AUG 1,88	JUL 31,88	800	800	1	27217.0	84546	2	1	
AUG 2,88	AUG 1,88	800	800	1	26594.0	84547	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 24,88	JUN 23,88	3.47	1.86	0.01	0.367	0.02	0.29	0.02
JUN 25,88	JUN 24,88	2.69	0.99	0.13	0.151	0.09	0.28	0.22
JUN 26,88	JUN 25,88	4.00	3.70	0.27	0.827	0.09	0.55	0.36
JUN 27,88	JUN 26,88	<T	0.84	0.02	0.106	0.01	0.11	0.02
JUN 28,88	JUN 27,88	1.48	0.52	0.02	0.023	0.03	0.22	0.05
JUN 29,88	JUN 28,88	0.25	0.39	0.02	<W	0.02	0.13	0.04
JUN 30,88	JUN 29,88	0.24	0.28	0.00	<W	0.00	0.06	0.00
JUL 1,88	JUN 30,88	0.42	0.72	0.04	0.054	0.05	0.18	0.09
JUL 2,88	JUL 1,88	0.62	0.92	<T	0.094	0.04	0.13	0.07
JUL 3,88	JUL 2,88	0.27	0.38	0.05	<W	0.07	0.13	0.12
JUL 4,88	JUL 3,88	0.86	0.61	0.10	<W	0.10	0.16	0.20
JUL 5,88	JUL 4,88	5.67	6.30	0.60	1.001	0.22	0.22	0.81
JUL 6,88	JUL 5,88	4.45	7.50	0.69	1.256	0.35	0.12	1.04
JUL 7,88	JUL 6,88	7.96	UG 32.61	1.05	4.617	0.08	0.25	1.13
JUL 8,88	JUL 7,88	4.80	23.81	0.77	4.351	0.06	0.26	0.83
JUL 9,88	JUL 8,88	2.19	17.16	0.60	3.122	0.22	0.10	0.82
JUL 10,88	JUL 9,88	0.90	5.78	0.33	1.135	0.29	0.06	0.61
JUL 11,88	JUL 10,88	4.60	18.77	0.64	3.481	0.34	<T	0.98
JUL 12,88	JUL 11,88	0.21	2.05	0.11	0.355	0.06	0.08	0.17
JUL 13,88	JUL 12,88	0.27	1.04	0.04	0.095	0.04	0.07	0.07
JUL 14,88	JUL 13,88	5.26	4.74	0.35	0.945	0.26	0.07	0.62
JUL 15,88	JUL 14,88	0.43	3.65	0.14	0.830	0.09	0.19	0.23
JUL 16,88	JUL 15,88	5.61	1.45	0.23	0.213	0.26	0.42	0.49
JUL 17,88	JUL 16,88	1.86	6.18	0.39	1.518	0.19	0.38	0.57
JUL 18,88	JUL 17,88	<T	3.66	0.14	0.833	0.08	<T	0.22
JUL 19,88	JUL 18,88	0.59	2.14	0.11	0.370	0.16	0.18	0.26
JUL 20,88	JUL 19,88	0.51	1.84	0.06	0.389	0.08	0.10	0.14
JUL 21,88	JUL 20,88	1.17	2.04	0.06	0.320	0.12	0.14	0.18
JUL 22,88	JUL 21,88	0.60	3.02	0.16	0.680	0.20	0.26	0.36
JUL 23,88	JUL 22,88	<T	1.16	0.09	0.246	0.11	<T	0.20
JUL 24,88	JUL 23,88	<T	1.10	0.11	0.056	0.11	<T	0.22
JUL 25,88	JUL 24,88	<T	1.37	0.05	0.304	0.10	<T	0.15
JUL 26,88	JUL 25,88	0.46	5.75	0.21	1.501	0.20	<T	0.41
JUL 27,88	JUL 26,88	0.34	5.11	0.21	1.360	0.18	0.23	0.39
JUL 28,88	JUL 27,88	P	P 3.71	P 0.14	P 0.503	P 0.05	P 0.23	P 0.18
JUL 29,88	JUL 28,88	P	P 10.48	P 0.55	P 2.087	P 0.64	P 0.85	P 1.19
JUL 30,88	JUL 29,88	P	P 17.72	P 0.63	P 3.721	P 0.75	P 0.55	P 1.37
JUL 31,88	JUL 30,88	P	P 10.55	P 0.14	P 2.219	P 0.13	P 0.36	P 0.27
AUG 1,88	JUL 31,88	P	P 0.82	P 0.09	P 0.022	P 0.10	P 0.20	P 0.19
AUG 2,88	AUG 1,88	P	P 3.05	P 0.38	P 1.504	P 0.10	P 0.58	P 0.48

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
AUG 3,88	AUG 2,88	800	800	1	26473.0	84548	2	1		
AUG 4,88	AUG 3,88	800	800	1	33692.0	84577	2	1		
AUG 5,88	AUG 4,88	800	800	1	25248.0	84578	2	1		
AUG 6,88	AUG 5,88	800	800	1	25398.0	84579	2	1		
AUG 7,88	AUG 6,88	800	800	1	*****	84580	2	1		
AUG 8,88	AUG 7,88	800	800	1	28111.0	84585	2	1	BF	
AUG 9,88	AUG 8,88	800	800	1	26574.0	84581	2	1		
AUG 10,88	AUG 9,88	800	800	1	26162.0	84582	2	1		
AUG 10,88	AUG 10,88	800	1215	1	12440.0	84583	2	1		
AUG 11,88	AUG 10,88	1245	100	1	13948.0	84599	2	1	BF	Z
AUG 12,88	AUG 11,88	100	100	1	25370.0	84600	2	1	BA	F
AUG 13,88	AUG 12,88	100	100	1	27539.0	84601	2	1	AB	
AUG 14,88	AUG 13,88	100	100	1	27102.0	84602	2	1	A	
AUG 15,88	AUG 14,88	100	100	1	25977.0	84603	2	1	A	
AUG 16,88	AUG 15,88	100	100	1	26375.0	84604	2	1		
AUG 17,88	AUG 16,88	100	100	1	26107.0	84605	2	1	A	
AUG 18,88	AUG 17,88	100	100	1	25947.0	84611	2	1	A	
AUG 19,88	AUG 18,88	100	100	1	24812.0	84612	2	1	A	
AUG 20,88	AUG 19,88	100	800	1	32347.0	84613	2	1	A	
AUG 21,88	AUG 20,88	800	800	1	26803.0	84614	2	1	A	
AUG 22,88	AUG 21,88	800	800	1	26186.0	84615	2	1		
AUG 23,88	AUG 22,88	800	800	1	25609.0	84616	2	1		
AUG 24,88	AUG 23,88	800	800	1	24872.0	84617	2	1		
AUG 25,88	AUG 24,88	800	800	1	25529.0	84639	2	1		
AUG 26,88	AUG 25,88	800	800	1	22832.0	84640	2	1		
AUG 27,88	AUG 26,88	800	800	1	24265.0	84641	2	1		
AUG 28,88	AUG 27,88	800	800	1	25868.0	84642	2	1		
AUG 29,88	AUG 28,88	800	800	1	24673.0	84643	2	1		
AUG 30,88	AUG 29,88	800	800	1	24345.0	84644	2	1		
AUG 31,88	AUG 30,88	800	800	1	24634.0	84645	2	1		
SEP 1,88	AUG 31,88	800	800	1	25047.0	84767	2	1		
SEP 2,88	SEP 1,88	800	800	1	24554.0	84768	2	1		
SEP 3,88	SEP 2,88	800	800	1	25810.0	84769	2	1		
SEP 4,88	SEP 3,88	800	800	1	26674.0	84770	2	1		
SEP 5,88	SEP 4,88	800	800	1	25951.0	84771	2	1		
SEP 6,88	SEP 5,88	800	800	1	26353.0	84772	2	1		
SEP 7,88	SEP 6,88	800	800	1	26503.0	84773	2	1		
SEP 8,88	SEP 7,88	800	800	1	26166.0	84779	2	1		
SEP 9,88	SEP 8,88	800	800	1	24375.0	84780	2	1		
SEP 10,88	SEP 9,88	800	800	1	26117.0	84781	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 12

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
AUG 3,88	AUG 2,88	P	6.94	P	17.34	P	1.09		*****	P	0.43	P	1.00	P	1.52
AUG 4,88	AUG 3,88	1P	15.60	1P	73.10	1P	0.37	1P	5.270	1P	0.61	1P	0.70	1P	0.98
AUG 5,88	AUG 4,88	UG	21.72	UG	38.26		1.15		5.370		0.00		0.91		1.15
AUG 6,88	AUG 5,88		0.49		3.34		0.22		0.684		0.03		0.23		0.25
AUG 7,88	AUG 6,88		*****		*****		*****		*****		*****		*****		*****
AUG 8,88	AUG 7,88		0.48		0.97		0.04		0.134		0.02		0.24		0.06
AUG 9,88	AUG 8,88		5.52		4.85		0.51		0.868		0.37		0.61		0.87
AUG 10,88	AUG 9,88		5.75		22.20		0.62		4.914		0.00		0.77		0.62
AUG 10,88	AUG 10,88	1P	0.00	1P	0.00	1P	0.00	1P	0.000	1P	0.00	1P	0.00	1P	0.00
AUG 11,88	AUG 10,88	1P	14.23	1P	5.75	1P	0.13	1P	0.818	1P	0.09	1P	1.15	1P	0.22
AUG 12,88	AUG 11,88		1.57		2.50		0.10		0.434		0.12		0.70		0.22
AUG 13,88	AUG 12,88		2.49		10.71		0.40		2.118		0.10		0.54		0.50
AUG 14,88	AUG 13,88		2.81		10.37	<T	0.00		1.631		0.33	<T	0.15		0.33
AUG 15,88	AUG 14,88		4.37		17.17		0.70		3.812		0.08		0.73		0.78
AUG 16,88	AUG 15,88		5.23		1.80		0.03		0.171		0.04		0.40		0.07
AUG 17,88	AUG 16,88		1.18		0.88		0.08		0.119		0.06		0.36		0.14
AUG 18,88	AUG 17,88		1.53		2.46		0.03		0.509		0.03		0.27		0.07
AUG 19,88	AUG 18,88	<W	0.00		0.12	<T	0.00	<W	0.000		0.05	<T	0.00		0.05
AUG 20,88	AUG 19,88	<T	0.20		0.53		0.01		0.043		0.07		0.08		0.08
AUG 21,88	AUG 20,88		7.14		2.93		0.04		0.485		0.04		1.08		0.09
AUG 22,88	AUG 21,88		0.66		0.74	<T	0.00		0.191		0.04	<W	0.00		0.04
AUG 23,88	AUG 22,88		3.46		2.48		0.04		0.469		0.13		0.31		0.18
AUG 24,88	AUG 23,88		3.93		2.87		0.21		0.760		0.23		0.45		0.43
AUG 25,88	AUG 24,88		0.60		3.96		0.00		1.018		0.02		0.00		0.02
AUG 26,88	AUG 25,88	<W	0.00		0.91		0.00		0.197		0.05		0.00		0.05
AUG 27,88	AUG 26,88	<W	0.14		1.03		0.13		0.136	<T	0.02		0.21		0.15
AUG 28,88	AUG 27,88		4.25		5.03		0.07		1.338		0.28		0.23		0.35
AUG 29,88	AUG 28,88	<W	0.00		2.33		0.00		0.604	<T	0.02		0.00		0.02
AUG 30,88	AUG 29,88	<W	0.00		1.03		0.00		0.251		0.13	<T	0.00		0.13
AUG 31,88	AUG 30,88	<W	0.00		0.74		0.00		0.183		0.04	<W	0.00		0.04
SEP 1,88	AUG 31,88		3.93		3.62		0.49		0.906		0.58		0.10		1.07
SEP 2,88	SEP 1,88	UG	14.48		10.49		1.26		2.252		0.79		1.52		2.05
SEP 3,88	SEP 2,88	UG	26.48	UG	37.41		0.07		4.378		0.15	<T	0.11		0.22
SEP 4,88	SEP 3,88		4.82		13.26		0.39		2.928	<W	0.00		0.73		0.39
SEP 5,88	SEP 4,88	<W	0.18		4.42		0.10		0.844	<T	0.00		0.27		0.10
SEP 6,88	SEP 5,88		6.18		1.33		0.03		0.197		0.06		0.30		0.09
SEP 7,88	SEP 6,88		2.20		0.56		0.04		0.147		0.02		0.23		0.06
SEP 8,88	SEP 7,88		2.56		2.05		0.11		0.420		0.43		0.42		0.54
SEP 9,88	SEP 8,88	UG	31.30		13.33		1.31		2.490		0.28		1.13		1.59
SEP 10,88	SEP 9,88		6.25		7.77		0.46		1.172		0.34		1.42		0.80

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
SEP 11,88	SEP 10,88	800	800	1	26963.0	84782	2	1		
SEP 12,88	SEP 11,88	800	800	1	25808.0	84783	2	1		
SEP 13,88	SEP 12,88	800	800	1	25918.0	84784	2	1		
SEP 14,88	SEP 13,88	800	800	1	25589.0	84785	2	1		
SEP 15,88	SEP 14,88	800	800	1	26282.0	84789	2	1		
SEP 16,88	SEP 15,88	800	800	1	25479.0	84790	2	1		
SEP 17,88	SEP 16,88	800	800	1	26192.0	84791	2	1		
SEP 18,88	SEP 17,88	800	800	1	26554.0	84792	2	1		
SEP 19,88	SEP 18,88	800	500	1	26323.0	84793	2	1		
SEP 20,88	SEP 19,88	800	800	1	25388.0	84794	2	1	E	
SEP 21,88	SEP 20,88	800	800	1	25810.0	84795	2	1		
SEP 22,88	SEP 21,88	800	800	1	26076.0	84801	2	1		
SEP 23,88	SEP 22,88	800	800	1	24703.0	84802	2	1		
SEP 24,88	SEP 23,88	800	800	1	25768.0	84803	2	1		
SEP 25,88	SEP 24,88	800	800	1	28717.0	84804	2	1		
SEP 26,88	SEP 25,88	800	800	1	26525.0	84805	2	1		
SEP 27,88	SEP 26,88	800	800	1	26714.0	84806	2	1		
SEP 28,88	SEP 27,88	800	800	1	26385.0	84807	2	1		
SEP 29,88	SEP 28,88	800	800	1	27046.0	84832	2	1		
SEP 30,88	SEP 29,88	800	800	1	25569.0	84833	2	1		
OCT 1,88	SEP 30,88	800	800	1	25850.0	84834	2	1		
OCT 2,88	OCT 1,88	800	800	1	27046.0	84835	2	1		
OCT 3,88	OCT 2,88	800	800	1	26795.0	84836	2	1		
OCT 4,88	OCT 3,88	800	800	1	27398.0	84837	2	1		
OCT 5,88	OCT 4,88	800	800	1	32652.0	84838	2	1		
OCT 6,88	OCT 5,88	800	800	1	49566.0	84845	2	1	AC	F
OCT 7,88	OCT 6,88	800	800	1	25221.0	84846	2	1		
OCT 8,88	OCT 7,88	800	800	1	105362.0	84847	2	1	AB	F
OCT 9,88	OCT 8,88	800	800	1	4379.0	84848	2	1	A	F
OCT 10,88	OCT 9,88	800	800	1	*****	84849	2	1	AF	
OCT 11,88	OCT 10,88	800	800	1	*****	84850	2	1	AF	
OCT 12,88	OCT 11,88	800	800	1	*****	84851	2	1	AF	
OCT 13,88	OCT 12,88	800	800	1	123200.0	84869	2	1	A	F
OCT 14,88	OCT 13,88	800	800	1	*****	84870	2	1	FA	
OCT 15,88	OCT 14,88	800	800	1	*****	84871	2	1	AF	
OCT 16,88	OCT 15,88	800	800	1	*****	84872	2	1	AF	
OCT 17,88	OCT 16,88	800	800	1	*****	84873	2	1	AF	
OCT 18,88	OCT 17,88	800	800	1	*****	84874	2	1	AF	
OCT 19,88	OCT 18,88	800	800	1	*****	84875	2	1	AF	
OCT 20,88	OCT 19,88	800	800	1	*****	84881	2	1	A	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 14

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 11,88	SEP 10,88	<T	0.28	0.70	0.06	<W	0.000	0.11	0.28	0.17
SEP 12,88	SEP 11,88		0.52	0.64	0.04		0.139	0.11	0.15	0.14
SEP 13,88	SEP 12,88	UG	12.79	4.75	0.35		1.204	0.63	0.58	0.98
SEP 14,88	SEP 13,88		0.79	0.56	0.05		0.141	0.09	0.11	0.14
SEP 15,88	SEP 14,88		0.65	0.72	0.03		0.183	0.10	0.69	0.12
SEP 16,88	SEP 15,88		0.87	0.36	<W	0.00	0.082	0.02	0.76	0.02
SEP 17,88	SEP 16,88		2.76	1.85	0.15		0.267	0.20	0.71	0.35
SEP 18,88	SEP 17,88		2.83	8.04	0.31		2.406	0.29	1.01	0.59
SEP 19,88	SEP 18,88		0.68	3.54	0.17		0.969	0.14	0.76	0.30
SEP 20,88	SEP 19,88		5.65	24.79	0.66		4.175	0.10	0.83	0.76
SEP 21,88	SEP 20,88		2.97	2.05	0.08		0.418	0.12	0.68	0.20
SEP 22,88	SEP 21,88		3.82	1.03	0.00	<T	0.004	0.07	0.64	0.07
SEP 23,88	SEP 22,88		5.78	2.73	0.20		0.672	0.37	0.93	0.57
SEP 24,88	SEP 23,88		0.30	0.96	0.11		0.147	0.09	0.24	0.20
SEP 25,88	SEP 24,88		1.71	0.53	0.04		0.035	0.09	0.33	0.12
SEP 26,88	SEP 25,88		0.80	0.87	0.23		0.173	0.21	0.17	0.44
SEP 27,88	SEP 26,88		1.20	0.39	0.10	<T	0.004	0.15	0.27	0.25
SEP 28,88	SEP 27,88		4.66	5.27	0.37		1.103	0.31	0.76	0.69
SEP 29,88	SEP 28,88		0.11	0.59	0.01		0.126	0.03	0.17	0.04
SEP 30,88	SEP 29,88	<T	0.57	0.86	0.09		0.242	0.22	0.56	0.31
OCT 1,88	SEP 30,88	UG	20.66	20.74	1.18	>	1.934	0.64	1.45	1.82
OCT 2,88	OCT 1,88		4.68	11.09	0.75	>	1.849	0.18	0.87	0.92
OCT 3,88	OCT 2,88	<W	0.11	0.49	0.02		0.103	0.03	0.17	0.05
OCT 4,88	OCT 3,88		0.39	1.24	0.02		0.195	0.02	0.31	0.04
OCT 5,88	OCT 4,88	<W	0.32	1.10	0.06		0.280	0.02	0.47	0.08
OCT 6,88	OCT 5,88		0.25	0.47	0.01		0.129	0.01	0.28	0.02
OCT 7,88	OCT 6,88		0.90	1.28	0.04		0.389	0.06	0.75	0.11
OCT 8,88	OCT 7,88	>	3.26	1.60	0.14		0.462	0.12	0.24	0.26
OCT 9,88	OCT 8,88		3.35	<T 0.52	<T 0.07	<W	0.000	<W 0.00	2.28	0.07
OCT 10,88	OCT 9,88		*****	*****	*****		*****	*****	*****	*****
OCT 11,88	OCT 10,88		*****	*****	*****		*****	*****	*****	*****
OCT 12,88	OCT 11,88		*****	*****	*****		*****	*****	*****	*****
OCT 13,88	OCT 12,88	>	2.86	2.46	0.12		0.950	0.69	0.39	0.82
OCT 14,88	OCT 13,88		*****	*****	*****		*****	*****	*****	*****
OCT 15,88	OCT 14,88		*****	*****	*****		*****	*****	*****	*****
OCT 16,88	OCT 15,88		*****	*****	*****		*****	*****	*****	*****
OCT 17,88	OCT 16,88		*****	*****	*****		*****	*****	*****	*****
OCT 18,88	OCT 17,88		*****	*****	*****		*****	*****	*****	*****
OCT 19,88	OCT 18,88		*****	*****	*****		*****	*****	*****	*****
OCT 20,88	OCT 19,88		*****	*****	*****		*****	*****	*****	*****

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
OCT 21,88	OCT 20,88	800	800	1	*****	84882	2	1	AF	
OCT 22,88	OCT 21,88	800	800	1	*****	84883	2	1	AF	
OCT 23,88	OCT 22,88	800	800	1	*****	84884	2	1	AF	
OCT 24,88	OCT 23,88	800	800	1	*****	84885	2	1	AF	
OCT 25,88	OCT 24,88	800	800	1	*****	84886	2	1	AF	
OCT 26,88	OCT 25,88	800	800	1	*****	84887	2	1	AF	
OCT 27,88	OCT 26,88	800	800	1	22693.0	84992	2	1		
OCT 28,88	OCT 27,88	800	800	1	25304.0	84993	2	1		
OCT 29,88	OCT 28,88	800	800	1	446.0	84994	2	1	AC	F
OCT 30,88	OCT 29,88	800	800	1	27256.0	84995	2	1		
OCT 31,88	OCT 30,88	800	800	1	27368.0	84996	2	1		
NOV 1,88	OCT 31,88	800	800	1	27713.0	84997	2	1		
NOV 2,88	NOV 1,88	800	800	1	27100.0	84998	2	1		
NOV 3,88	NOV 2,88	800	800	1	20415.0	84936	2	1		
NOV 4,88	NOV 3,88	800	800	1	21734.0	84937	2	1		
NOV 5,88	NOV 4,88	800	800	1	21158.0	84938	2	1		
NOV 6,88	NOV 5,88	800	800	1	21212.0	84939	2	1		
NOV 7,88	NOV 6,88	800	800	1	21574.0	84940	2	1		
NOV 8,88	NOV 7,88	800	800	1	21548.0	84941	2	1		
NOV 9,88	NOV 8,88	800	800	1	21760.0	84942	2	1		
NOV 10,88	NOV 9,88	800	800	1	27312.0	84976	2	1		
NOV 11,88	NOV 10,88	800	800	1	25794.0	84977	2	1		
NOV 12,88	NOV 11,88	800	800	1	27223.0	84978	2	1		
NOV 13,88	NOV 12,88	800	800	1	28216.0	84979	2	1		
NOV 14,88	NOV 13,88	800	800	1	26085.0	84980	2	1		
NOV 15,88	NOV 14,88	800	800	1	20707.0	84981	2	1		
NOV 16,88	NOV 15,88	800	800	1	19747.0	84982	2	1		
NOV 17,88	NOV 16,88	800	800	1	12699.0	41009	2	1	B	F
NOV 18,88	NOV 17,88	800	800	1	8189.0	41010	2	1	BC	F
NOV 19,88	NOV 18,88	800	800	1	4536.0	41011	2	1	BCA	F
NOV 20,88	NOV 19,88	800	800	1	2909.0	41012	2	1	BAC	F
NOV 21,88	NOV 20,88	800	800	1	920.0	41013	2	1	B	F
NOV 22,88	NOV 21,88	800	800	1	1070.0	41014	2	1	ABC	F
NOV 23,88	NOV 22,88	800	800	1	97.0	41015	2	1	B	F
NOV 24,88	NOV 23,88	800	800	1	557.0	42449	2	1	A	F
NOV 25,88	NOV 24,88	800	800	1	870.0	42450	2	1	AC	F
NOV 26,88	NOV 25,88	800	800	1	792.0	42451	2	1	AC	F
NOV 27,88	NOV 26,88	800	800	1	557.0	42452	2	1	AC	F
NOV 28,88	NOV 27,88	800	800	1	1026.0	42453	2	1	AC	F
NOV 29,88	NOV 28,88	800	800	1	948.0	42454	2	1	AC	F

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 21,88	OCT 20,88	*****	*****	*****	*****	*****	*****	*****
OCT 22,88	OCT 21,88	*****	*****	*****	*****	*****	*****	*****
OCT 23,88	OCT 22,88	*****	*****	*****	*****	*****	*****	*****
OCT 24,88	OCT 23,88	*****	*****	*****	*****	*****	*****	*****
OCT 25,88	OCT 24,88	*****	*****	*****	*****	*****	*****	*****
OCT 26,88	OCT 25,88	*****	*****	*****	*****	*****	*****	*****
OCT 27,88	OCT 26,88	0.37	1.38	<T	0.04	0.348	0.07	0.11
OCT 28,88	OCT 27,88	9.90	3.49	0.31	1.047	0.32	0.94	0.63
OCT 29,88	OCT 28,88	U 11.59	U 0.95	U 0.90	U 0.336	U 0.06	U 15.03	U 0.96
OCT 30,88	OCT 29,88	0.29	0.53	<T	0.138	<W 0.00	0.28	0.04
OCT 31,88	OCT 30,88	6.92	1.11	0.05	0.221	<T 0.00	0.54	0.05
NOV 1,88	OCT 31,88	11.14	2.22	0.26	0.646	0.40	0.60	0.66
NOV 2,88	NOV 1,88	17.60	4.48	0.41	1.638	0.75	0.95	1.16
NOV 3,88	NOV 2,88	12.35	6.67	0.56	0.982	0.03	0.22	0.59
NOV 4,88	NOV 3,88	16.02	5.38	0.23	1.673	0.56	UG 2.08	0.80
NOV 5,88	NOV 4,88	11.29	7.80	0.57	3.454	1.16	UG 2.19	1.73
NOV 6,88	NOV 5,88	3.17	4.48	0.20	1.413	0.31	1.29	0.52
NOV 7,88	NOV 6,88	9.60	1.53	0.17	0.518	0.10	UG 2.10	0.28
NOV 8,88	NOV 7,88	3.03	1.86	0.25	0.792	0.45	1.54	0.69
NOV 9,88	NOV 8,88	3.13	1.98	0.13	0.688	0.25	0.98	0.38
NOV 10,88	NOV 9,88	3.32	2.67	0.16	0.801	0.33	1.47	0.49
NOV 11,88	NOV 10,88	3.73	1.40	0.04	0.358	0.01	0.89	0.04
NOV 12,88	NOV 11,88	0.83	0.48	0.02	0.113	0.00	0.26	0.02
NOV 13,88	NOV 12,88	3.98	1.91	0.11	0.630	0.25	0.50	0.37
NOV 14,88	NOV 13,88	3.67	2.49	0.24	1.069	0.21	1.30	0.45
NOV 15,88	NOV 14,88	3.56	1.69	0.13	0.540	0.15	0.48	0.29
NOV 16,88	NOV 15,88	7.39	1.77	0.21	0.697	0.30	0.76	0.51
NOV 17,88	NOV 16,88	12.68	UG 8.58	0.58	2.634	0.49	1.18	1.08
NOV 18,88	NOV 17,88	2.89	5.62	0.24	1.417	0.18	0.85	0.42
NOV 19,88	NOV 18,88	2.28	2.43	<T 0.22	0.573	0.14	1.76	0.37
NOV 20,88	NOV 19,88	U 81.59	U 30.94	U 0.55	U 6.910	U 0.29	U 5.84	U 0.84
NOV 21,88	NOV 20,88	U 10.14	U 27.17	U 1.30	U 3.044	U 0.28	U 8.70	U 1.58
NOV 22,88	NOV 21,88	U 56.39	U 52.34	U 3.55	U 13.739	U 3.79	U 10.28	U 7.34
NOV 23,88	NOV 22,88	U 13.75	U 72.16	U 6.19	U 19.075	U 8.84	U 20.62	U 15.03
NOV 24,88	NOV 23,88	U 185.67	U 0.00	U 11.58	U 45.103	U 0.00	U 24.01	U 11.58
NOV 25,88	NOV 24,88	U 64.57	U 0.00	U 8.80	U 38.932	U 0.00	U 16.57	U 8.80
NOV 26,88	NOV 25,88	U 140.79	U 154.39	U 8.15	U 54.509	U 18.94	U 28.31	U 27.09
NOV 27,88	NOV 26,88	U 650.82	U 246.46	U 12.67	U 99.409	U 42.37	U 56.41	U 55.04
NOV 28,88	NOV 27,88	U 76.19	U 55.83	U 4.93	U 15.566	U 2.53	U 8.21	U 7.46
NOV 29,88	NOV 28,88	U 104.26	U 48.82	U 2.59	U 12.628	U 0.21	U 16.27	U 2.80

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
NOV 30,88	NOV 29,88	800	800	1	903.0	42455	2	1	AC	F
DEC 1,88	NOV 30,88	800	800	1	40.0	42115	2	1	AC	F
DEC 2,88	DEC 1,88	800	800	1	40.0	42116	2	1	AC	F
DEC 3,88	DEC 2,88	800	800	1	21299.0	42117	2	1	AC	
DEC 4,88	DEC 3,88	800	800	1	31396.0	42118	2	1		
DEC 5,88	DEC 4,88	800	800	1	32400.0	42119	2	1		
DEC 6,88	DEC 5,88	800	800	1	30871.0	42120	2	1		
DEC 7,88	DEC 6,88	800	800	1	30235.0	42121	2	1		
DEC 8,88	DEC 7,88	800	800	1	33415.0	42159	2	1		
DEC 9,88	DEC 8,88	800	800	1	29130.0	42160	2	1		
DEC 10,88	DEC 9,88	800	800	1	30804.0	42161	2	1		
DEC 11,88	DEC 10,88	800	800	1	32221.0	42162	2	1		
DEC 12,88	DEC 11,88	800	800	1	32489.0	42163	2	1		
DEC 13,88	DEC 12,88	800	800	1	32143.0	42164	2	1		
DEC 14,88	DEC 13,88	800	800	1	30079.0	42165	2	1		
DEC 15,88	DEC 14,88	800	800	1	24265.0	42574	2	1		
DEC 16,88	DEC 15,88	800	800	1	23584.0	42575	2	1		
DEC 17,88	DEC 16,88	800	800	1	24928.0	42576	2	1		
DEC 18,88	DEC 17,88	800	800	1	26069.0	42577	2	1		
DEC 19,88	DEC 18,88	800	800	1	25388.0	42578	2	1		
DEC 20,88	DEC 19,88	800	800	1	24654.0	42579	2	1		
DEC 21,88	DEC 20,88	800	800	1	24115.0	42580	2	1		
DEC 22,88	DEC 21,88	1210	800	1	31307.0	42582	2	1		
DEC 23,88	DEC 22,88	800	800	1	29477.0	42583	2	1		
DEC 24,88	DEC 23,88	800	800	1	30793.0	42584	2	1		
DEC 25,88	DEC 24,88	800	800	1	30526.0	42585	2	1		
DEC 26,88	DEC 25,88	800	800	1	30963.0	42586	2	1		
DEC 27,88	DEC 26,88	800	800	1	32190.0	42587	2	1		
DEC 28,88	DEC 27,88	800	800	1	30617.0	42588	2	1		
DEC 29,88	DEC 28,88	800	800	1	*****	42589	2	1		
DEC 30,88	DEC 29,88	909	800	1	30101.0	42149	2	1		
DEC 31,88	DEC 30,88	800	800	1	30380.0	42150	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : BALSAM LAKE/DAILY/AIR

PAGE : 18

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
NOV 30,88	NOV 29,88	U	355.30	U	72.29	U	7.15	U	25.439	U	15.73	U	23.72	U	22.87
DEC 1,88	NOV 30,88	U	*****	U	*****	U	86.44	U	*****	U	100.55	U	244.02	U	186.99
DEC 2,88	DEC 1,88	U	*****	U	*****	U	36.46	U	*****	U	25.73	U	821.86	U	62.19
DEC 3,88	DEC 2,88		4.13		3.86		0.13		2.207		0.18		1.03		0.31
DEC 4,88	DEC 3,88		4.39		1.57		0.13		0.704		0.47		0.63		0.60
DEC 5,88	DEC 4,88		10.42		0.75	<T	0.01		0.148	<T	0.02		0.52	<T	0.04
DEC 6,88	DEC 5,88		9.59		2.96		0.07		1.616		1.32		0.90		1.39
DEC 7,88	DEC 6,88		9.58		2.89		0.19		1.902		1.77		0.76		1.95
DEC 8,88	DEC 7,88		0.54		0.69		0.02		0.165	<T	0.02		0.13		0.04
DEC 9,88	DEC 8,88		3.78		0.82		0.07		0.160		0.08		1.14		0.15
DEC 10,88	DEC 9,88		9.25		0.94		0.07		0.161		0.04		0.63		0.11
DEC 11,88	DEC 10,88		4.74		1.27		0.03		0.223		0.04		0.69		0.07
DEC 12,88	DEC 11,88		16.37		1.79		0.02		0.247		0.07		0.50		0.09
DEC 13,88	DEC 12,88		13.99		2.36		0.25		0.460		0.26		1.38		0.51
DEC 14,88	DEC 13,88		29.30		4.09		0.44		1.422		0.43		1.51		0.87
DEC 15,88	DEC 14,88		16.58		3.05		0.41		1.170		0.45		1.63		0.86
DEC 16,88	DEC 15,88	UG	43.55		1.82		0.07		0.201		0.13	UG	1.97		0.20
DEC 17,88	DEC 16,88		10.12		2.45		0.29		0.879		0.56		1.47		0.85
DEC 18,88	DEC 17,88		7.11		2.46		0.56		1.063		0.73		1.29		1.30
DEC 19,88	DEC 18,88		14.08		2.64		0.42		0.973		0.36	UG	2.62		0.78
DEC 20,88	DEC 19,88		30.73		5.19		0.81		2.012		0.99	UG	2.42		1.79
DEC 21,88	DEC 20,88		9.12		3.69		0.30		1.472		0.71	UG	2.06		1.01
DEC 22,88	DEC 21,88	1P	6.77	1P	2.97	1P	0.07	1P	0.325	1P	0.02	1P	0.90	1P	0.09
DEC 23,88	DEC 22,88		3.19		1.56		0.12		0.267		0.17		0.62		0.29
DEC 24,88	DEC 23,88		3.61		2.08		0.15		0.866		0.49		1.18		0.64
DEC 25,88	DEC 24,88		2.98		1.31		0.14		1.025		0.79		1.32		0.93
DEC 26,88	DEC 25,88	<T	0.51		0.81		0.04		0.149	<T	0.03		0.52		0.07
DEC 27,88	DEC 26,88		1.30		0.66		0.05		0.134		0.04		0.69		0.09
DEC 28,88	DEC 27,88		7.39		1.80		0.24		0.639		0.21		1.38		0.45
DEC 29,88	DEC 28,88		*****		*****		*****		*****		*****		*****		*****
DEC 30,88	DEC 29,88	P	10.55	P	1.83	P	0.20	P	0.571	P	0.13	P	1.23	P	0.33
DEC 31,88	DEC 30,88	P	14.01	P	2.83	P	0.39	P	1.169	P	0.59	P	1.42	P	0.98

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 1,88	DEC 31,88	800	800	1	22490.0	47866	2	1	
JAN 2,88	JAN 1,88	800	800	1	21189.0	47867	2	1	
JAN 3,88	JAN 2,88	800	800	1	24170.0	47868	2	1	
JAN 4,88	JAN 3,88	800	800	1	23104.0	47869	2	1	
JAN 5,88	JAN 4,88	800	800	1	23170.0	47870	2	1	
JAN 6,88	JAN 5,88	800	800	1	22491.0	47880	2	1	
JAN 7,88	JAN 6,88	800	800	1	21736.0	47881	2	1	
JAN 8,88	JAN 7,88	800	800	1	22009.0	47882	2	1	
JAN 9,88	JAN 8,88	800	800	1	19623.0	47883	2	1	
JAN 10,88	JAN 9,88	800	800	1	23915.0	47884	2	1	
JAN 11,88	JAN 10,88	800	800	1	22274.0	47885	2	1	
JAN 12,88	JAN 11,88	800	800	1	21830.0	47886	2	1	
JAN 13,88	JAN 12,88	800	800	1	20991.0	47896	2	1	
JAN 14,88	JAN 13,88	800	800	1	22349.0	47897	2	1	
JAN 15,88	JAN 14,88	800	800	1	23906.0	47898	2	1	
JAN 16,88	JAN 15,88	800	800	1	20821.0	47899	2	1	
JAN 17,88	JAN 16,88	800	800	1	24906.0	47900	2	1	
JAN 18,88	JAN 17,88	800	800	1	20151.0	47901	2	1	
JAN 19,88	JAN 18,88	800	800	1	21377.0	47902	2	1	
JAN 20,88	JAN 19,88	800	800	1	20330.0	47912	2	1	
JAN 21,88	JAN 20,88	800	800	1	19283.0	47913	2	1	
JAN 22,88	JAN 21,88	800	800	1	24198.0	47914	2	1	
JAN 23,88	JAN 22,88	800	800	1	20292.0	47915	2	1	
JAN 24,88	JAN 23,88	800	800	1	23774.0	47916	2	1	
JAN 25,88	JAN 24,88	800	800	1	22142.0	47917	2	1	
JAN 26,88	JAN 25,88	800	800	1	23896.0	47918	2	1	
JAN 27,88	JAN 26,88	800	800	1	21953.0	47928	2	1	
JAN 28,88	JAN 27,88	800	800	1	21189.0	47929	2	1	
JAN 29,88	JAN 28,88	800	800	1	23991.0	47930	2	1	
JAN 30,88	JAN 29,88	800	800	1	20585.0	47931	2	1	
JAN 31,88	JAN 30,88	800	800	1	21302.0	47932	2	1	
FEB 1,88	JAN 31,88	800	800	1	19868.0	47933	2	1	
FEB 2,88	FEB 1,88	800	800	1	18415.0	47934	2	1	
FEB 3,88	FEB 2,88	800	800	1	21821.0	47944	2	1	
FEB 4,88	FEB 3,88	800	800	1	15679.0	47945	2	1	
FEB 5,88	FEB 4,88	800	800	1	17783.0	47946	2	1	
FEB 6,88	FEB 5,88	800	800	1	17660.0	47947	2	1	
FEB 7,88	FEB 6,88	800	800	1	17972.0	47948	2	1	
FEB 8,88	FEB 7,88	800	800	1	19707.0	47949	2	1	
FEB 9,88	FEB 8,88	800	800	1	18783.0	47950	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 1,88	DEC 31,87	7.29	2.84	0.30	0.756	0.09	0.60	0.39
JAN 2,88	JAN 1,88	1.53	1.04	0.02	0.153	0.03	0.57	0.05
JAN 3,88	JAN 2,88	7.10	1.96	0.30	0.625	0.55	0.66	0.85
JAN 4,88	JAN 3,88	23.48	2.59	0.55	0.822	0.72	0.61	1.27
JAN 5,88	JAN 4,88	6.59	0.99	0.16	0.216	0.05	0.50	0.21
JAN 6,88	JAN 5,88	4.24	0.76	0.05	0.029	0.07	0.22	0.12
JAN 7,88	JAN 6,88	8.98	1.47	0.02	0.134	0.10	0.22	0.12
JAN 8,88	JAN 7,88	16.71	1.29	0.07	0.144	0.06	0.33	0.13
JAN 9,88	JAN 8,88	14.64	3.29	0.48	0.775	0.22	0.48	0.70
JAN 10,88	JAN 9,88	1.98	1.63	0.16	0.456	0.10	0.38	0.27
JAN 11,88	JAN 10,88	9.31	2.15	0.15	0.804	0.60	0.50	0.75
JAN 12,88	JAN 11,88	30.55	6.87	0.62	4.943	1.41	0.54	2.03
JAN 13,88	JAN 12,88	34.92	5.43	0.39	1.373	0.46	0.00	0.86
JAN 14,88	JAN 13,88	<W 0.15	0.58	0.01	0.063	0.11	0.22	0.12
JAN 15,88	JAN 14,88	17.13	1.89	0.10	0.362	0.39	0.22	0.49
JAN 16,88	JAN 15,88	29.75	4.47	0.47	1.581	0.83	0.47	1.30
JAN 17,88	JAN 16,88	34.72	4.50	0.56	1.173	0.84	0.34	1.41
JAN 18,88	JAN 17,88	8.35	4.83	0.37	1.534	0.62	0.25	0.99
JAN 19,88	JAN 18,88	9.13	3.63	0.21	0.370	<W 0.00	0.43	0.21
JAN 20,88	JAN 19,88	3.05	2.47	0.11	0.290	<T 0.02	0.00	0.13
JAN 21,88	JAN 20,88	5.58	2.84	0.37	0.519	<T 0.04	0.51	0.41
JAN 22,88	JAN 21,88	1.53	1.18	0.07	0.145	0.07	0.34	0.14
JAN 23,88	JAN 22,88	1.99	2.42	0.20	0.532	0.42	0.36	0.62
JAN 24,88	JAN 23,88	11.41	5.83	0.92	1.514	0.09	0.39	1.02
JAN 25,88	JAN 24,88	12.19	2.95	0.36	0.623	<T 0.02	0.32	0.38
JAN 26,88	JAN 25,88	8.36	1.70	0.12	0.188	0.04	0.29	0.16
JAN 27,88	JAN 26,88	5.70	1.09	0.04	0.080	0.05	0.00	0.09
JAN 28,88	JAN 27,88	5.13	2.05	0.15	0.604	0.39	0.46	0.54
JAN 29,88	JAN 28,88	7.38	2.18	0.14	0.261	<T 0.02	0.44	0.16
JAN 30,88	JAN 29,88	26.18	4.22	0.58	1.336	0.65	0.50	1.23
JAN 31,88	JAN 30,88	3.89	3.87	0.25	2.127	1.28	0.35	1.53
FEB 1,88	JAN 31,88	2.04	3.70	0.21	1.223	0.35	0.38	0.56
FEB 2,88	FEB 1,88	3.97	2.22	0.06	0.163	<T 0.04	0.35	0.10
FEB 3,88	FEB 2,88	9.81	1.69	0.03	0.080	0.05	0.00	0.07
FEB 4,88	FEB 3,88	2.04	1.61	0.08	0.080	0.06	1.53	0.15
FEB 5,88	FEB 4,88	2.51	1.56	0.06	0.112	0.06	0.36	0.12
FEB 6,88	FEB 5,88	1.48	1.47	0.07	0.156	0.08	0.69	0.16
FEB 7,88	FEB 6,88	3.06	1.39	0.07	0.139	0.06	0.54	0.13
FEB 8,88	FEB 7,88	16.09	2.96	0.40	0.650	0.23	0.61	0.63
FEB 9,88	FEB 8,88	8.30	1.19	0.10	0.080	0.05	0.40	0.15

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
FEB 10,88	FEB 9,88	800	800	1	18425.0	47960	2	1		
FEB 11,88	FEB 10,88	800	800	1	21632.0	47961	2	1		
FEB 12,88	FEB 11,88	800	800	1	23330.0	47962	2	1		
FEB 13,88	FEB 12,88	800	800	1	19604.0	47963	2	1		
FEB 14,88	FEB 13,88	800	800	1	24849.0	47964	2	1		
FEB 15,88	FEB 14,88	800	800	1	22717.0	47965	2	1		
FEB 16,88	FEB 15,88	800	800	1	21943.0	47966	2	1		
FEB 17,88	FEB 16,88	800	800	1	20811.0	47976	2	1		
FEB 18,88	FEB 17,88	800	800	1	20528.0	47977	2	1		
FEB 19,88	FEB 18,88	800	800	1	23255.0	47978	2	1		
FEB 20,88	FEB 19,88	800	800	1	20019.0	47979	2	1		
FEB 21,88	FEB 20,88	800	800	1	24245.0	47980	2	1		
FEB 22,88	FEB 21,88	800	800	1	23651.0	47981	2	1		
FEB 23,88	FEB 22,88	800	800	1	22623.0	47982	2	1		
FEB 24,88	FEB 23,88	800	800	1	21651.0	47994	2	1		
FEB 25,88	FEB 24,88	800	800	1	20802.0	47995	2	1		
FEB 26,88	FEB 25,88	800	800	1	24415.0	47996	2	1		
FEB 27,88	FEB 26,88	800	800	1	20132.0	47997	2	1		
FEB 28,88	FEB 27,88	800	800	1	24896.0	47998	2	1		
FEB 29,88	FEB 28,88	800	800	1	22708.0	47999	2	1		
MAR 1,88	FEB 29,88	800	800	1	24009.0	48000	2	1		
MAR 2,88	MAR 1,88	800	800	1	21604.0	77010	2	1		
MAR 3,88	MAR 2,88	800	800	1	21075.0	77011	2	1		
MAR 4,88	MAR 3,88	800	800	1	23698.0	77012	2	1		
MAR 5,88	MAR 4,88	800	800	1	20189.0	77013	2	1		
MAR 6,88	MAR 5,88	800	800	1	55142.0	77014	2	1		
MAR 7,88	MAR 6,88	800	800	1	30462.0	77015	2	1		
MAR 8,88	MAR 7,88	800	800	1	24066.0	77016	2	1		
MAR 9,88	MAR 8,88	800	915	1	20302.0	77026	2	1		
MAR 10,88	MAR 9,88	915	915	1	19915.0	77027	2	1		
MAR 11,88	MAR 10,88	915	815	1	23170.0	77028	2	1		
MAR 12,88	MAR 11,88	815	800	1	20104.0	77029	2	1		
MAR 13,88	MAR 12,88	800	800	1	24811.0	77030	2	1		
MAR 14,88	MAR 13,88	800	800	1	23226.0	77031	2	1		
MAR 15,88	MAR 14,88	800	800	1	23632.0	77032	2	1		
MAR 16,88	MAR 15,88	800	800	1	20698.0	77044	2	1		
MAR 17,88	MAR 16,88	800	800	1	20887.0	77045	2	1		
MAR 18,88	MAR 17,88	800	800	1	22811.0	77046	2	1		
MAR 19,88	MAR 18,88	800	800	1	19972.0	77047	2	1		
MAR 20,88	MAR 19,88	800	800	1	24500.0	77048	2	1		

F

B
Q
Q

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 10,88	FEB 9,88	12.97	3.01	0.39	0.428	<T	0.03	0.42
FEB 11,88	FEB 10,88	8.82	1.43	0.06	0.088		0.07	0.13
FEB 12,88	FEB 11,88	6.28	2.79	0.32	0.381		0.09	0.41
FEB 13,88	FEB 12,88	10.12	3.38	0.20	0.352	<W	0.00	0.20
FEB 14,88	FEB 13,88	9.29	1.71	0.09	0.137	<T	0.01	0.10
FEB 15,88	FEB 14,88	11.66	3.27	0.56	0.645		0.12	0.68
FEB 16,88	FEB 15,88	12.25	2.25	0.08	0.246	<T	0.03	0.11
FEB 17,88	FEB 16,88	6.87	3.09	0.34	0.547	<W	0.00	0.34
FEB 18,88	FEB 17,88	3.43	4.53	0.64	0.905	<W	0.00	0.64
FEB 19,88	FEB 18,88	0.71	3.07	0.39	1.336		0.70	1.09
FEB 20,88	FEB 19,88	13.45	3.09	0.69	0.778		0.14	0.83
FEB 21,88	FEB 20,88	5.01	2.72	0.53	0.593		0.08	0.61
FEB 22,88	FEB 21,88	9.32	1.81	0.45	0.405		0.13	0.57
FEB 23,88	FEB 22,88	7.33	2.10	0.37	0.600		0.19	0.55
FEB 24,88	FEB 23,88	1.30	1.54	0.05	0.058	<T	0.01	0.07
FEB 25,88	FEB 24,88	<T 0.44	1.25	0.10	0.048		0.05	0.15
FEB 26,88	FEB 25,88	0.56	1.04	0.08	0.092	<T	0.01	0.09
FEB 27,88	FEB 26,88	6.02	3.08	0.38	0.661		0.05	0.43
FEB 28,88	FEB 27,88	3.32	3.18	0.28	0.482		0.03	0.31
FEB 29,88	FEB 28,88	6.92	5.42	0.73	1.378		0.20	0.93
MAR 1,88	FEB 29,88	0.99	1.02	0.09	0.104		0.07	0.15
MAR 2,88	MAR 1,88	2.59	1.36	0.14	0.150		0.10	0.24
MAR 3,88	MAR 2,88	12.88	4.13	0.65	0.940		0.11	0.76
MAR 4,88	MAR 3,88	7.80	2.93	0.14	0.222	<T	0.01	0.15
MAR 5,88	MAR 4,88	10.15	2.33	0.14	0.136	<T	0.02	0.15
MAR 6,88	MAR 5,88	4.72	2.00	0.14	0.997		0.90	1.04
MAR 7,88	MAR 6,88	4.11	1.70	0.17	1.274		0.93	1.10
MAR 8,88	MAR 7,88	0.66	1.25	0.07	0.145	<T	0.01	0.09
MAR 9,88	MAR 8,88	4.45	2.50	0.27	0.651		0.21	0.48
MAR 10,88	MAR 9,88	1.33	2.30	0.45	0.513	<T	0.03	0.48
MAR 11,88	MAR 10,88	2.55	1.29	0.04	0.115	<T	0.01	0.05
MAR 12,88	MAR 11,88	0.33	0.95	0.01	0.120		0.08	0.09
MAR 13,88	MAR 12,88	0.70	1.65	0.19	0.269		0.14	0.33
MAR 14,88	MAR 13,88	5.29	2.10	0.30	0.483		0.03	0.50
MAR 15,88	MAR 14,88	18.13	2.87	0.10	0.176	<T	0.01	0.11
MAR 16,88	MAR 15,88	5.32	2.16	0.09	0.116		0.06	0.15
MAR 17,88	MAR 16,88	<T 0.19	0.78	0.06	0.108		0.10	0.16
MAR 18,88	MAR 17,88	17.03	2.47	0.08	0.175		0.07	0.15
MAR 19,88	MAR 18,88	1.36	1.53	0.25	0.451		0.11	0.37
MAR 20,88	MAR 19,88	1.79	0.95	0.04	0.092		0.04	0.08

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 21,88	MAR 20,88	800	800	1	23613.0	77049	2	1	
MAR 22,88	MAR 21,88	800	800	1	23538.0	77050	2	1	
MAR 23,88	MAR 22,88	800	800	1	21189.0	77060	2	1	
MAR 24,88	MAR 23,88	800	800	1	20670.0	77061	2	1	
MAR 25,88	MAR 24,88	800	800	1	15792.0	77062	2	1	
MAR 26,88	MAR 25,88	800	800	1	22274.0	77063	2	1	
MAR 27,88	MAR 26,88	800	800	1	20160.0	77064	2	1	
MAR 28,88	MAR 27,88	800	800	1	22924.0	77065	2	1	
MAR 29,88	MAR 28,88	800	800	1	23679.0	77066	2	1	
MAR 30,88	MAR 29,88	800	800	1	20877.0	77076	2	1	
MAR 31,88	MAR 30,88	800	800	1	20255.0	77077	2	1	
APR 1,88	MAR 31,88	800	800	1	23425.0	77078	2	1	
APR 2,88	APR 1,88	800	800	1	24179.0	77079	2	1	
APR 3,88	APR 2,88	800	800	1	23528.0	77080	2	1	
APR 4,88	APR 3,88	900	900	1	19509.0	77081	2	1	
APR 5,88	APR 4,88	900	900	1	20009.0	77082	2	1	
APR 6,88	APR 5,88	900	800	1	18660.0	77092	2	1	
APR 7,88	APR 6,88	800	800	1	20538.0	77093	2	1	
APR 8,88	APR 7,88	800	800	1	13660.0	77094	2	1	F
APR 9,88	APR 8,88	800	800	1	24349.0	77095	2	1	
APR 10,88	APR 9,88	800	800	1	21858.0	77096	2	1	
APR 11,88	APR 10,88	800	800	1	22028.0	77097	2	1	
APR 12,88	APR 11,88	800	800	1	22887.0	77098	2	1	
APR 13,88	APR 12,88	800	800	1	19802.0	77108	2	1	
APR 14,88	APR 13,88	800	800	1	20396.0	77109	2	1	
APR 15,88	APR 14,88	800	800	1	21646.0	77110	2	1	
APR 16,88	APR 15,88	800	800	1	23208.0	77111	2	1	
APR 17,88	APR 16,88	800	800	1	23042.0	77112	2	1	
APR 18,88	APR 17,88	800	800	1	20583.0	77113	2	1	
APR 19,88	APR 18,88	800	800	1	23021.0	77114	2	1	
APR 20,88	APR 19,88	800	800	1	21188.0	77124	2	1	
APR 21,88	APR 20,88	800	800	1	20135.0	77125	2	1	
APR 22,88	APR 21,88	800	800	1	22260.0	77126	2	1	
APR 23,88	APR 22,88	800	800	1	23156.0	77127	2	1	
APR 24,88	APR 23,88	800	800	1	21844.0	77128	2	1	
APR 25,88	APR 24,88	800	800	1	22063.0	77129	2	1	
APR 26,88	APR 25,88	800	800	1	22469.0	77130	2	1	
APR 27,88	APR 26,88	800	800	1	20000.0	77140	2	1	
APR 28,88	APR 27,88	800	800	1	19833.0	77141	2	1	
APR 29,88	APR 28,88	800	800	1	22260.0	77142	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 21,88	MAR 20,88	7.51	1.90	0.05	0.222	0.05	0.28	0.10
MAR 22,88	MAR 21,88	4.54	2.12	0.05	0.170	0.07	0.31	0.12
MAR 23,88	MAR 22,88	4.03	1.73	0.08	0.261	0.11	0.03	0.19
MAR 24,88	MAR 23,88	11.92	6.32	0.52	1.707	0.94	0.11	1.46
MAR 25,88	MAR 24,88	16.30	UG 12.96	0.92	2.931	<T 0.01	0.41	0.92
MAR 26,88	MAR 25,88	3.78	3.91	0.47	1.328	0.46	0.43	0.93
MAR 27,88	MAR 26,88	2.36	2.78	0.38	UG 7.083	0.15	0.45	0.54
MAR 28,88	MAR 27,88	<W 0.13	1.60	0.04	0.122	0.03	0.20	0.07
MAR 29,88	MAR 28,88	0.97	1.94	0.14	0.308	0.06	0.38	0.19
MAR 30,88	MAR 29,88	5.70	3.48	0.44	0.624	0.12	0.00	0.57
MAR 31,88	MAR 30,88	1.60	3.00	0.12	0.607	0.02	0.28	0.14
APR 1,88	MAR 31,88	1.36	1.94	0.05	0.396	0.04	0.29	0.09
APR 2,88	APR 1,88	2.37	2.35	0.05	0.479	0.05	0.29	0.10
APR 3,88	APR 2,88	2.64	6.03	0.32	1.470	0.19	0.29	0.50
APR 4,88	APR 3,88	2.54	6.61	0.51	1.850	0.18	0.51	0.70
APR 5,88	APR 4,88	<T 0.38	2.56	0.21	0.504	<T 0.01	0.39	0.22
APR 6,88	APR 5,88	1.44	4.10	0.10	0.496	<T 0.00	0.19	0.10
APR 7,88	APR 6,88	3.27	6.38	0.38	1.655	0.07	0.32	0.46
APR 8,88	APR 7,88	6.49	3.66	0.18	0.659	<T 0.02	0.72	0.20
APR 9,88	APR 8,88	3.48	2.61	0.04	0.144	<T 0.01	0.25	0.05
APR 10,88	APR 9,88	1.03	1.60	0.03	0.217	0.04	0.26	0.07
APR 11,88	APR 10,88	0.42	1.35	0.03	0.193	0.06	0.00	0.09
APR 12,88	APR 11,88	<W 0.05	0.90	0.03	0.164	0.05	0.08	0.07
APR 13,88	APR 12,88	0.33	1.26	0.07	0.306	0.08	0.02	0.15
APR 14,88	APR 13,88	5.63	6.62	0.66	1.769	0.14	0.13	0.80
APR 15,88	APR 14,88	6.25	4.80	0.31	0.973	<T 0.00	0.30	0.31
APR 16,88	APR 15,88	6.03	2.36	0.07	0.229	<T 0.00	0.45	0.08
APR 17,88	APR 16,88	6.95	2.10	0.07	0.231	<T 0.00	0.40	0.08
APR 18,88	APR 17,88	1.95	2.55	0.27	0.820	0.39	0.26	0.67
APR 19,88	APR 18,88	1.77	1.49	0.05	0.155	<T 0.00	0.23	0.05
APR 20,88	APR 19,88	2.50	1.49	0.04	0.118	<W 0.00	0.24	0.04
APR 21,88	APR 20,88	1.33	2.10	0.14	0.447	0.09	0.54	0.23
APR 22,88	APR 21,88	2.82	2.36	0.05	0.191	0.04	0.47	0.09
APR 23,88	APR 22,88	4.59	1.76	0.04	0.140	0.04	0.41	0.08
APR 24,88	APR 23,88	0.45	1.01	0.06	0.195	0.07	0.33	0.13
APR 25,88	APR 24,88	0.41	0.53	0.03	0.045	0.05	0.23	0.07
APR 26,88	APR 25,88	1.74	1.54	0.09	0.223	0.11	0.25	0.20
APR 27,88	APR 26,88	1.76	2.86	0.17	0.496	0.03	0.27	0.20
APR 28,88	APR 27,88	0.77	1.74	0.08	0.336	<T 0.01	0.33	0.08
APR 29,88	APR 28,88	<T 0.39	1.99	0.22	0.367	<T 0.00	0.27	0.22

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
APR 30,88	APR 29,88	800	800	1	22510.0	77143	2	1	
MAY 1,88	APR 30,88	800	800	1	22969.0	77144	2	1	
MAY 2,88	MAY 1,88	800	800	1	21594.0	77145	2	1	
MAY 3,88	MAY 2,88	800	800	1	21990.0	77146	2	1	
MAY 4,88	MAY 3,88	800	800	1	21094.0	77156	2	1	
MAY 5,88	MAY 4,88	800	800	1	20229.0	77157	2	1	
MAY 6,88	MAY 5,88	800	800	1	23052.0	77158	2	1	
MAY 7,88	MAY 6,88	800	800	1	25834.0	77159	2	1	
MAY 8,88	MAY 7,88	800	800	1	25546.0	77160	2	1	
MAY 9,88	MAY 8,88	800	800	1	23722.0	77161	2	1	
MAY 10,88	MAY 9,88	800	800	1	24598.0	77162	2	1	
MAY 11,88	MAY 10,88	800	800	1	25485.0	77172	2	1	
MAY 12,88	MAY 11,88	800	800	1	21709.0	77173	2	1	
MAY 13,88	MAY 12,88	800	800	1	25330.0	77174	2	1	
MAY 14,88	MAY 13,88	800	800	1	25742.0	77175	2	1	
MAY 15,88	MAY 14,88	800	800	1	25680.0	77176	2	1	
MAY 16,88	MAY 15,88	800	800	1	23629.0	77177	2	1	
MAY 17,88	MAY 16,88	800	800	1	24340.0	77178	2	1	
MAY 18,88	MAY 17,88	800	800	1	25835.0	77188	2	1	
MAY 19,88	MAY 18,88	800	800	1	22732.0	77189	2	1	
MAY 20,88	MAY 19,88	800	800	1	25031.0	77190	2	1	
MAY 21,88	MAY 20,88	800	800	1	25329.0	77191	2	1	
MAY 22,88	MAY 21,88	800	800	1	25134.0	77192	2	1	
MAY 23,88	MAY 22,88	800	800	1	23856.0	77193	2	1	
MAY 24,88	MAY 23,88	800	800	1	24691.0	77194	2	1	
MAY 25,88	MAY 24,88	800	800	1	25804.0	77204	2	1	
MAY 26,88	MAY 25,88	800	800	1	22845.0	77205	2	1	
MAY 27,88	MAY 26,88	800	800	1	25876.0	77206	2	1	
MAY 28,88	MAY 27,88	800	800	1	25918.0	77207	2	1	
MAY 29,88	MAY 28,88	800	800	1	25845.0	77208	2	1	
MAY 30,88	MAY 29,88	800	800	1	23691.0	77209	2	1	
MAY 31,88	MAY 30,88	800	800	1	24144.0	77210	2	1	
JUN 1,88	MAY 31,88	800	800	1	25278.0	77220	2	1	
JUN 2,88	JUN 1,88	800	800	1	22691.0	77221	2	1	
JUN 3,88	JUN 2,88	800	800	1	25247.0	77222	2	1	
JUN 4,88	JUN 3,88	800	800	1	25691.0	77223	2	1	
JUN 5,88	JUN 4,88	800	800	1	25577.0	77224	2	1	
JUN 6,88	JUN 5,88	800	800	1	23546.0	77225	2	1	
JUN 7,88	JUN 6,88	800	800	1	24567.0	77226	2	1	
JUN 8,88	JUN 7,88	800	800	1	25371.0	77236	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 8

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
APR 30,88	APR 29,88	<W	0.08	3.50	0.05	0.274	<T	0.00	0.05
MAY 1,88	APR 30,88		2.87	4.83	0.06	0.453	<T	0.00	0.06
MAY 2,88	MAY 1,88	<T	0.17	2.08	0.06	0.251	<T	0.00	0.07
MAY 3,88	MAY 2,88	<T	0.12	2.61	0.06	0.246	<T	0.00	0.06
MAY 4,88	MAY 3,88	<W	0.00	1.82	0.03	0.098		0.00	0.03
MAY 5,88	MAY 4,88	<W	0.03	1.55	0.02	0.089		0.05	0.07
MAY 6,88	MAY 5,88	<W	0.02	4.69	0.13	0.788		0.04	0.17
MAY 7,88	MAY 6,88		3.63	2.61	0.06	0.368		0.04	0.10
MAY 8,88	MAY 7,88	<W	0.05	1.06	0.02	0.106		0.05	0.07
MAY 9,88	MAY 8,88		8.35	6.50	0.51	1.284		0.16	0.66
MAY 10,88	MAY 9,88		7.32	6.06	0.55	1.446		0.20	0.75
MAY 11,88	MAY 10,88	<W	0.00	0.00	0.19	0.125		0.00	0.19
MAY 12,88	MAY 11,88	<W	0.00	0.00	0.00	<T	0.00	0.00	0.00
MAY 13,88	MAY 12,88	UG	16.48	2.24	0.90	0.567		0.52	1.42
MAY 14,88	MAY 13,88		0.36	0.00	0.00	0.000		0.00	0.00
MAY 15,88	MAY 14,88		0.00	0.00	0.35	0.000		0.04	0.39
MAY 16,88	MAY 15,88		5.98	2.49	0.47	0.938		0.12	0.58
MAY 17,88	MAY 16,88	<W	0.00	<T	0.00	0.000	<W	0.00	0.00
MAY 18,88	MAY 17,88	<W	0.00	0.00	0.00	0.000		0.00	0.00
MAY 19,88	MAY 18,88	<W	0.04	1.75	0.05	0.113		0.05	0.10
MAY 20,88	MAY 19,88	<W	0.07	1.40	0.10	0.150		0.03	0.13
MAY 21,88	MAY 20,88	<W	0.02	0.27	0.06	<T	0.003	0.01	0.06
MAY 22,88	MAY 21,88		1.99	7.83	0.63	0.959		0.02	0.65
MAY 23,88	MAY 22,88		0.80	6.32	0.27	0.717		0.02	0.29
MAY 24,88	MAY 23,88		1.51	1.69	0.05	0.106		0.03	0.08
MAY 25,88	MAY 24,88		0.60	0.42	0.06	<T	0.000	0.05	0.06
MAY 26,88	MAY 25,88		0.79	1.20	0.04	0.110	<T	0.03	0.08
MAY 27,88	MAY 26,88		2.26	1.80	0.21	0.053		0.14	0.35
MAY 28,88	MAY 27,88		4.54	5.75	0.67	0.485		0.14	0.80
MAY 29,88	MAY 28,88		2.51	4.91	0.30	0.866		0.06	0.36
MAY 30,88	MAY 29,88		1.24	0.07	0.19	1.675		0.06	0.25
MAY 31,88	MAY 30,88		2.43	8.16	0.41	1.908		0.10	0.52
JUN 1,88	MAY 31,88	UG	18.60	8.47	0.13	0.847		0.04	0.17
JUN 2,88	JUN 1,88		2.68	9.92	<T	0.00	*****	0.04	0.05
JUN 3,88	JUN 2,88		0.22	0.28	<W	0.00	<T	0.003	0.03
JUN 4,88	JUN 3,88		0.18	0.63	<T	0.01	<T	0.002	0.05
JUN 5,88	JUN 4,88		10.72	2.18	<W	0.00		0.155	0.04
JUN 6,88	JUN 5,88		1.50	0.49	<W	0.00	<T	0.005	0.04
JUN 7,88	JUN 6,88		0.91	0.37	<T	0.00	<T	0.005	0.04
JUN 8,88	JUN 7,88		2.15	0.55	0.00	0.000		0.04	0.04

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
JUN 9,88	JUN 8,88	800	800	1	22701.0	77237	2	1		
JUN 10,88	JUN 9,88	800	800	1	25577.0	77238	2	1		
JUN 11,88	JUN 10,88	800	800	1	26144.0	77239	2	1		
JUN 12,88	JUN 11,88	800	800	1	26000.0	77240	2	1		
JUN 13,88	JUN 12,88	800	800	1	24340.0	77241	2	1		
JUN 14,88	JUN 13,88	800	800	1	24340.0	77242	2	1		
JUN 22,88	JUN 21,88	800	800	1	26103.0	77252	2	1		
JUN 23,88	JUN 22,88	800	800	1	22752.0	77253	2	1		
JUN 24,88	JUN 23,88	800	800	1	25948.0	77254	2	1		
JUN 25,88	JUN 24,88	800	800	1	26402.0	77255	2	1		
JUN 26,88	JUN 25,88	800	800	1	25958.0	77256	2	1		
JUN 27,88	JUN 26,88	800	800	1	24422.0	77257	2	1		
JUN 28,88	JUN 27,88	800	800	1	24722.0	77258	2	1		
JUN 29,88	JUN 28,88	800	800	1	6500.0	77268	2	1	C	F
JUN 30,88	JUN 29,88	800	800	1	22360.0	77269	2	1		
JUL 1,88	JUN 30,88	800	800	1	25618.0	77270	2	1		
JUL 2,88	JUL 1,88	800	800	1	25927.0	77271	2	1		
JUL 3,88	JUL 2,88	800	800	1	26051.0	77272	2	1		
JUL 4,88	JUL 3,88	800	800	1	24484.0	77273	2	1		
JUL 5,88	JUL 4,88	800	800	1	24670.0	77274	2	1		
JUL 6,88	JUL 5,88	800	800	1	25917.0	77284	2	1		
JUL 7,88	JUL 6,88	800	800	1	23247.0	77285	2	1		
JUL 8,88	JUL 7,88	800	800	1	25721.0	77286	2	1		
JUL 9,88	JUL 8,88	800	800	1	26206.0	77287	2	1		
JUL 10,88	JUL 9,88	800	800	1	25752.0	77288	2	1		
JUL 11,88	JUL 10,88	800	800	1	23948.0	77289	2	1		
JUL 12,88	JUL 11,88	800	800	1	24979.0	77290	2	1		
JUL 13,88	JUL 12,88	800	800	1	26474.0	77300	2	1		
JUL 14,88	JUL 13,88	800	800	1	23216.0	77301	2	1		
JUL 15,88	JUL 14,88	800	800	1	25371.0	77302	2	1		
JUL 16,88	JUL 15,88	800	800	1	27794.0	77303	2	1		
JUL 17,88	JUL 16,88	800	800	1	26186.0	77304	2	1		
JUL 18,88	JUL 17,88	800	800	1	24052.0	77305	2	1		
JUL 19,88	JUL 18,88	800	800	1	24680.0	77306	2	1		
JUL 20,88	JUL 19,88	800	800	1	24387.0	77316	2	1		
JUL 21,88	JUL 20,88	800	800	1	21594.0	77317	2	1		
JUL 22,88	JUL 21,88	800	800	1	24179.0	77318	2	1		
JUL 23,88	JUL 22,88	800	800	1	23981.0	77319	2	1		
JUL 24,88	JUL 23,88	800	800	1	24698.0	77320	2	1		
JUL 25,88	JUL 24,88	800	800	1	23953.0	77321	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 9,88	JUN 8,88	1.57	0.77	<T	0.00	0.047	0.04	0.04
JUN 10,88	JUN 9,88	2.19	1.42		0.02	0.136	0.04	0.06
JUN 11,88	JUN 10,88	1.39	0.59		0.04	0.016	0.04	0.08
JUN 12,88	JUN 11,88	2.13	1.68		0.15	0.064	0.07	0.22
JUN 13,88	JUN 12,88	1.86	3.55		0.23	0.422	0.13	0.36
JUN 14,88	JUN 13,88	3.48	12.37		0.41	2.649	0.08	0.49
JUN 22,88	JUN 21,88	1P 2.30	1P 1.43	1P 0.14	1P 0.024	1P 0.10	1P 0.45	1P 0.24
JUN 23,88	JUN 22,88	0.38	2.20		0.05	<W 0.229	0.42	0.05
JUN 24,88	JUN 23,88	0.16	0.37	<W	0.00	<W 0.00	0.11	<W 0.00
JUN 25,88	JUN 24,88	5.68	1.35		0.07	0.067	0.51	0.10
JUN 26,88	JUN 25,88	2.45	2.89		0.20	0.348	0.92	0.27
JUN 27,88	JUN 26,88	0.29	0.78	<W	0.00	0.001	0.13	0.03
JUN 28,88	JUN 27,88	1.74	0.62	<T	0.03	0.003	0.38	<T 0.06
JUN 29,88	JUN 28,88	<T 0.24	0.78	<W	0.00	<W 0.000	0.36	<W 0.00
JUN 30,88	JUN 29,88	0.43	0.32	<W	0.00	<W 0.000	0.29	<W 0.00
JUL 1,88	JUN 30,88	1.14	0.75	<W	0.00	0.029	0.19	<W 0.00
JUL 2,88	JUL 1,88	0.75	0.94	<W	0.00	0.087	0.04	0.04
JUL 3,88	JUL 2,88	<T 0.18	0.40		0.04	<W 0.000	0.06	0.10
JUL 4,88	JUL 3,88	0.36	0.48		0.04	<T 0.004	0.07	0.10
JUL 5,88	JUL 4,88	2.85	3.25		0.29	0.697	0.19	0.49
JUL 6,88	JUL 5,88	3.35	7.90		0.44	1.525	0.05	0.48
JUL 7,88	JUL 6,88	6.83	18.55		0.60	3.757	0.05	0.66
JUL 8,88	JUL 7,88	4.05	22.24		0.63	4.309	0.04	0.67
JUL 9,88	JUL 8,88	2.04	14.05		0.53	2.936	0.05	0.57
JUL 10,88	JUL 9,88	0.62	5.29		0.27	1.131	0.14	0.41
JUL 11,88	JUL 10,88	4.35	12.78		0.51	2.590	0.14	0.65
JUL 12,88	JUL 11,88	0.44	2.24		0.10	0.494	0.04	0.14
JUL 13,88	JUL 12,88	0.19	1.61	<T	0.03	0.295	<W 0.00	0.16
JUL 14,88	JUL 13,88	3.18	4.34		0.23	0.840	0.09	0.46
JUL 15,88	JUL 14,88	<T 0.19	2.29		0.11	0.512	<T 0.00	0.17
JUL 16,88	JUL 15,88	7.79	1.82		0.11	0.309	0.16	0.49
JUL 17,88	JUL 16,88	0.98	4.42		0.28	1.085	0.04	0.32
JUL 18,88	JUL 17,88	<T 0.10	2.96		0.11	0.665	0.03	<T 0.08
JUL 19,88	JUL 18,88	<T 0.13	1.66		0.08	0.421	0.02	<T 0.09
JUL 20,88	JUL 19,88	<T 0.01	1.63		0.10	0.260	0.00	<T 0.01
JUL 21,88	JUL 20,88	UG 17.12	2.47	<W	0.00	0.446	<T 0.00	0.57
JUL 22,88	JUL 21,88	0.21	0.64	<T	0.02	0.096	0.01	<T 0.03
JUL 23,88	JUL 22,88	<T 0.12	0.86	<W	0.00	0.076	<T 0.00	<T 0.04
JUL 24,88	JUL 23,88	0.28	1.54	<T	0.02	0.353	<T 0.00	<T 0.08
JUL 25,88	JUL 24,88	<T 0.07	1.75	<W	0.00	0.364	<T 0.00	<T 0.03

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 26,88	JUL 25,88	800	800	1	23953.0	77322	2	1	
JUL 27,88	JUL 26,88	800	800	1	25358.0	77324	2	1	
JUL 28,88	JUL 27,88	800	800	1	21774.0	77325	2	1	
JUL 29,88	JUL 28,88	800	800	1	23642.0	77326	2	1	
JUL 30,88	JUL 29,88	800	800	1	23858.0	77327	2	1	
JUL 31,88	JUL 30,88	800	800	1	24783.0	77328	2	1	E
AUG 1,88	JUL 31,88	800	800	1	24264.0	77329	2	1	
AUG 2,88	AUG 1,88	800	800	1	22839.0	77330	2	1	
AUG 3,88	AUG 2,88	800	830	1	23962.0	77332	2	1	B
AUG 4,88	AUG 3,88	830	800	1	20896.0	77333	2	1	
AUG 5,88	AUG 4,88	800	800	1	23443.0	77334	2	1	
AUG 6,88	AUG 5,88	800	800	1	24217.0	77335	2	1	
AUG 7,88	AUG 6,88	800	800	1	24245.0	77336	2	1	
AUG 8,88	AUG 7,88	800	800	1	22877.0	77337	2	1	
AUG 9,88	AUG 8,88	800	800	1	22972.0	77338	2	1	
AUG 10,88	AUG 9,88	800	845	1	23858.0	77340	2	1	
AUG 11,88	AUG 10,88	845	800	1	21443.0	77341	2	1	
AUG 12,88	AUG 11,88	800	800	1	23254.0	77342	2	1	
AUG 13,88	AUG 12,88	800	800	1	23991.0	77343	2	1	
AUG 14,88	AUG 13,88	800	800	1	23981.0	77344	2	1	
AUG 15,88	AUG 14,88	800	800	1	22160.0	77345	2	1	
AUG 16,88	AUG 15,88	800	800	1	22726.0	77346	2	1	
AUG 17,88	AUG 16,88	800	800	1	24321.0	77348	2	1	
AUG 18,88	AUG 17,88	800	800	1	20943.0	77349	2	1	
AUG 19,88	AUG 18,88	800	800	1	23472.0	77350	2	1	
AUG 20,88	AUG 19,88	800	800	1	24264.0	77351	2	1	
AUG 21,88	AUG 20,88	800	800	1	23698.0	77352	2	1	
AUG 22,88	AUG 21,88	800	800	1	22679.0	77353	2	1	
AUG 23,88	AUG 22,88	800	800	1	22934.0	77354	2	1	
AUG 24,88	AUG 23,88	800	800	1	25069.0	77356	2	1	
AUG 25,88	AUG 24,88	800	800	1	21791.0	77357	2	1	
AUG 26,88	AUG 25,88	800	800	1	24370.0	77358	2	1	
AUG 27,88	AUG 26,88	800	800	1	24823.0	77359	2	1	
AUG 28,88	AUG 27,88	800	800	1	24754.0	77360	2	1	
AUG 29,88	AUG 28,88	800	800	1	23701.0	77361	2	1	
AUG 30,88	AUG 29,88	800	800	1	23809.0	77362	2	1	
AUG 31,88	AUG 30,88	800	800	1	25098.0	77364	2	1	
SEP 1,88	AUG 31,88	800	800	1	22288.0	77365	2	1	
SEP 2,88	SEP 1,88	800	800	1	23976.0	77366	2	1	
SEP 3,88	SEP 2,88	800	800	1	24695.0	77367	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 26,88	JUL 25,88	0.43	4.35	<W	0.00	1.124	0.04	0.04
JUL 27,88	JUL 26,88	<T 0.12	2.97	0.06	0.703	<W 0.00	<T 0.03	0.06
JUL 28,88	JUL 27,88	0.41	4.31	<T 0.03	0.796	<T 0.00	0.16	<T 0.04
JUL 29,88	JUL 28,88	1.99	6.94	0.15	1.465	0.07	0.29	0.22
JUL 30,88	JUL 29,88	6.78	15.42	0.41	3.472	0.23	0.80	0.64
JUL 31,88	JUL 30,88	2.33	12.99	0.25	2.713	<T 0.00	0.56	0.26
AUG 1,88	JUL 31,88	0.32	0.82	<W 0.00	0.145	0.02	<T 0.10	0.02
AUG 2,88	AUG 1,88	1.07	7.09	0.13	1.713	0.10	0.45	0.23
AUG 3,88	AUG 2,88	8.62	16.52	0.83	4.234	0.04	2.35	0.88
AUG 4,88	AUG 3,88	5.46	26.03	0.74	4.961	<W 0.00	0.94	0.74
AUG 5,88	AUG 4,88	6.51	24.40	0.67	4.763	<T 0.03	0.92	0.71
AUG 6,88	AUG 5,88	4.37	19.90	0.56	3.265	<T 0.03	0.99	0.59
AUG 7,88	AUG 6,88	0.69	1.32	0.12	0.308	0.04	0.27	0.16
AUG 8,88	AUG 7,88	0.48	1.22	<W 0.00	0.291	<W 0.00	0.21	<W 0.00
AUG 9,88	AUG 8,88	3.68	9.79	0.34	2.371	0.14	0.26	0.48
AUG 10,88	AUG 9,88	0.96	9.92	0.27	2.423	<W 0.00	0.75	0.27
AUG 11,88	AUG 10,88	2.04	4.03	0.06	0.881	0.12	1.09	0.17
AUG 12,88	AUG 11,88	1.00	4.34	0.26	1.011	0.08	0.59	0.33
AUG 13,88	AUG 12,88	0.68	8.38	0.33	2.013	0.08	0.38	0.42
AUG 14,88	AUG 13,88	3.24	11.88	0.46	2.748	0.24	0.65	0.70
AUG 15,88	AUG 14,88	1.08	7.45	0.27	1.787	0.06	0.41	0.33
AUG 16,88	AUG 15,88	1.41	0.64	<W 0.00	0.185	0.04	0.29	0.04
AUG 17,88	AUG 16,88	0.91	1.12	<T 0.02	0.053	0.06	<T 0.15	0.08
AUG 18,88	AUG 17,88	1.81	2.41	0.05	<T 0.019	0.07	0.56	0.11
AUG 19,88	AUG 18,88	0.16	<T 0.12	<W 0.00	<W 0.000	0.05	<W 0.00	0.05
AUG 20,88	AUG 19,88	0.38	0.83	<T 0.00	<W 0.000	0.05	0.32	0.05
AUG 21,88	AUG 20,88	1.61	2.11	<T 0.01	<W 0.000	0.06	<T 0.21	0.06
AUG 22,88	AUG 21,88	1.86	0.96	<T 0.00	<W 0.000	0.05	0.38	0.05
AUG 23,88	AUG 22,88	1.92	2.28	0.19	0.118	0.06	2.18	0.25
AUG 24,88	AUG 23,88	1.09	1.60	0.12	0.223	0.03	0.34	0.15
AUG 25,88	AUG 24,88	0.60	3.33	0.15	0.578	0.00	0.25	0.15
AUG 26,88	AUG 25,88	0.15	0.62	<T 0.03	<T 0.012	0.01	<T 0.07	0.04
AUG 27,88	AUG 26,88	1.21	0.83	0.05	<T 0.008	0.00	0.24	0.05
AUG 28,88	AUG 27,88	3.80	3.86	0.34	0.869	0.08	0.52	0.42
AUG 29,88	AUG 28,88	0.52	1.75	0.17	0.346	0.00	0.25	0.17
AUG 30,88	AUG 29,88	0.13	0.64	0.07	0.105	0.00	<W 0.00	0.07
AUG 31,88	AUG 30,88	0.55	1.45	0.03	0.167	0.00	0.31	0.03
SEP 1,88	AUG 31,88	1.11	2.29	0.05	0.206	0.05	0.35	0.10
SEP 2,88	SEP 1,88	2.41	7.88	0.31	1.443	0.29	0.53	0.60
SEP 3,88	SEP 2,88	12.13	26.04	0.68	3.729	0.07	0.80	0.75

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
SEP 4,88	SEP 3,88	800	800	1	25000.0	77368	2	1		
SEP 5,88	SEP 4,88	800	800	1	23406.0	77369	2	1		
SEP 6,88	SEP 5,88	800	800	1	24449.0	77370	2	1		
SEP 7,88	SEP 6,88	800	800	1	24705.0	77378	2	1		
SEP 8,88	SEP 7,88	800	800	1	22293.0	77379	2	1		
SEP 9,88	SEP 8,88	800	800	1	24695.0	77380	2	1		
SEP 10,88	SEP 9,88	800	800	1	25089.0	77381	2	1		
SEP 11,88	SEP 10,88	800	800	1	25128.0	77382	2	1		
SEP 12,88	SEP 11,88	800	800	1	25128.0	77383	2	1		
SEP 13,88	SEP 12,88	800	800	1	24173.0	77384	2	1		
SEP 14,88	SEP 13,88	800	800	1	25266.0	77394	2	1		
SEP 15,88	SEP 14,88	800	800	1	21919.0	77395	2	1		
SEP 16,88	SEP 15,88	800	800	1	24843.0	77396	2	1		
SEP 17,88	SEP 16,88	800	800	1	25549.0	77397	2	1	Q	
SEP 18,88	SEP 17,88	800	800	1	27868.0	77398	2	1		
SEP 19,88	SEP 18,88	800	800	1	26143.0	77399	2	1		
SEP 20,88	SEP 19,88	800	800	1	26363.0	77400	2	1		
SEP 20,88	SEP 20,88	800	930	1	1538.0	77410	2	1	QC	Z
SEP 21,88	SEP 20,88	930	800	1	28890.0	77411	2	1	Q	
SEP 22,88	SEP 21,88	830	830	1	24923.0	77412	2	1		
SEP 23,88	SEP 22,88	830	830	1	27802.0	77413	2	1		
SEP 24,88	SEP 23,88	830	800	1	27670.0	77414	2	1		
SEP 25,88	SEP 24,88	800	800	1	27736.0	77415	2	1		
SEP 26,88	SEP 25,88	800	800	1	26835.0	77416	2	1		
SEP 27,88	SEP 26,88	800	800	1	27352.0	77417	2	1		
SEP 28,88	SEP 27,88	1130	800	1	21979.0	77427	2	1	Q	
SEP 29,88	SEP 28,88	800	800	1	23677.0	77428	2	1		
SEP 30,88	SEP 29,88	800	800	1	25958.0	77429	2	1		
OCT 1,88	SEP 30,88	800	800	1	25458.0	77430	2	1		
OCT 2,88	OCT 1,88	800	800	1	25542.0	77431	2	1		
OCT 3,88	OCT 2,88	800	800	1	25010.0	77432	2	1		
OCT 4,88	OCT 3,88	800	800	1	25396.0	77433	2	1		
OCT 5,88	OCT 4,88	800	800	1	25479.0	77443	2	1		
OCT 6,88	OCT 5,88	800	800	1	23531.0	77444	2	1		
OCT 7,88	OCT 6,88	800	800	1	25812.0	77445	2	1		
OCT 8,88	OCT 7,88	800	800	1	26000.0	77446	2	1		
OCT 9,88	OCT 8,88	800	800	1	26875.0	77447	2	1		
OCT 10,88	OCT 9,88	800	800	1	25031.0	77448	2	1		
OCT 11,88	OCT 10,88	800	800	1	25240.0	77449	2	1		
OCT 12,88	OCT 11,88	800	800	1	25937.0	77459	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 14

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 4,88	SEP 3,88		4.83	15.32	0.32	2.436	0.01	0.56	0.33
SEP 5,88	SEP 4,88	<W	0.20	4.96	0.09	0.735	0.01	0.30	0.10
SEP 6,88	SEP 5,88		0.21	0.31	0.01	<W 0.000	0.02	0.24	0.03
SEP 7,88	SEP 6,88		5.74	0.81	<T 0.00	0.205	<T 0.00	0.81	<T 0.00
SEP 8,88	SEP 7,88	<T	0.46	1.26	<T 0.01	0.269	<T 0.03	0.36	<T 0.04
SEP 9,88	SEP 8,88	UG	29.20	14.62	1.10	2.298	<T 0.03	1.09	1.14
SEP 10,88	SEP 9,88		4.57	7.13	0.24	1.345	0.16	0.64	0.40
SEP 11,88	SEP 10,88	<T	0.19	0.60	<T 0.01	0.088	<T 0.03	<T 0.16	<T 0.04
SEP 12,88	SEP 11,88	<W	0.11	0.52	<T 0.02	0.189	<T 0.03	0.16	<T 0.04
SEP 13,88	SEP 12,88	UG	15.79	5.21	0.39	1.421	0.45	0.79	0.84
SEP 14,88	SEP 13,88		1.25	0.64	0.00	<W 0.000	<T 0.00	<T 0.00	0.00
SEP 15,88	SEP 14,88		2.22	<T 0.00	<T 0.00	<W 0.000	<T 0.01	<W 0.00	<T 0.01
SEP 16,88	SEP 15,88		0.63	0.37	<T 0.00	<W 0.000	<W 0.00	<W 0.00	0.00
SEP 17,88	SEP 16,88		1.92	1.42	0.02	<W 0.000	0.08	<T 0.01	0.09
SEP 18,88	SEP 17,88		1.33	7.73	0.21	1.586	0.05	0.23	0.27
SEP 19,88	SEP 18,88		4.55	3.07	0.01	0.275	0.02	<T 0.01	0.03
SEP 20,88	SEP 19,88		4.30	16.13	0.31	2.553	<T 0.01	0.31	0.33
SEP 20,88	SEP 20,88	U	1.74	U 3.91	U 0.00	U 0.000	U 0.00	U 2.61	U 0.00
SEP 21,88	SEP 20,88		0.58	0.97	0.04	<T 0.000	0.06	0.25	0.10
SEP 22,88	SEP 21,88		2.13	0.68	<T 0.00	<W 0.000	<T 0.02	0.85	<T 0.03
SEP 23,88	SEP 22,88		5.46	2.63	0.11	0.364	0.06	0.91	0.18
SEP 24,88	SEP 23,88	<W	0.10	1.16	0.05	0.149	<T 0.02	0.15	0.08
SEP 25,88	SEP 24,88		0.42	0.69	<T 0.00	<T 0.004	<T 0.02	0.30	<T 0.02
SEP 26,88	SEP 25,88		0.42	0.93	<T 0.02	0.157	0.04	0.23	0.06
SEP 27,88	SEP 26,88		0.51	0.44	<W 0.00	0.033	<T 0.04	0.38	0.04
SEP 28,88	SEP 27,88		3.22	4.00	0.13	0.614	<T 0.00	<T 0.14	0.13
SEP 29,88	SEP 28,88		0.28	<T 0.08	<T 0.00	<W 0.000	<T 0.01	<W 0.00	<T 0.01
SEP 30,88	SEP 29,88		0.22	0.69	<T 0.00	<W 0.000	0.07	<W 0.00	0.07
OCT 1,88	SEP 30,88	UG	15.76	7.50	0.79	3.794	<T 0.00	0.79	0.79
OCT 2,88	OCT 1,88		2.13	9.83	0.39	2.294	0.05	0.40	0.44
OCT 3,88	OCT 2,88	<T	0.00	0.40	<W 0.00	<W 0.000	<T 0.00	<W 0.00	0.00
OCT 4,88	OCT 3,88		0.86	1.14	<T 0.00	<W 0.000	0.01	<W 0.00	0.01
OCT 5,88	OCT 4,88	<W	0.18	0.71	0.00	0.103	<T 0.00	0.28	0.00
OCT 6,88	OCT 5,88	<W	0.11	0.30	<W 0.00	<T 0.001	<W 0.00	<T 0.17	<W 0.00
OCT 7,88	OCT 6,88	<W	0.00	0.74	<W 0.00	0.078	<W 0.00	<W 0.00	<W 0.00
OCT 8,88	OCT 7,88	<W	0.08	1.15	<T 0.02	<T 0.001	<W 0.00	<T 0.12	0.02
OCT 9,88	OCT 8,88	<W	0.07	1.30	<T 0.02	0.056	0.05	<T 0.11	0.08
OCT 10,88	OCT 9,88	<W	0.13	1.64	0.07	0.232	0.07	0.20	0.14
OCT 11,88	OCT 10,88		3.86	2.02	0.12	0.314	0.07	0.44	0.19
OCT 12,88	OCT 11,88		1.34	0.27	<W 0.00	<T 0.000	<W 0.00	0.39	<W 0.00

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
OCT 13,88	OCT 12,88	800	800	1	23708.0	77460	2	1	
OCT 14,88	OCT 13,88	800	800	1	25948.0	77461	2	1	
OCT 15,88	OCT 14,88	800	800	1	25906.0	77462	2	1	
OCT 16,88	OCT 15,88	800	800	1	26115.0	77463	2	1	
OCT 17,88	OCT 16,88	800	800	1	24625.0	77464	2	1	
OCT 18,88	OCT 17,88	800	800	1	25208.0	77465	2	1	
OCT 19,88	OCT 18,88	800	800	1	26563.0	77475	2	1	
OCT 20,88	OCT 19,88	800	800	1	22979.0	77476	2	1	
OCT 21,88	OCT 20,88	800	800	1	26146.0	77477	2	1	
OCT 22,88	OCT 21,88	800	800	1	25760.0	77478	2	1	
OCT 23,88	OCT 22,88	800	800	1	26604.0	77479	2	1	
OCT 24,88	OCT 23,88	800	800	1	24906.0	77480	2	1	
OCT 25,88	OCT 24,88	800	800	1	25292.0	77481	2	1	Q
OCT 26,88	OCT 25,88	800	800	1	25719.0	77491	2	1	Q
OCT 27,88	OCT 26,88	800	800	1	22927.0	77492	2	1	Q
OCT 28,88	OCT 27,88	800	800	1	26062.0	77493	2	1	Q
OCT 29,88	OCT 28,88	800	800	1	26781.0	77494	2	1	Q
OCT 30,88	OCT 29,88	800	800	1	27167.0	77495	2	1	Q
OCT 31,88	OCT 30,88	800	800	1	25510.0	77496	2	1	Q
NOV 1,88	OCT 31,88	800	800	1	25771.0	77497	2	1	Q
NOV 2,88	NOV 1,88	800	800	1	25677.0	77507	2	1	
NOV 3,88	NOV 2,88	800	800	1	23427.0	77508	2	1	
NOV 4,88	NOV 3,88	800	800	1	25740.0	77509	2	1	
NOV 5,88	NOV 4,88	800	800	1	25583.0	77510	2	1	
NOV 6,88	NOV 5,88	800	800	1	26104.0	77511	2	1	
NOV 7,88	NOV 6,88	800	800	1	25104.0	77512	2	1	
NOV 8,88	NOV 7,88	800	800	1	25865.0	77513	2	1	
NOV 9,88	NOV 8,88	800	800	1	25552.0	77523	2	1	
NOV 10,88	NOV 9,88	800	800	1	23375.0	77524	2	1	
NOV 11,88	NOV 10,88	800	800	1	25937.0	77525	2	1	
NOV 12,88	NOV 11,88	800	800	1	27094.0	77526	2	1	
NOV 13,88	NOV 12,88	800	800	1	26896.0	77527	2	1	
NOV 14,88	NOV 13,88	800	800	1	24906.0	77528	2	1	
NOV 15,88	NOV 14,88	800	800	1	25740.0	77529	2	1	
NOV 16,88	NOV 15,88	930	800	1	24021.0	77539	2	1	
NOV 17,88	NOV 16,88	800	800	1	22927.0	77540	2	1	
NOV 18,88	NOV 17,88	800	800	1	25281.0	77541	2	1	
NOV 19,88	NOV 18,88	800	800	1	25604.0	77542	2	1	
NOV 20,88	NOV 19,88	800	800	1	26802.0	77543	2	1	
NOV 21,88	NOV 20,88	800	800	1	25177.0	77544	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 16

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 13,88	OCT 12,88	<W	0.00	0.97	<W	0.00	<T	0.004	<T	0.03	<W	0.00	0.03
OCT 14,88	OCT 13,88		4.41	1.00	<W	0.00		0.143	<T	0.04		0.31	0.04
OCT 15,88	OCT 14,88		5.98	4.01		0.12		0.915		0.42		0.58	0.54
OCT 16,88	OCT 15,88		12.07	6.32		0.55		2.141		1.36		0.77	1.92
OCT 17,88	OCT 16,88	UG	16.91	7.76		0.55		1.827		0.25		0.69	0.80
OCT 18,88	OCT 17,88		8.37	6.11		0.44		1.543		0.16		0.48	0.60
OCT 19,88	OCT 18,88		1.74	0.49	<T	0.01	<T	0.012	<T	0.02		0.41	0.03
OCT 20,88	OCT 19,88	<W	0.00	0.44	<W	0.00	<T	0.001	<T	0.03	<W	0.00	0.03
OCT 21,88	OCT 20,88		2.96	1.30		0.11		0.184	<T	0.04		0.54	0.15
OCT 22,88	OCT 21,88		6.85	2.02		0.19		0.517		0.09		0.43	0.28
OCT 23,88	OCT 22,88		0.79	2.03		0.05		0.237	<W	0.00		0.34	0.05
OCT 24,88	OCT 23,88		7.62	2.61		0.09		0.290	<W	0.00		0.52	0.09
OCT 25,88	OCT 24,88		1.61	1.66		0.07		0.277		0.13		0.63	0.20
OCT 26,88	OCT 25,88	<T	0.69	0.54	<W	0.00		0.059	<W	0.00		0.86	0.00
OCT 27,88	OCT 26,88	<W	0.00	0.92	<W	0.00		0.083	<W	0.00	<W	0.00	0.00
OCT 28,88	OCT 27,88		7.55	3.53		0.21		0.998		0.15		0.61	0.36
OCT 29,88	OCT 28,88	<W	0.22	1.19		0.04		0.206	<W	0.00		0.34	0.04
OCT 30,88	OCT 29,88		3.10	0.74	<W	0.00		0.034	<W	0.00		0.18	0.00
OCT 31,88	OCT 30,88		7.24	0.94	<W	0.00		0.020	<T	0.03		0.39	0.03
NOV 1,88	OCT 31,88		10.61	2.17		0.31		0.792		0.37		0.66	0.69
NOV 2,88	NOV 1,88		18.06	4.56		0.42		1.580		0.57		0.97	1.00
NOV 3,88	NOV 2,88		9.18	5.04		0.45		0.715	<T	0.01		0.64	0.46
NOV 4,88	NOV 3,88		12.28	4.00		0.28		1.113		0.15		0.58	0.43
NOV 5,88	NOV 4,88		9.42	6.33		0.66		2.121		0.24		0.82	0.90
NOV 6,88	NOV 5,88		1.80	3.22		0.18		0.795		0.03		0.34	0.21
NOV 7,88	NOV 6,88		3.74	1.35		0.05		0.353	<T	0.01		0.36	0.06
NOV 8,88	NOV 7,88		0.90	1.12		0.04		0.354		0.03		0.19	0.07
NOV 9,88	NOV 8,88		1.41	1.45		0.09		0.444	<T	0.00		0.35	0.09
NOV 10,88	NOV 9,88		0.88	2.02		0.04		0.508		0.01		0.30	0.05
NOV 11,88	NOV 10,88		9.65	1.70		0.04		0.246	<T	0.00		0.77	0.04
NOV 12,88	NOV 11,88		3.86	0.63		0.02		0.022	<T	0.00		0.26	0.02
NOV 13,88	NOV 12,88		3.31	1.60		0.05		0.475		0.01		0.33	0.06
NOV 14,88	NOV 13,88		2.58	0.69		0.19		0.722	<T	0.00		0.44	0.19
NOV 15,88	NOV 14,88		0.63	1.29		0.03		0.369	<T	0.00		0.19	0.03
NOV 16,88	NOV 15,88		4.32	1.04		0.19		0.325		0.09		0.29	0.28
NOV 17,88	NOV 16,88		8.65	4.10		0.33		1.069		0.11		0.48	0.45
NOV 18,88	NOV 17,88	<W	0.08	1.34		0.04		0.297	<T	0.02	<T	0.12	0.06
NOV 19,88	NOV 18,88	<W	0.00	0.31	<T	0.02		0.051	<T	0.03	<W	0.00	0.06
NOV 20,88	NOV 19,88		3.97	1.16		0.11		0.303		0.11		0.41	0.22
NOV 21,88	NOV 20,88		5.59	1.35		0.14		0.175	<T	0.02		0.52	0.16

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 22,88	NOV 21,88	800	800	1	26292.0	77545	2	1	
NOV 23,88	NOV 22,88	800	800	1	23885.0	77555	2	1	
NOV 24,88	NOV 23,88	800	800	1	23646.0	77556	2	1	
NOV 25,88	NOV 24,88	800	800	1	25896.0	77557	2	1	
NOV 26,88	NOV 25,88	800	800	1	25885.0	77558	2	1	
NOV 27,88	NOV 26,88	800	800	1	25688.0	77559	2	1	
NOV 28,88	NOV 27,88	800	800	1	24271.0	77560	2	1	
NOV 29,88	NOV 28,88	800	800	1	25177.0	77561	2	1	
NOV 30,88	NOV 29,88	800	800	1	26208.0	77571	2	1	
DEC 1,88	NOV 30,88	800	800	1	23323.0	77572	2	1	
DEC 2,88	DEC 1,88	800	800	1	26323.0	77573	2	1	
DEC 3,88	DEC 2,88	800	800	1	26312.0	77574	2	1	
DEC 4,88	DEC 3,88	800	800	1	26802.0	77575	2	1	
DEC 5,88	DEC 4,88	800	800	1	25510.0	77576	2	1	
DEC 6,88	DEC 5,88	800	800	1	25604.0	77577	2	1	
DEC 7,88	DEC 6,88	800	800	1	26146.0	77587	2	1	
DEC 8,88	DEC 7,88	800	800	1	23688.0	77588	2	1	
DEC 9,88	DEC 8,88	800	800	1	26823.0	77589	2	1	
DEC 10,88	DEC 9,88	800	800	1	27156.0	77590	2	1	
DEC 11,88	DEC 10,88	800	800	1	27708.0	77591	2	1	
DEC 12,88	DEC 11,88	800	800	1	26885.0	77592	2	1	
DEC 13,88	DEC 12,88	800	800	1	26896.0	77593	2	1	
DEC 14,88	DEC 13,88	800	800	1	25354.0	77603	2	1	
DEC 15,88	DEC 14,88	800	800	1	23500.0	77604	2	1	
DEC 16,88	DEC 15,88	800	800	1	26573.0	77605	2	1	
DEC 17,88	DEC 16,88	800	800	1	27010.0	77606	2	1	
DEC 18,88	DEC 17,88	800	800	1	27417.0	77607	2	1	
DEC 19,88	DEC 18,88	800	800	1	25510.0	77608	2	1	
DEC 20,88	DEC 19,88	800	800	1	26146.0	77609	2	1	
DEC 21,88	DEC 20,88	800	800	1	25625.0	77619	2	1	
DEC 22,88	DEC 21,88	800	800	1	24073.0	77620	2	1	
DEC 23,88	DEC 22,88	800	800	1	26115.0	77621	2	1	
DEC 24,88	DEC 23,88	800	800	1	26042.0	77622	2	1	
DEC 25,88	DEC 24,88	800	800	1	26635.0	77623	2	1	
DEC 26,88	DEC 25,88	800	800	1	25208.0	77624	2	1	
DEC 27,88	DEC 26,88	800	800	1	26323.0	77625	2	1	
DEC 28,88	DEC 27,88	800	800	1	26948.0	77626	2	1	
DEC 29,88	DEC 28,88	900	800	1	22417.0	77637	2	1	
DEC 30,88	DEC 29,88	800	800	1	26719.0	77638	2	1	
DEC 31,88	DEC 30,88	800	800	1	27229.0	77639	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : DORSET/DAILY/AIR

#08

PAGE : 18

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
NOV 22,88	NOV 21,88	<W	0.08	0.84	<T	0.03		0.039	<T	0.02	<T	0.11	<T	0.05
NOV 23,88	NOV 22,88		2.00	1.85		0.09		0.311		0.05		0.42		0.14
NOV 24,88	NOV 23,88		1.47	4.79		0.24		0.999	<T	0.03		0.42		0.26
NOV 25,88	NOV 24,88		0.57	4.18		0.14		0.901	<W	0.00		0.27		0.14
NOV 26,88	NOV 25,88		6.23	4.49		0.30		1.288		0.10		0.54		0.40
NOV 27,88	NOV 26,88		24.12	7.06		0.73		2.372		0.51		0.74		1.24
NOV 28,88	NOV 27,88		2.01	2.36		0.14		0.615	<T	0.03		0.29		0.17
NOV 29,88	NOV 28,88		1.96	1.20		0.06		0.243	<W	0.00		0.32		0.06
NOV 30,88	NOV 29,88		8.69	2.29		0.17		0.773		0.31		0.61		0.48
DEC 1,88	NOV 30,88		7.75	2.10		0.14		0.457	<T	0.02		0.81		0.15
DEC 2,88	DEC 1,88		8.66	1.48	<W	0.00		0.147	<T	0.02		0.57		0.02
DEC 3,88	DEC 2,88		2.56	2.66		0.19		1.226		0.64		0.30		0.83
DEC 4,88	DEC 3,88		3.33	1.42		0.10		0.633		0.36		0.30		0.46
DEC 5,88	DEC 4,88		7.77	0.74	<W	0.00		0.059	<T	0.02		0.31		0.02
DEC 6,88	DEC 5,88		5.00	2.15	<T	0.02		1.330		0.90		0.47		0.91
DEC 7,88	DEC 6,88		1.94	2.72		0.24		1.846		1.41		0.38		1.64
DEC 8,88	DEC 7,88		0.55	0.72		0.05		0.084	<T	0.02	<T	0.13		0.07
DEC 9,88	DEC 8,88		3.54	0.78		0.04		0.092	<T	0.04		0.22		0.08
DEC 10,88	DEC 9,88		5.67	1.07		0.04		0.086	<T	0.04		0.22		0.08
DEC 11,88	DEC 10,88		8.36	1.41		0.05		0.122		0.05		0.25		0.10
DEC 12,88	DEC 11,88		15.86	1.90		0.04		0.196		0.05	<T	0.19		0.10
DEC 13,88	DEC 12,88		17.14	2.68		0.19		0.466		0.22		0.56		0.41
DEC 14,88	DEC 13,88		29.36	5.25		0.32		1.234		0.17		0.67		0.48
DEC 15,88	DEC 14,88		7.83	2.55		0.26		0.931		0.31		0.64		0.57
DEC 16,88	DEC 15,88		15.73	1.43		0.05		0.103		0.09		0.45		0.14
DEC 17,88	DEC 16,88		8.18	1.96		0.11		0.525		0.24		0.56		0.35
DEC 18,88	DEC 17,88		3.04	2.55		0.24		0.831		0.31		0.51		0.55
DEC 19,88	DEC 18,88		6.61	2.00		0.14		0.540		0.16		0.51		0.30
DEC 20,88	DEC 19,88		24.07	4.28		0.50		1.579		0.72		0.76		1.22
DEC 21,88	DEC 20,88		4.40	2.73		0.12		0.931		0.41		0.39		0.53
DEC 22,88	DEC 21,88		8.71	1.83		0.05		0.217	<T	0.04		0.29		0.09
DEC 23,88	DEC 22,88		3.15	1.30		0.07		0.261		0.09	<T	0.19		0.16
DEC 24,88	DEC 23,88		3.33	2.76		0.14		0.960		0.25		0.38		0.39
DEC 25,88	DEC 24,88		2.43	1.31		0.10		0.800		0.50		0.26		0.60
DEC 26,88	DEC 25,88		0.56	0.91		0.02		0.096	<T	0.03	<T	0.12		0.05
DEC 27,88	DEC 26,88		1.98	0.91		0.03		0.114		0.10	<T	0.11		0.13
DEC 28,88	DEC 27,88		5.99	1.63		0.14		0.435	<T	0.04		0.52		0.17
DEC 29,88	DEC 28,88	P	24.10	P 1.74	P	0.12	P	0.196	P	0.02	P	1.56	P	0.14
DEC 30,88	DEC 29,88	P	7.97	P 1.61	P	0.11	P	0.299	P	0.03	P	1.24	P	0.14
DEC 31,88	DEC 30,88	P	17.73	P 4.04	P	0.53	P	1.645	P	0.79	P	1.03	P	1.31

PART IV

NORTHEASTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GONGANDA/DAILY/AIR

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
FEB 4,88	FEB 3,88	1820	800	1	14833.0	37352	2	1		
FEB 5,88	FEB 4,88	800	800	1	25896.0	37353	2	1		
FEB 6,88	FEB 5,88	800	800	1	27323.0	37354	2	1		
FEB 7,88	FEB 6,88	800	800	1	29094.0	37355	2	1		
FEB 8,88	FEB 7,88	800	800	1	27135.0	37356	2	1		
FEB 9,88	FEB 8,88	800	800	1	27615.0	37357	2	1		
FEB 10,88	FEB 9,88	800	800	1	26927.0	37375	2	1		
FEB 11,88	FEB 10,88	800	800	1	26396.0	37376	2	1		
FEB 12,88	FEB 11,88	800	800	1	27760.0	37377	2	1		
FEB 13,88	FEB 12,88	800	800	1	24063.0	37378	2	1		
FEB 14,88	FEB 13,88	800	800	1	28469.0	37379	2	1		
FEB 15,88	FEB 14,88	800	800	1	23177.0	37380	2	1		
FEB 16,88	FEB 15,88	800	800	1	25104.0	37381	2	1		
FEB 17,88	FEB 16,88	800	800	1	26604.0	37383	2	1		
FEB 18,88	FEB 17,88	800	800	1	27375.0	37384	2	1		
FEB 19,88	FEB 18,88	800	800	1	26906.0	37385	2	1		
FEB 20,88	FEB 19,88	800	800	1	28469.0	37386	2	1		
FEB 21,88	FEB 20,88	800	800	1	31292.0	37387	2	1	E	
FEB 22,88	FEB 21,88	800	800	1	27573.0	37388	2	1		
FEB 23,88	FEB 22,88	800	800	1	28052.0	37389	2	1		
FEB 24,88	FEB 23,88	800	800	1	29552.0	37407	2	1		
FEB 25,88	FEB 24,88	800	800	1	27490.0	37408	2	1		
FEB 26,88	FEB 25,88	800	800	1	27677.0	37409	2	1		
FEB 27,88	FEB 26,88	800	800	1	26552.0	37410	2	1		
FEB 28,88	FEB 27,88	800	800	1	28188.0	37411	2	1		
FEB 29,88	FEB 28,88	800	800	1	26958.0	37412	2	1		
MAR 1,88	FEB 29,88	800	800	1	28365.0	37413	2	1		
MAR 2,88	MAR 1,88	800	800	1	29615.0	37423	2	1		
MAR 3,88	MAR 2,88	800	800	1	27698.0	37424	2	1		
MAR 4,88	MAR 3,88	800	800	1	27198.0	37425	2	1		
MAR 5,88	MAR 4,88	800	800	1	27865.0	37426	2	1		
MAR 6,88	MAR 5,88	800	800	1	29427.0	37427	2	1		
MAR 7,88	MAR 6,88	800	800	1	25052.0	37428	2	1	Q	
MAR 8,88	MAR 7,88	800	800	1	26625.0	37429	2	1		
MAR 9,88	MAR 8,88	800	800	1	27885.0	37439	2	1		
MAR 10,88	MAR 9,88	800	800	1	28542.0	37440	2	1		
MAR 11,88	MAR 10,88	800	800	1	29146.0	37441	2	1		
MAR 12,88	MAR 11,88	800	800	1	28938.0	37442	2	1		
MAR 13,88	MAR 12,88	800	800	1	30646.0	37443	2	1	C	
MAR 14,88	MAR 13,88	800	800	1	28333.0	37444	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 4,88	FEB 3,88	10.20	1.72	<W	0.00	0.146	<T	0.02	0.63	0.02
FEB 5,88	FEB 4,88	0.99	1.31		0.04	0.228	<T	0.01	0.47	0.05
FEB 6,88	FEB 5,88	5.16	1.37	<T	0.03	0.125		0.02	0.22	0.05
FEB 7,88	FEB 6,88	1.44	1.06	<W	0.00	0.092		0.02	0.27	0.02
FEB 8,88	FEB 7,88	5.65	1.64		0.06	0.209		0.03	0.30	0.10
FEB 9,88	FEB 8,88	3.87	1.13	<T	0.02	0.097		0.02	0.40	0.04
FEB 10,88	FEB 9,88	6.32	1.18	<T	0.00	0.188	<T	0.00	0.46	0.00
FEB 11,88	FEB 10,88	<W	0.77		0.05	0.196		0.03	0.54	0.08
FEB 12,88	FEB 11,88	5.89	0.93		0.16	0.159		0.03	0.35	0.19
FEB 13,88	FEB 12,88	8.29	1.36		0.08	0.204	<T	0.02	0.41	0.10
FEB 14,88	FEB 13,88	1.31	1.35		0.05	0.199	<T	0.02	0.28	0.07
FEB 15,88	FEB 14,88	5.31	1.61		0.10	0.255	<T	0.01	0.52	0.11
FEB 16,88	FEB 15,88	<T	1.10		0.04	0.216		0.04	0.54	0.09
FEB 17,88	FEB 16,88	UG	2.82		0.18	0.275	<W	0.00	0.31	0.18
FEB 18,88	FEB 17,88	1.40	2.05		0.16	0.380	<T	0.01	0.47	0.17
FEB 19,88	FEB 18,88	2.01	2.58		0.39	0.844		0.17	0.34	0.55
FEB 20,88	FEB 19,88	UG	3.28		0.81	1.044		0.24	0.37	1.04
FEB 21,88	FEB 20,88	1.43	1.02		0.03	0.125		0.05	0.30	0.08
FEB 22,88	FEB 21,88	2.10	1.50		0.11	0.296	<T	0.03	0.18	0.13
FEB 23,88	FEB 22,88	3.16	2.02		0.19	0.567		0.05	0.29	0.25
FEB 24,88	FEB 23,88	0.88	1.10		0.06	0.144	<T	0.00	0.35	0.06
FEB 25,88	FEB 24,88	<T	1.17		0.07	0.149	<T	0.00	0.40	0.07
FEB 26,88	FEB 25,88	<W	0.72		0.05	0.148	<T	0.00	0.37	0.05
FEB 27,88	FEB 26,88	1.66	1.52		0.12	0.334	<T	0.00	0.67	0.12
FEB 28,88	FEB 27,88	3.74	3.80		0.12	0.449	<T	0.00	0.70	0.12
FEB 29,88	FEB 28,88	10.71	2.69		0.26	0.338	<T	0.00	0.31	0.27
MAR 1,88	FEB 29,88	<T	0.78		0.05	0.136		0.04	0.27	0.09
MAR 2,88	MAR 1,88	11.25	1.63		0.07	0.217		0.01	0.30	0.08
MAR 3,88	MAR 2,88	8.05	2.32		0.15	0.340	<T	0.00	0.67	0.15
MAR 4,88	MAR 3,88	0.92	1.20		0.07	0.227	<T	0.00	0.70	0.07
MAR 5,88	MAR 4,88	1.36	1.09		0.06	0.203		0.01	0.44	0.07
MAR 6,88	MAR 5,88	1.74	1.40		0.17	0.745		0.43	0.24	0.60
MAR 7,88	MAR 6,88	2.05	2.61		0.13	1.685		1.06	0.47	1.20
MAR 8,88	MAR 7,88	0.81	1.09		0.08	0.260		0.01	0.49	0.09
MAR 9,88	MAR 8,88	10.46	3.83		0.45	1.033		0.05	0.00	0.51
MAR 10,88	MAR 9,88	2.08	1.99		0.12	0.347	<W	0.00	0.39	0.12
MAR 11,88	MAR 10,88	0.97	1.25		0.04	0.143		0.03	0.31	0.07
MAR 12,88	MAR 11,88	0.43	1.03		0.03	0.161		0.06	0.30	0.09
MAR 13,88	MAR 12,88	UG	1.66		0.06	0.111		0.06	0.38	0.12
MAR 14,88	MAR 13,88	0.46	0.67		0.02	0.112		0.04	0.35	0.06

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOMGANDA/DAILY/AIR

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 15,88	MAR 14,88	800	800	1	27292.0	37445	2	1	
MAR 16,88	MAR 15,88	800	800	1	29104.0	37455	2	1	
MAR 17,88	MAR 16,88	800	800	1	27802.0	37456	2	1	
MAR 18,88	MAR 17,88	800	800	1	26719.0	37457	2	1	
MAR 19,88	MAR 18,88	800	800	1	26615.0	37458	2	1	
MAR 20,88	MAR 19,88	800	800	1	28990.0	37459	2	1	
MAR 21,88	MAR 20,88	800	800	1	28281.0	37460	2	1	
MAR 22,88	MAR 21,88	800	800	1	28604.0	37461	2	1	
MAR 23,88	MAR 22,88	800	800	1	29688.0	37464	2	1	
MAR 24,88	MAR 23,88	800	800	1	28250.0	37465	2	1	
MAR 25,88	MAR 24,88	800	800	1	27990.0	37466	2	1	
MAR 26,88	MAR 25,88	800	800	1	26802.0	37467	2	1	
MAR 27,88	MAR 26,88	800	800	1	26260.0	37468	2	1	
MAR 28,88	MAR 27,88	800	800	1	26802.0	37469	2	1	
MAR 29,88	MAR 28,88	800	800	1	27563.0	37470	2	1	
MAR 30,88	MAR 29,88	1056	800	1	27010.0	37488	2	1	
MAR 31,88	MAR 30,88	800	800	1	27010.0	37489	2	1	
APR 1,88	MAR 31,88	800	800	1	27708.0	37490	2	1	
APR 2,88	APR 1,88	800	800	1	27479.0	37491	2	1	
APR 3,88	APR 2,88	800	900	1	28427.0	37492	2	1	
APR 4,88	APR 3,88	900	900	1	23323.0	37493	2	1	
APR 5,88	APR 4,88	900	900	1	22760.0	37494	2	1	
APR 6,88	APR 5,88	900	800	1	24083.0	37504	2	1	
APR 7,88	APR 6,88	800	800	1	23927.0	37505	2	1	
APR 8,88	APR 7,88	800	800	1	27177.0	37506	2	1	
APR 9,88	APR 8,88	800	800	1	26677.0	37507	2	1	
APR 10,88	APR 9,88	800	800	1	26552.0	37508	2	1	
APR 11,88	APR 10,88	800	800	1	26573.0	37509	2	1	
APR 12,88	APR 11,88	800	800	1	23750.0	37510	2	1	
APR 13,88	APR 12,88	800	800	1	26906.0	37512	2	1	
APR 14,88	APR 13,88	800	800	1	25344.0	37513	2	1	
APR 15,88	APR 14,88	800	800	1	25427.0	37514	2	1	
APR 16,88	APR 15,88	800	800	1	25531.0	37515	2	1	
APR 17,88	APR 16,88	800	800	1	25656.0	37516	2	1	
APR 18,88	APR 17,88	800	800	1	23521.0	37517	2	1	
APR 19,88	APR 18,88	800	800	1	26302.0	37518	2	1	
APR 20,88	APR 19,88	800	800	1	27958.0	37552	2	1	
APR 21,88	APR 20,88	800	800	1	24938.0	37553	2	1	
APR 22,88	APR 21,88	800	800	1	26656.0	37554	2	1	
APR 23,88	APR 22,88	800	800	1	26708.0	37555	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 15,88	MAR 14,88	0.98	0.77	0.02	0.107	0.09	0.35	0.11
MAR 16,88	MAR 15,88	0.00	0.66	0.03	0.088	0.04	0.00	0.07
MAR 17,88	MAR 16,88	0.20	0.44	0.04	0.177	<W 0.00	0.25	0.04
MAR 18,88	MAR 17,88	0.31	0.47	0.05	0.137	<W 0.00	0.29	0.05
MAR 19,88	MAR 18,88	0.24	0.64	0.04	0.213	<W 0.00	0.31	0.04
MAR 20,88	MAR 19,88	0.23	1.03	<T 0.02	0.247	<W 0.00	0.29	0.02
MAR 21,88	MAR 20,88	0.18	1.80	<T 0.03	0.262	<T 0.03	0.25	<T 0.05
MAR 22,88	MAR 21,88	0.22	1.48	0.03	0.250	0.03	0.20	0.07
MAR 23,88	MAR 22,88	UG 70.18	3.54	0.14	0.305	0.05	0.00	0.20
MAR 24,88	MAR 23,88	18.53	4.07	0.50	0.875	0.04	0.27	0.53
MAR 25,88	MAR 24,88	10.88	4.93	0.18	0.651	<T 0.00	0.54	0.18
MAR 26,88	MAR 25,88	15.99	3.81	0.26	1.034	0.11	0.51	0.37
MAR 27,88	MAR 26,88	3.50	2.14	0.25	0.675	0.11	0.65	0.35
MAR 28,88	MAR 27,88	0.40	2.26	0.08	0.323	0.02	0.60	0.11
MAR 29,88	MAR 28,88	4.27	2.04	0.17	0.215	<T 0.01	0.89	0.18
MAR 30,88	MAR 29,88	5.21	2.40	0.36	0.620	<W 0.00	0.56	0.36
MAR 31,88	MAR 30,88	0.27	1.26	0.03	0.337	<W 0.00	0.23	0.03
APR 1,88	MAR 31,88	0.26	2.50	0.51	0.709	0.07	<T 0.00	0.59
APR 2,88	APR 1,88	12.31	3.83	0.07	0.715	<W 0.00	0.44	0.07
APR 3,88	APR 2,88	UG 42.12	UG 6.17	0.16	0.980	<W 0.00	0.44	0.16
APR 4,88	APR 3,88	8.15	5.15	0.30	0.886	<W 0.00	1.10	0.30
APR 5,88	APR 4,88	1.52	2.49	0.02	0.323	<W 0.00	0.26	0.02
APR 6,88	APR 5,88	5.09	5.83	0.00	0.294	<W 0.00	0.00	0.00
APR 7,88	APR 6,88	<T 0.17	1.55	0.00	0.379	<W 0.00	0.00	0.00
APR 8,88	APR 7,88	0.22	1.36	<T 0.00	0.269	<W 0.00	0.00	0.00
APR 9,88	APR 8,88	<W 0.00	1.48	<T 0.00	0.284	<W 0.00	0.00	0.00
APR 10,88	APR 9,88	<W 0.00	1.36	0.00	0.276	<W 0.00	0.00	0.00
APR 11,88	APR 10,88	15.05	1.70	0.00	0.266	<W 0.00	0.00	0.00
APR 12,88	APR 11,88	<W 0.25	1.52	0.15	0.340	<W 0.00	0.38	0.15
APR 13,88	APR 12,88	2.26	2.71	0.00	0.383	<T 0.00	0.00	0.00
APR 14,88	APR 13,88	5.94	3.27	0.12	0.702	0.03	0.56	0.16
APR 15,88	APR 14,88	0.38	1.11	<T 0.00	0.218	<T 0.00	0.31	<T 0.01
APR 16,88	APR 15,88	<T 0.22	1.60	0.02	0.207	<T 0.00	0.18	0.03
APR 17,88	APR 16,88	0.44	0.95	0.02	0.216	<T 0.01	0.27	0.04
APR 18,88	APR 17,88	0.63	1.56	0.06	0.416	0.03	0.22	0.09
APR 19,88	APR 18,88	<T 0.02	1.20	<T 0.00	0.134	<T 0.01	0.01	<T 0.02
APR 20,88	APR 19,88	<T 0.13	0.96	0.00	0.221	<T 0.01	0.19	0.01
APR 21,88	APR 20,88	<T 0.26	1.68	0.03	0.347	<T 0.02	0.20	0.05
APR 22,88	APR 21,88	0.51	1.32	0.03	0.344	0.04	0.10	0.07
APR 23,88	APR 22,88	0.41	0.84	0.02	0.240	<T 0.02	0.20	0.04

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
APR 24,88	APR 23,88	800	800	1	26490.0	37556	2	1	
APR 25,88	APR 24,88	800	800	1	28149.0	37557	2	1	
APR 26,88	APR 25,88	800	800	1	27781.0	37558	2	1	
APR 27,88	APR 26,88	800	800	1	26427.0	37568	2	1	
APR 28,88	APR 27,88	800	800	1	28313.0	37569	2	1	
APR 29,88	APR 28,88	800	800	1	25406.0	37570	2	1	
APR 30,88	APR 29,88	800	800	1	27510.0	37571	2	1	
MAY 1,88	APR 30,88	800	800	1	27438.0	37572	2	1	
MAY 2,88	MAY 1,88	800	800	1	28396.0	37573	2	1	
MAY 3,88	MAY 2,88	800	800	1	27042.0	37574	2	1	
MAY 4,88	MAY 3,88	800	800	1	26844.0	37600	2	1	
MAY 5,88	MAY 4,88	800	800	1	27615.0	37601	2	1	
MAY 6,88	MAY 5,88	800	800	1	27302.0	37602	2	1	
MAY 7,88	MAY 6,88	800	800	1	27552.0	37603	2	1	
MAY 8,88	MAY 7,88	800	800	1	27156.0	37604	2	1	
MAY 9,88	MAY 8,88	800	800	1	26573.0	37605	2	1	
MAY 10,88	MAY 9,88	800	800	1	26833.0	37606	2	1	
MAY 11,88	MAY 10,88	800	800	1	27583.0	37616	2	1	
MAY 12,88	MAY 11,88	800	800	1	27573.0	37617	2	1	
MAY 13,88	MAY 12,88	800	800	1	27208.0	37618	2	1	
MAY 14,88	MAY 13,88	800	800	1	27667.0	37619	2	1	
MAY 15,88	MAY 14,88	800	800	1	27135.0	37620	2	1	
MAY 16,88	MAY 15,88	800	800	1	18760.0	37621	2	1	
MAY 17,88	MAY 16,88	800	800	1	28104.0	37622	2	1	
MAY 18,88	MAY 17,88	800	800	1	27490.0	37651	2	1	
MAY 19,88	MAY 18,88	800	800	1	27490.0	37652	2	1	
MAY 20,88	MAY 19,88	800	800	1	27490.0	37653	2	1	
MAY 21,88	MAY 20,88	800	800	1	26010.0	37654	2	1	
MAY 22,88	MAY 21,88	800	800	1	25688.0	37655	2	1	
MAY 23,88	MAY 22,88	800	800	1	26260.0	37656	2	1	
MAY 24,88	MAY 23,88	800	800	1	27510.0	37657	2	1	
MAY 25,88	MAY 24,88	800	800	1	27563.0	37685	2	1	
MAY 26,88	MAY 25,88	800	800	1	26448.0	37686	2	1	
MAY 27,88	MAY 26,88	800	800	1	27417.0	37687	2	1	
MAY 28,88	MAY 27,88	800	800	1	26594.0	37688	2	1	
MAY 29,88	MAY 28,88	800	800	1	26854.0	37689	2	1	
MAY 30,88	MAY 29,88	800	800	1	26698.0	37690	2	1	
MAY 31,88	MAY 30,88	800	800	1	25688.0	37691	2	1	
MAY 1,88	MAY 31,88	800	800	1	27073.0	37710	2	1	
MAY 2,88	MAY 1,88	800	800	1	27146.0	37711	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOMGANDA/DAILY/AIR

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
APR 24,88	APR 23,88	0.91	0.62	0.02	0.186	0.04	0.26	0.06
APR 25,88	APR 24,88	0.47	0.41	<T 0.01	0.130	<T 0.02	0.22	<T 0.03
APR 26,88	APR 25,88	5.57	1.20	0.03	0.303	<T 0.02	0.20	0.05
APR 27,88	APR 26,88	0.63	1.98	0.02	0.356	<T 0.02	0.18	0.04
APR 28,88	APR 27,88	4.84	1.69	0.04	0.441	<T 0.03	0.16	0.06
APR 29,88	APR 28,88	3.07	2.05	<T 0.04	0.504	<W 0.00	0.20	0.04
APR 30,88	APR 29,88	<T 0.19	1.97	0.07	0.509	<T 0.03	0.10	0.09
MAY 1,88	APR 30,88	0.49	2.04	0.04	0.492	<W 0.00	0.14	0.04
MAY 2,88	MAY 1,88	0.34	4.61	0.05	0.493	<T 0.03	0.14	0.07
MAY 3,88	MAY 2,88	3.84	1.80	0.07	0.296	<T 0.03	0.11	0.10
MAY 4,88	MAY 3,88	<W 0.00	1.32	0.07	0.319	0.05	0.00	0.12
MAY 5,88	MAY 4,88	0.80	0.99	0.08	0.238	0.07	0.15	0.14
MAY 6,88	MAY 5,88	4.79	1.32	0.08	0.305	0.08	0.18	0.15
MAY 7,88	MAY 6,88	3.38	1.29	0.09	0.293	0.06	0.13	0.15
MAY 8,88	MAY 7,88	4.32	1.45	0.09	0.343	0.08	0.16	0.16
MAY 9,88	MAY 8,88	10.96	7.72	0.77	1.809	0.16	0.05	0.93
MAY 10,88	MAY 9,88	11.14	6.41	0.32	1.188	<W 0.00	0.25	0.32
MAY 11,88	MAY 10,88	4.36	0.99	0.06	0.249	<T 0.00	0.02	0.06
MAY 12,88	MAY 11,88	5.56	1.18	0.04	0.313	<T 0.03	0.18	0.07
MAY 13,88	MAY 12,88	4.93	1.76	0.12	0.455	<T 0.03	0.11	0.14
MAY 14,88	MAY 13,88	0.14	0.94	0.01	0.221	<W 0.00	0.15	0.01
MAY 15,88	MAY 14,88	7.90	1.90	0.08	0.412	<T 0.03	0.24	0.11
MAY 16,88	MAY 15,88	1.20	2.17	0.10	0.460	0.08	0.14	0.18
MAY 17,88	MAY 16,88	0.17	0.80	0.02	0.173	<W 0.00	0.07	0.02
MAY 18,88	MAY 17,88	0.08	0.76	0.00	0.076	0.01	0.12	0.01
MAY 19,88	MAY 18,88	<W 0.05	0.82	0.03	0.027	0.01	<T 0.08	0.04
MAY 20,88	MAY 19,88	<W 0.07	1.71	0.09	0.187	0.01	0.11	0.09
MAY 21,88	MAY 20,88	<W 0.04	0.93	0.02	0.071	0.01	<T 0.05	0.03
MAY 22,88	MAY 21,88	0.59	1.88	0.01	0.292	0.01	0.26	0.02
MAY 23,88	MAY 22,88	<W 0.18	1.50	0.03	0.076	0.03	0.27	0.06
MAY 24,88	MAY 23,88	<W 0.03	0.45	0.01	<T 0.002	0.01	0.04	0.02
MAY 25,88	MAY 24,88	<W 0.07	0.00	0.00	<T 0.002	0.00	0.11	0.00
MAY 26,88	MAY 25,88	0.54	0.55	0.02	<T 0.004	0.00	0.32	0.02
MAY 27,88	MAY 26,88	1.08	1.80	0.12	0.233	0.00	0.20	0.12
MAY 28,88	MAY 27,88	14.48	5.62	0.16	0.910	0.00	0.51	0.16
MAY 29,88	MAY 28,88	0.55	2.44	0.04	0.236	0.00	0.27	0.04
MAY 30,88	MAY 29,88	UG 26.28	7.14	0.24	1.405	0.00	0.53	0.24
MAY 31,88	MAY 30,88	<T 0.06	3.36	0.15	0.623	0.04	0.10	0.19
JUN 1,88	MAY 31,88	<W 0.03	1.54	0.04	0.128	0.00	0.05	0.04
JUN 2,88	JUN 1,88	<W 0.06	0.55	<T 0.01	<W 0.000	0.00	0.09	0.01

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 3,88	JUN 2,88	800	800	1	27553.0	37712	2	1	
JUN 4,88	JUN 3,88	800	800	1	26750.0	37713	2	1	
JUN 5,88	JUN 4,88	800	800	1	26417.0	37714	2	1	
JUN 6,88	JUN 5,88	800	800	1	26208.0	37715	2	1	
JUN 7,88	JUN 6,88	800	800	1	27229.0	37716	2	1	
JUN 8,88	JUN 7,88	800	800	1	26130.0	37741	2	1	
JUN 9,88	JUN 8,88	800	800	1	24880.0	37742	2	1	
JUN 10,88	JUN 9,88	800	800	1	26210.0	37743	2	1	
JUN 11,88	JUN 10,88	800	800	1	26300.0	37744	2	1	
JUN 12,88	JUN 11,88	800	800	1	24780.0	37745	2	1	
JUN 13,88	JUN 12,88	800	800	1	25850.0	37746	2	1	
JUN 14,88	JUN 13,88	800	800	1	24720.0	37747	2	1	
JUN 15,88	JUN 14,88	800	800	1	25660.0	37766	2	1	
JUN 16,88	JUN 15,88	800	800	1	26210.0	37767	2	1	
JUN 17,88	JUN 16,88	800	800	1	26380.0	37768	2	1	
JUN 18,88	JUN 17,88	800	800	1	26020.0	37769	2	1	
JUN 19,88	JUN 18,88	800	800	1	25580.0	37770	2	1	
JUN 20,88	JUN 19,88	800	800	1	26580.0	37771	2	1	
JUN 21,88	JUN 20,88	800	800	1	26120.0	37772	2	1	
JUN 22,88	JUN 21,88	800	800	1	25940.0	37790	2	1	
JUN 23,88	JUN 22,88	800	800	1	26230.0	37791	2	1	
JUN 24,88	JUN 23,88	800	800	1	26530.0	37792	2	1	
JUN 25,88	JUN 24,88	800	800	1	26530.0	37793	2	1	
JUN 26,88	JUN 25,88	800	800	1	26140.0	37794	2	1	
JUN 27,88	JUN 26,88	800	800	1	26320.0	37795	2	1	
JUN 28,88	JUN 27,88	800	800	1	26570.0	37796	2	1	
JUN 29,88	JUN 28,88	800	807	1	26590.0	37825	2	1	
JUN 30,88	JUN 29,88	807	807	1	26110.0	37826	2	1	
JUL 1,88	JUN 30,88	807	807	1	26690.0	37827	2	1	
JUL 2,88	JUL 1,88	807	807	1	26590.0	37828	2	1	
JUL 3,88	JUL 2,88	809	807	1	26790.0	37829	2	1	
JUL 4,88	JUL 3,88	807	807	1	26510.0	37830	2	1	
JUL 5,88	JUL 4,88	807	807	1	26270.0	37831	2	1	
JUL 6,88	JUL 5,88	807	807	1	26310.0	37833	2	1	
JUL 7,88	JUL 6,88	807	746	1	26360.0	37834	2	1	
JUL 8,88	JUL 7,88	746	746	1	28630.0	37835	2	1	
JUL 9,88	JUL 8,88	746	746	1	25840.0	37836	2	1	
JUL 10,88	JUL 9,88	746	746	1	25590.0	37837	2	1	
JUL 11,88	JUL 10,88	746	746	1	25760.0	37838	2	1	
JUL 12,88	JUL 11,88	746	746	1	26710.0	37839	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 3,88	JUN 2,88	6.75	0.65	<T	0.01	0.030	0.00	0.16
JUN 4,88	JUN 3,88	0.36	0.49		0.31	<T	0.001	0.01
JUN 5,88	JUN 4,88	0.42	0.60		0.02	<T	0.001	0.01
JUN 6,88	JUN 5,88	<T	0.34	<T	0.01	<T	0.001	0.01
JUN 7,88	JUN 6,88	<W	0.65	0.03	0.034	0.01	0.14	0.04
JUN 8,88	JUN 7,88	<T	0.61	0.01	0.019	0.00	0.07	0.01
JUN 9,88	JUN 8,88	<T	0.21	0.70	0.02	0.010	0.03	0.08
JUN 10,88	JUN 9,88	<T	0.18	0.52	0.03	<T	0.008	0.02
JUN 11,88	JUN 10,88	0.37	0.49	0.05	0.017	<T	0.01	0.06
JUN 12,88	JUN 11,88	0.74	1.31	0.15	0.020	0.04	0.08	0.19
JUN 13,88	JUN 12,88	3.79	2.75	0.17	0.445	0.06	UG	3.79
JUN 14,88	JUN 13,88	6.05	6.35	0.27	1.290	0.06	0.34	0.33
JUN 15,88	JUN 14,88	1.53	7.45	0.34	1.325	0.02	0.01	0.36
JUN 16,88	JUN 15,88	0.76	2.73	0.16	0.398	0.04	0.10	0.20
JUN 17,88	JUN 16,88	0.53	0.76	0.02	0.021	0.02	0.15	0.04
JUN 18,88	JUN 17,88	<T	0.41	0.03	<T	0.006	<W	0.00
JUN 19,88	JUN 18,88	2.77	3.67	0.27	0.709	0.05	0.14	0.32
JUN 20,88	JUN 19,88	3.38	8.47	0.33	1.988	0.04	0.34	0.38
JUN 21,88	JUN 20,88	<T	0.61	0.03	0.013	0.02	0.12	0.06
JUN 22,88	JUN 21,88	2.51	1.10	0.10	0.162	0.05	0.13	0.15
JUN 23,88	JUN 22,88	0.66	0.97	0.06	0.137	0.05	0.33	0.11
JUN 24,88	JUN 23,88	<T	0.20	0.22	0.01	<W	0.000	0.05
JUN 25,88	JUN 24,88	13.70	2.05	0.12	0.418	0.06	0.52	0.18
JUN 26,88	JUN 25,88	1.61	2.58	0.11	0.574	0.05	0.16	0.16
JUN 27,88	JUN 26,88	0.25	0.24	0.01	<W	0.000	0.05	0.06
JUN 28,88	JUN 27,88	<T	0.08	0.41	0.01	0.028	0.05	0.12
JUN 29,88	JUN 28,88	0.05	0.18	0.00	0.009	<T	0.03	0.00
JUN 30,88	JUN 29,88	0.12	0.19	<T	0.00	<T	0.02	0.09
JUL 1,88	JUN 30,88	0.80	0.30	0.81	0.005	0.04	0.83	0.85
JUL 2,88	JUL 1,88	0.49	0.15	0.10	0.007	<W	0.00	0.65
JUL 3,88	JUL 2,88	0.94	0.21	0.03	0.007	<T	0.03	1.05
JUL 4,88	JUL 3,88	0.42	1.19	0.08	0.126	0.05	0.18	0.13
JUL 5,88	JUL 4,88	P	1.86	P	3.75	P	0.21	P
JUL 6,88	JUL 5,88	3.02	6.62	0.50	1.387	0.09	0.54	0.58
JUL 7,88	JUL 6,88	6.04	17.38	0.66	3.429	0.06	0.41	0.72
JUL 8,88	JUL 7,88	2.14	16.00	0.15	3.046	0.07	0.34	0.22
JUL 9,88	JUL 8,88	0.96	5.89	0.21	1.374	0.09	0.22	0.29
JUL 10,88	JUL 9,88	0.38	1.11	0.05	0.137	0.07	0.22	0.12
JUL 11,88	JUL 10,88	0.42	1.40	0.04	0.241	0.07	0.16	0.11
JUL 12,88	JUL 11,88	0.34	0.51	<T	0.01	<T	0.015	0.07

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 13,88	JUL 12,88	746	800	1	26560.0	37873	2	1	
JUL 14,88	JUL 13,88	800	800	1	27610.0	37874	2	1	Q
JUL 15,88	JUL 14,88	800	800	1	30670.0	37875	2	1	C
JUL 16,88	JUL 15,88	800	800	1	26070.0	37876	2	1	
JUL 17,88	JUL 16,88	800	800	1	25520.0	37877	2	1	
JUL 18,88	JUL 17,88	800	800	1	26010.0	37878	2	1	
JUL 19,88	JUL 18,88	800	800	1	27080.0	37879	2	1	
JUL 20,88	JUL 19,88	800	747	1	26050.0	37906	2	1	
JUL 21,88	JUL 20,88	747	747	1	26230.0	37907	2	1	
JUL 22,88	JUL 21,88	747	747	1	26660.0	37908	2	1	
JUL 23,88	JUL 22,88	747	747	1	26680.0	37909	2	1	
JUL 24,88	JUL 23,88	747	747	1	25940.0	37910	2	1	
JUL 25,88	JUL 24,88	747	747	1	26700.0	37911	2	1	
JUL 26,88	JUL 25,88	747	747	1	26200.0	37912	2	1	
JUL 27,88	JUL 26,88	747	748	1	26760.0	37950	2	1	Q
JUL 28,88	JUL 27,88	748	748	1	26100.0	37951	2	1	
JUL 29,88	JUL 28,88	748	745	1	21350.0	37952	2	1	B
JUL 30,88	JUL 29,88	745	745	1	26400.0	37953	2	1	
JUL 31,88	JUL 30,88	745	745	1	28430.0	37954	2	1	
AUG 1,88	JUL 31,88	747	745	1	26340.0	37955	2	1	
AUG 2,88	AUG 1,88	745	745	1	26280.0	37956	2	1	
AUG 3,88	AUG 2,88	751	751	1	27790.0	37972	2	1	
AUG 4,88	AUG 3,88	751	751	1	27030.0	37973	2	1	
AUG 5,88	AUG 4,88	751	751	1	26550.0	37974	2	1	
AUG 6,88	AUG 5,88	751	751	1	26020.0	37975	2	1	
AUG 7,88	AUG 6,88	751	751	1	27080.0	37976	2	1	
AUG 8,88	AUG 7,88	751	751	1	26790.0	37977	2	1	
AUG 9,88	AUG 8,88	751	751	1	31640.0	37978	2	1	Q
AUG 10,88	AUG 9,88	751	742	1	26190.0	83027	2	1	
AUG 11,88	AUG 10,88	742	742	1	27330.0	83028	2	1	
AUG 12,88	AUG 11,88	742	742	1	26650.0	83029	2	1	
AUG 13,88	AUG 12,88	742	742	1	26610.0	83030	2	1	Q
AUG 14,88	AUG 13,88	742	742	1	26180.0	83031	2	1	
AUG 15,88	AUG 14,88	742	744	1	27940.0	83032	2	1	
AUG 16,88	AUG 15,88	744	744	1	26200.0	83033	2	1	
AUG 17,88	AUG 16,88	752	752	1	27310.0	83055	2	1	Q
AUG 18,88	AUG 17,88	752	747	1	26590.0	83056	2	1	
AUG 19,88	AUG 18,88	747	747	1	27090.0	83057	2	1	
AUG 20,88	AUG 19,88	747	747	1	27040.0	83058	2	1	
AUG 21,88	AUG 20,88	747	747	1	26720.0	83059	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 13,88	JUL 12,88	0.23	0.51	<T	0.01	0.008	<T	0.04
JUL 14,88	JUL 13,88	1.68	4.02	<T	0.09	0.654	<T	0.11
JUL 15,88	JUL 14,88	0.08	0.14	<W	0.00	0.003	<W	0.00
JUL 16,88	JUL 15,88	10.21	0.68	<T	0.03	0.014	<T	0.05
JUL 17,88	JUL 16,88	0.82	4.08	<T	0.02	0.292	<T	0.04
JUL 18,88	JUL 17,88	0.16	0.94	<T	0.04	0.054	<T	0.07
JUL 19,88	JUL 18,88	0.31	0.89	<W	0.00	0.104	<T	0.03
JUL 20,88	JUL 19,88	0.11	0.55	<W	0.000	0.04	<T	0.09
JUL 21,88	JUL 20,88	0.27	0.71	<T	0.03	0.076	<T	0.06
JUL 22,88	JUL 21,88	0.05	0.74	<T	0.04	0.038	<T	0.07
JUL 23,88	JUL 22,88	0.09	0.41	<T	0.03	0.000	<T	0.07
JUL 24,88	JUL 23,88	0.69	1.46	<T	0.04	0.262	<T	0.08
JUL 25,88	JUL 24,88	0.24	2.10	<T	0.04	0.266	<T	0.07
JUL 26,88	JUL 25,88	0.32	1.89	<T	0.04	0.302	<T	0.08
JUL 27,88	JUL 26,88	0.38	1.15	<T	0.03	0.153	<W	0.03
JUL 28,88	JUL 27,88	0.16	0.61	<W	0.05	0.027	<W	0.05
JUL 29,88	JUL 28,88	1.36	3.64	<W	0.16	0.682	<W	0.27
JUL 30,88	JUL 29,88	3.61	8.98	<W	0.27	1.726	<W	0.31
JUL 31,88	JUL 30,88	0.36	0.81	<T	0.04	0.100	<W	0.04
AUG 1,88	JUL 31,88	0.35	0.40	<W	0.05	0.029	<W	0.05
AUG 2,88	AUG 1,88	0.58	1.61	<W	0.10	0.301	<W	0.10
AUG 3,88	AUG 2,88	0.58	2.67	<W	0.05	0.468	<W	0.10
AUG 4,88	AUG 3,88	0.69	5.77	<T	0.18	1.051	<T	0.21
AUG 5,88	AUG 4,88	2.13	2.76	<T	0.09	0.384	<T	0.12
AUG 6,88	AUG 5,88	5.23	10.45	<W	0.27	1.141	<W	0.27
AUG 7,88	AUG 6,88	0.20	0.42	<W	0.04	0.000	<T	0.07
AUG 8,88	AUG 7,88	0.00	0.78	<W	0.07	0.112	<W	0.12
AUG 9,88	AUG 8,88	0.00	0.50	<T	0.02	0.120	<W	0.07
AUG 10,88	AUG 9,88	0.71	2.46	<W	0.09	0.470	<W	0.09
AUG 11,88	AUG 10,88	0.80	1.10	<T	0.04	0.234	<T	0.05
AUG 12,88	AUG 11,88	2.33	4.80	<T	0.18	1.054	<T	0.19
AUG 13,88	AUG 12,88	0.71	3.62	<T	0.08	0.831	<T	0.09
AUG 14,88	AUG 13,88	0.74	3.72	<T	0.11	0.787	<T	0.12
AUG 15,88	AUG 14,88	0.88	2.37	<T	0.05	0.451	<T	0.06
AUG 16,88	AUG 15,88	0.56	0.24	<W	0.00	0.107	<W	0.00
AUG 17,88	AUG 16,88	0.05	2.26	<T	0.00	0.436	<T	0.01
AUG 18,88	AUG 17,88	0.45	0.58	<W	0.00	0.083	<W	0.01
AUG 19,88	AUG 18,88	0.61	0.35	<W	0.00	0.037	<T	0.00
AUG 20,88	AUG 19,88	0.44	0.27	<W	0.00	0.092	<T	0.00
AUG 21,88	AUG 20,88	0.40	0.28	<W	0.00	0.097	<W	0.02

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOMGANDA/DAILY/AIR

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 22,88	AUG 21,88	747	747	1	27480.0	83060	2	1	
AUG 23,88	AUG 22,88	747	747	1	27010.0	83061	2	1	
AUG 24,88	AUG 23,88	747	746	1	26810.0	83089	2	1	
AUG 25,88	AUG 24,88	746	746	1	25560.0	83090	2	1	
AUG 26,88	AUG 25,88	746	746	1	26440.0	83091	2	1	
AUG 27,88	AUG 26,88	746	746	1	26730.0	83092	2	1	
AUG 28,88	AUG 27,88	746	746	1	25760.0	83093	2	1	
AUG 29,88	AUG 28,88	746	746	1	27370.0	83094	2	1	
AUG 30,88	AUG 29,88	746	746	1	26400.0	83095	2	1	
AUG 31,88	AUG 30,88	746	746	1	25650.0	83105	2	1	
SEP 1,88	AUG 31,88	746	746	1	26310.0	83106	2	1	
SEP 2,88	SEP 1,88	746	746	1	26350.0	83107	2	1	
SEP 3,88	SEP 2,88	746	746	1	26160.0	83108	2	1	
SEP 4,88	SEP 3,88	746	746	1	25540.0	83109	2	1	
SEP 5,88	SEP 4,88	746	746	1	25990.0	83110	2	1	
SEP 6,88	SEP 5,88	746	746	1	26490.0	83111	2	1	
SEP 7,88	SEP 6,88	746	748	1	26780.0	83173	2	1	
SEP 8,88	SEP 7,88	748	748	1	26390.0	83174	2	1	
SEP 9,88	SEP 8,88	748	748	1	26190.0	83175	2	1	
SEP 10,88	SEP 9,88	748	748	1	29400.0	83176	2	1	C
SEP 11,88	SEP 10,88	748	748	1	26150.0	83177	2	1	
SEP 12,88	SEP 11,88	748	748	1	29970.0	83178	2	1	C
SEP 13,88	SEP 12,88	748	748	1	25970.0	83179	2	1	
SEP 14,88	SEP 13,88	748	743	1	26580.0	83182	2	1	
SEP 15,88	SEP 14,88	743	743	1	26220.0	83183	2	1	
SEP 16,88	SEP 15,88	743	743	1	26900.0	83184	2	1	
SEP 17,88	SEP 16,88	743	743	1	31640.0	83185	2	1	
SEP 18,88	SEP 17,88	743	744	1	25590.0	83186	2	1	
SEP 19,88	SEP 18,88	744	****	1	20330.0	83187	2	1	BQ
SEP 20,88	SEP 19,88	****	837	1	*****	83188	2	1	QB
SEP 20,88	SEP 20,88	837	854	1	340.0	83215	2	1	QA Z
SEP 21,88	SEP 20,88	854	854	1	25960.0	83216	2	1	
SEP 22,88	SEP 21,88	854	854	1	25850.0	83217	2	1	
SEP 23,88	SEP 22,88	854	854	1	26260.0	83218	2	1	
SEP 24,88	SEP 23,88	854	854	1	26340.0	83219	2	1	
SEP 25,88	SEP 24,88	854	854	1	27960.0	83220	2	1	
SEP 26,88	SEP 25,88	854	854	1	25930.0	83221	2	1	
SEP 27,88	SEP 26,88	854	854	1	26820.0	83270	2	1	
SEP 28,88	SEP 27,88	854	854	1	26190.0	83271	2	1	
SEP 29,88	SEP 28,88	854	740	1	26130.0	83272	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 22,88	AUG 21,88	0.47	<T	0.15	<W	0.00		0.036	<T	0.01	<W	0.00	0.01
AUG 23,88	AUG 22,88	1.40		0.67	<W	0.00		0.167	<T	0.03		0.25	0.03
AUG 24,88	AUG 23,88	0.10		1.52		0.04		0.235		0.11		0.15	0.15
AUG 25,88	AUG 24,88	6.80		6.75		0.05		0.246	<W	0.00		1.19	0.05
AUG 26,88	AUG 25,88	0.50		1.48	<T	0.03		0.144	<W	0.00		0.38	0.03
AUG 27,88	AUG 26,88	0.08		0.28	<W	0.00	<T	0.004	<W	0.00	<W	0.00	<W 0.00
AUG 28,88	AUG 27,88	14.46		2.44		0.10		0.373	<T	0.04		1.16	0.14
AUG 29,88	AUG 28,88	0.15		0.23	<T	0.02	<W	0.000	<T	0.03	<T	0.07	<T 0.05
AUG 30,88	AUG 29,88	0.22		0.39	<T	0.02		0.019	<W	0.00		0.19	0.02
AUG 31,88	AUG 30,88	0.13		0.00	<T	0.02	<T	0.004		0.00		0.19	0.02
SEP 1,88	AUG 31,88	11.55		0.52	<W	0.00		0.114		0.04		0.89	0.04
SEP 2,88	SEP 1,88	7.00		6.00		0.27		1.302		0.09		1.03	0.36
SEP 3,88	SEP 2,88	9.76		15.30		0.49		3.062	<T	0.00		1.27	0.49
SEP 4,88	SEP 3,88	7.42		16.73		0.40		2.792	<W	0.00		1.42	0.40
SEP 5,88	SEP 4,88	1.48		2.11	<T	0.04		0.389	<T	0.00		0.64	<T 0.04
SEP 6,88	SEP 5,88	0.62	<T	0.00	<T	0.02	<T	0.004	<W	0.00		0.11	0.02
SEP 7,88	SEP 6,88	0.24		0.00	<T	0.02	<W	0.000		0.01		0.36	0.03
SEP 8,88	SEP 7,88	1.04		1.75		0.09		0.322		0.14		0.69	0.23
SEP 9,88	SEP 8,88	10.28		8.59		0.41		1.535		0.11		0.70	0.51
SEP 10,88	SEP 9,88	0.65		3.33	<T	0.02		0.034		0.14		0.20	0.16
SEP 11,88	SEP 10,88	0.46		0.42	<W	0.00		0.034		0.04		0.36	0.04
SEP 12,88	SEP 11,88	0.20	<T	0.03	<W	0.00		0.143	<W	0.00		0.19	<W 0.00
SEP 13,88	SEP 12,88	4.63		4.35		0.14		0.955	<T	0.03		0.78	0.17
SEP 14,88	SEP 13,88	0.07		0.30	<W	0.00	<W	0.000	<W	0.00		0.11	<W 0.00
SEP 15,88	SEP 14,88	0.54		0.22	<T	0.01	<W	0.000	<T	0.01		0.43	<T 0.02
SEP 16,88	SEP 15,88	0.08		0.54	<T	0.01	<W	0.000	<T	0.01	<T	0.03	<T 0.02
SEP 17,88	SEP 16,88	0.06		0.41	<T	0.00	<W	0.000	<W	0.00	<W	0.00	0.00
SEP 18,88	SEP 17,88	2.87		4.10		0.07		0.547	<W	0.00		0.27	0.07
SEP 19,88	SEP 18,88	P 0.73	P	0.91	P	0.01	P	0.152	P	0.04	P	0.14	P 0.05
SEP 20,88	SEP 19,88	*****		*****		*****		*****		*****		*****	*****
SEP 20,88	SEP 20,88	U 4.90	U	0.00	U	0.00	U	0.000	U	0.01	U	7.35	U 0.01
SEP 21,88	SEP 20,88	0.67		0.47		0.00	<W	0.000		0.01		0.27	0.01
SEP 22,88	SEP 21,88	<W 0.00		0.24		0.00	<W	0.000		0.01	<W	0.00	0.01
SEP 23,88	SEP 22,88	14.15		2.48		0.05		0.097		0.00		0.84	0.05
SEP 24,88	SEP 23,88	<W 0.00		1.21		0.00	<W	0.000		0.00	<W	0.00	0.00
SEP 25,88	SEP 24,88	<W 0.00		0.41		0.00	<W	0.000		0.00	<W	0.00	0.00
SEP 26,88	SEP 25,88	0.29		0.96	<W	0.00	<W	0.000		0.00	<W	0.00	0.00
SEP 27,88	SEP 26,88	P 0.48	P	0.87	P	0.05	P	0.002	P	0.04	P	0.26	P 0.09
SEP 28,88	SEP 27,88	<W 0.21		1.28	<W	0.00		0.063		0.04		0.31	0.04
SEP 29,88	SEP 28,88	<W 0.01		0.46		0.00	<W	0.000		0.02	<T	0.02	0.02

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOMGANDA/DAILY/AIR

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
SEP 30,88	SEP 29,88	746	746	1	27030.0	83273	2	1		
OCT 1,88	SEP 30,88	746	745	1	25890.0	83274	2	1		
OCT 2,88	OCT 1,88	745	745	1	25770.0	83275	2	1		
OCT 3,88	OCT 2,88	747	747	1	26760.0	83276	2	1		
OCT 5,88	OCT 4,88	746	746	1	27120.0	83313	2	1		
OCT 6,88	OCT 5,88	746	746	1	27120.0	83314	2	1		
OCT 7,88	OCT 6,88	746	746	1	26290.0	83315	2	1		
OCT 8,88	OCT 7,88	746	746	1	27220.0	83316	2	1		
OCT 9,88	OCT 8,88	746	746	1	26840.0	83317	2	1		
OCT 10,88	OCT 9,88	746	746	1	*****	83318	2	1	Q	
OCT 11,88	OCT 10,88	746	746	1	26930.0	83319	2	1		
OCT 12,88	OCT 11,88	748	748	1	27450.0	83341	2	1		
OCT 13,88	OCT 12,88	748	748	1	27380.0	83342	2	1		
OCT 14,88	OCT 13,88	748	748	1	27310.0	83343	2	1		
OCT 15,88	OCT 14,88	748	748	1	26630.0	83344	2	1		
OCT 16,88	OCT 15,88	748	748	1	26360.0	83345	2	1		
OCT 17,88	OCT 16,88	748	748	1	26500.0	83346	2	1		
OCT 18,88	OCT 17,88	748	748	1	26770.0	83347	2	1		
OCT 19,88	OCT 18,88	757	749	1	27060.0	83381	2	1		
OCT 20,88	OCT 19,88	749	749	1	26670.0	83382	2	1		
OCT 21,88	OCT 20,88	749	749	1	27080.0	83383	2	1		
OCT 22,88	OCT 21,88	749	749	1	26710.0	83384	2	1		
OCT 23,88	OCT 22,88	749	749	1	26280.0	83385	2	1		
OCT 24,88	OCT 23,88	749	749	1	27270.0	83386	2	1		
OCT 25,88	OCT 24,88	749	749	1	26290.0	83387	2	1		
OCT 26,88	OCT 25,88	749	749	1	26900.0	83403	2	1		
OCT 27,88	OCT 26,88	749	749	1	27350.0	83404	2	1		
OCT 28,88	OCT 27,88	749	749	1	26580.0	83405	2	1		
OCT 29,88	OCT 28,88	749	749	1	26840.0	83406	2	1		
OCT 30,88	OCT 29,88	749	749	1	26700.0	83407	2	1		
OCT 31,88	OCT 30,88	849	849	1	26930.0	83408	2	1		
NOV 1,88	OCT 31,88	849	749	1	26980.0	83409	2	1		
NOV 2,88	NOV 1,88	749	2045	1	15290.0	83443	2	1		
NOV 3,88	NOV 2,88	2045	730	1	39750.0	83444	2	1		
NOV 4,88	NOV 3,88	730	730	1	26890.0	83445	2	1		
NOV 5,88	NOV 4,88	730	730	1	25960.0	83446	2	1		
NOV 6,88	NOV 5,88	730	730	1	25730.0	83447	2	1		
NOV 7,88	NOV 6,88	730	730	1	26530.0	83448	2	1		
NOV 8,88	NOV 7,88	730	730	1	27020.0	83449	2	1		
NOV 9,88	NOV 8,88	730	730	1	27170.0	83459	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 30,88	SEP 29,88	4.50	1.22	0.02	0.072	0.01	0.42	0.03
OCT 1,88	SEP 30,88	2.11	13.94	0.23	2.433	0.01	0.53	0.24
OCT 2,88	OCT 1,88	0.24	5.08	0.01	0.819	0.00	<T 0.05	0.02
OCT 3,88	OCT 2,88	0.35	1.17	0.00	<W 0.000	0.00	0.16	0.01
OCT 5,88	OCT 4,88	4.59	0.63	<W 0.00	0.126	<T 0.00	0.25	0.00
OCT 6,88	OCT 5,88	<W 0.05	0.33	<W 0.00	<T 0.001	<T 0.03	<T 0.07	0.03
OCT 7,88	OCT 6,88	<W 0.10	0.57	<T 0.01	0.023	0.04	<T 0.15	0.05
OCT 8,88	OCT 7,88	4.76	2.06	<T 0.02	0.166	<W 0.00	0.70	0.02
OCT 9,88	OCT 8,88	<T 0.42	1.53	0.03	0.284	<T 0.02	0.52	0.04
OCT 10,88	OCT 9,88	*****	*****	*****	*****	*****	*****	*****
OCT 11,88	OCT 10,88	1.61	1.37	0.03	0.342	<T 0.02	0.30	0.05
OCT 12,88	OCT 11,88	<W 0.13	<T 0.14	0.00	<W 0.000	0.00	0.20	0.00
OCT 13,88	OCT 12,88	<W 0.01	0.45	0.01	<W 0.000	0.03	<T 0.02	0.03
OCT 14,88	OCT 13,88	0.98	0.98	0.05	0.057	0.10	0.93	0.15
OCT 15,88	OCT 14,88	2.51	2.58	0.12	<T 0.004	0.36	1.31	0.49
OCT 16,88	OCT 15,88	UG 25.16	7.81	0.37	1.468	0.41	1.37	0.78
OCT 17,88	OCT 16,88	19.40	5.85	0.48	1.226	0.09	1.76	0.57
OCT 18,88	OCT 17,88	1.22	0.92	0.03	0.073	0.00	1.15	0.04
OCT 19,88	OCT 18,88	<W 0.11	0.22	0.00	0.030	<T 0.00	0.16	0.00
OCT 20,88	OCT 19,88	<W 0.54	0.49	<T 0.03	0.124	<W 0.00	0.80	0.03
OCT 21,88	OCT 20,88	3.92	0.92	<T 0.03	0.122	<W 0.00	2.01	0.03
OCT 22,88	OCT 21,88	4.57	2.47	0.22	0.562	<T 0.02	1.74	0.24
OCT 23,88	OCT 22,88	5.00	2.36	0.21	0.423	<W 0.00	1.39	0.21
OCT 24,88	OCT 23,88	2.75	1.65	<T 0.03	0.210	<T 0.02	1.26	<T 0.05
OCT 25,88	OCT 24,88	4.27	1.14	<T 0.03	0.176	<T 0.01	1.96	<T 0.04
OCT 26,88	OCT 25,88	<W 0.07	0.97	<T 0.01	0.105	<T 0.02	0.11	<T 0.03
OCT 27,88	OCT 26,88	<W 0.22	0.66	<T 0.02	0.074	<W 0.00	0.33	0.02
OCT 28,88	OCT 27,88	10.37	2.37	0.14	0.572	<T 0.02	1.62	0.15
OCT 29,88	OCT 28,88	<W 0.17	0.37	<T 0.01	0.101	<T 0.02	0.26	<T 0.03
OCT 30,88	OCT 29,88	<W 0.10	0.30	<T 0.00	0.068	<T 0.02	0.15	<T 0.03
OCT 31,88	OCT 30,88	<W 0.00	0.59	<T 0.00	0.101	<T 0.02	<W 0.00	<T 0.02
NOV 1,88	OCT 31,88	5.26	2.00	0.13	0.560	0.04	0.78	0.17
NOV 2,88	NOV 1,88	6.01	2.69	0.21	0.576	0.00	UG 4.19	0.21
NOV 3,88	NOV 2,88	0.94	2.02	0.10	0.408	0.00	0.67	0.11
NOV 4,88	NOV 3,88	10.51	4.50	0.17	0.959	0.00	0.98	0.18
NOV 5,88	NOV 4,88	24.27	4.89	0.27	1.283	0.02	1.04	0.29
NOV 6,88	NOV 5,88	1.99	2.79	0.12	0.532	0.00	0.87	0.12
NOV 7,88	NOV 6,88	UG 33.63	2.07	0.08	0.315	0.01	1.09	0.08
NOV 8,88	NOV 7,88	<W 0.09	0.43	0.01	0.078	0.01	<T 0.14	0.02
NOV 9,88	NOV 8,88	<W 0.15	0.59	0.00	0.140	<T 0.00	0.22	0.00

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOMGANDA/DAILY/AIR

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
NOV 10,88	NOV 9,88	730	830	1	26610.0	83460	2	1		
NOV 11,88	NOV 10,88	830	830	1	26480.0	83461	2	1		
NOV 12,88	NOV 11,88	830	730	1	25300.0	83462	2	1		
NOV 13,88	NOV 12,88	730	730	1	25660.0	83463	2	1		
NOV 14,88	NOV 13,88	730	730	1	25170.0	83464	2	1		
NOV 15,88	NOV 14,88	730	730	1	31280.0	83465	2	1		
NOV 16,88	NOV 15,88	730	738	1	26700.0	83509	2	1		
NOV 17,88	NOV 16,88	738	738	1	25800.0	83510	2	1		
NOV 18,88	NOV 17,88	738	800	1	26610.0	83511	2	1		
NOV 19,88	NOV 18,88	800	803	1	25660.0	83512	2	1		
NOV 20,88	NOV 19,88	803	803	1	25840.0	83513	2	1		
NOV 21,88	NOV 20,88	803	803	1	24950.0	83514	2	1		
NOV 22,88	NOV 21,88	803	803	1	25500.0	83515	2	1		
NOV 23,88	NOV 22,88	803	803	1	25170.0	83540	2	1		
NOV 24,88	NOV 23,88	803	803	1	24810.0	83541	2	1		
NOV 25,88	NOV 24,88	803	803	1	24670.0	83542	2	1		
NOV 26,88	NOV 25,88	803	803	1	24460.0	83543	2	1		
NOV 27,88	NOV 26,88	803	803	1	24000.0	83544	2	1		
NOV 28,88	NOV 27,88	803	803	1	24230.0	83545	2	1		
NOV 29,88	NOV 28,88	803	803	1	24720.0	83546	2	1		
NOV 30,88	NOV 29,88	803	803	1	24560.0	83556	2	1		
DEC 1,88	NOV 30,88	803	803	1	24770.0	83557	2	1		
DEC 2,88	DEC 1,88	803	804	1	24950.0	83558	2	1		
DEC 3,88	DEC 2,88	804	804	1	24420.0	83559	2	1		
DEC 4,88	DEC 3,88	804	804	1	24400.0	83560	2	1		
DEC 5,88	DEC 4,88	804	804	1	24100.0	83561	2	1		
DEC 6,88	DEC 5,88	804	804	1	24180.0	83562	2	1		
DEC 7,88	DEC 6,88	752	752	1	24220.0	83606	2	1		
DEC 8,88	DEC 7,88	752	752	1	24780.0	83607	2	1		
DEC 9,88	DEC 8,88	752	752	1	24300.0	83608	2	1		
DEC 10,88	DEC 9,88	752	752	1	25170.0	83609	2	1		
DEC 11,88	DEC 10,88	752	752	1	24710.0	83610	2	1		
DEC 12,88	DEC 11,88	752	752	1	24760.0	83611	2	1		
DEC 13,88	DEC 12,88	752	752	1	24120.0	83612	2	1		
DEC 14,88	DEC 13,88	756	801	1	27805.0	83642	2	1		
DEC 15,88	DEC 14,88	801	801	1	26874.0	83643	2	1		
DEC 16,88	DEC 15,88	801	801	1	27724.0	83644	2	1		
DEC 17,88	DEC 16,88	801	801	1	27368.0	83645	2	1		
DEC 18,88	DEC 17,88	801	801	1	26885.0	83646	2	1		
DEC 19,88	DEC 18,88	801	801	1	26793.0	83647	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 16

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 10,88	NOV 9,88		10.56	1.84		0.08	0.474	<T	0.03		0.68	0.11
NOV 11,88	NOV 10,88		3.42	0.38	<W	0.00	0.091	<T	0.03		0.83	0.03
NOV 12,88	NOV 11,88	<T	0.08	0.63	<W	0.00	0.093	<T	0.02	<W	0.00	0.02
NOV 13,88	NOV 12,88		3.42	1.56		0.05	0.210	<W	0.00		0.62	0.05
NOV 14,88	NOV 13,88		1.66	2.03		0.09	0.509	<W	0.00		0.64	0.09
NOV 15,88	NOV 14,88	<W	0.00	0.10	<W	0.00	0.027	<W	0.00	<W	0.00	<W 0.00
NOV 16,88	NOV 15,88		1.42	1.20		0.06	0.214	<T	0.01		0.45	0.07
NOV 17,88	NOV 16,88		6.29	2.52		0.15	0.582		0.05		0.78	0.19
NOV 18,88	NOV 17,88	<W	0.15	0.38	<T	0.03	0.072	<T	0.03		0.23	<T 0.06
NOV 19,88	NOV 18,88	<T	0.16	0.51	<T	0.02	0.110		0.04	<T	0.12	0.06
NOV 20,88	NOV 19,88		1.33	0.97		0.06	0.163	<T	0.03		1.59	0.09
NOV 21,88	NOV 20,88		2.15	2.12		0.26	0.307	<W	0.00		1.72	0.26
NOV 22,88	NOV 21,88	<T	0.54	1.41	<T	0.02	0.083	<W	0.00		0.63	0.02
NOV 23,88	NOV 22,88		12.43	4.01		0.16	0.222	<W	0.00		3.09	0.16
NOV 24,88	NOV 23,88		8.95	UG 6.37		0.64	1.110	<T	0.00	UG	4.06	0.64
NOV 25,88	NOV 24,88	UG	52.54	UG 7.78		1.24	1.457	<T	0.01	UG	5.30	1.25
NOV 26,88	NOV 25,88	UG	76.65	UG 9.36		0.88	UG 2.079		0.05	UG	5.51	0.93
NOV 27,88	NOV 26,88		25.88	UG 7.88		1.05	1.885		0.07	UG	4.20	1.12
NOV 28,88	NOV 27,88	<W	0.51	0.70		0.15	0.167	<T	0.01		0.77	0.16
NOV 29,88	NOV 28,88	<W	0.32	0.89		0.05	0.143		0.04		0.47	0.09
NOV 30,88	NOV 29,88		9.70	1.77		0.16	0.259	<T	0.00	UG	4.65	0.16
DEC 1,88	NOV 30,88		4.57	1.39		0.18	0.283	<T	0.00	UG	3.40	0.18
DEC 2,88	DEC 1,88	<T	1.19	1.14		0.06	0.135	<T	0.01		1.73	0.07
DEC 3,88	DEC 2,88	<W	0.74	2.76		0.29	1.000		0.31		1.11	0.60
DEC 4,88	DEC 3,88	<W	0.50	1.12		0.09	0.292		0.07		0.74	0.16
DEC 5,88	DEC 4,88	<W	0.70	0.68		0.05	0.140	<T	0.00		1.04	0.06
DEC 6,88	DEC 5,88		3.59	1.84		0.19	0.580		0.11		1.91	0.30
DEC 7,88	DEC 6,88		1.83	1.82		0.25	0.859		0.43		1.95	0.68
DEC 8,88	DEC 7,88	<W	0.35	1.74		0.06	0.236		0.07		0.53	0.13
DEC 9,88	DEC 8,88	<T	0.87	1.40		0.10	0.253		0.09		1.24	0.19
DEC 10,88	DEC 9,88	<T	0.69	1.67		0.07	0.333		0.10		0.80	0.17
DEC 11,88	DEC 10,88		1.45	1.90		0.09	0.267		0.10		1.26	0.19
DEC 12,88	DEC 11,88		8.63	2.50		0.12	0.323		0.11		1.86	0.23
DEC 13,88	DEC 12,88		20.04	3.57		0.27	0.508		0.03		2.33	0.30
DEC 14,88	DEC 13,88		7.40	2.77		0.14	0.763		0.02		1.39	0.16
DEC 15,88	DEC 14,88		2.18	1.41		0.08	0.252		0.10		2.15	0.18
DEC 16,88	DEC 15,88	<W	0.45	0.90		0.04	0.134	<T	0.04		0.67	0.07
DEC 17,88	DEC 16,88		1.77	1.10		0.08	0.162	<T	0.02		1.56	0.10
DEC 18,88	DEC 17,88		1.68	1.34		0.07	0.289	<T	0.04		1.96	0.11
DEC 19,88	DEC 18,88	UG	41.81	1.79		0.04	0.167	<W	0.00		2.75	0.04

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOMGANDA/DAILY/AIR

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 20,88	DEC 19,88	801	759	1	26138.0	83648	2	1	
DEC 21,88	DEC 20,88	759	759	1	27129.0	83650	2	1	
DEC 22,88	DEC 21,88	759	759	1	27741.0	83651	2	1	
DEC 23,88	DEC 22,88	759	759	1	26282.0	83652	2	1	
DEC 24,88	DEC 23,88	1759	759	1	26047.0	83653	2	1	
DEC 25,88	DEC 24,88	759	759	1	26447.0	83654	2	1	
DEC 26,88	DEC 25,88	759	759	1	26753.0	83655	2	1	Q
DEC 27,88	DEC 26,88	759	755	1	26118.0	83656	2	1	
DEC 28,88	DEC 27,88	755	755	1	25482.0	83712	2	1	C
DEC 29,88	DEC 28,88	755	755	1	25776.0	83713	2	1	C
DEC 30,88	DEC 29,88	755	755	1	26012.0	83714	2	1	C
DEC 31,88	DEC 30,88	755	755	1	25271.0	83715	2	1	C

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : GOWGANDA/DAILY/AIR

PAGE : 18

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
DEC 20,88	DEC 19,88		13.22		4.59		0.37		1.375		0.41		1.63		0.79
DEC 21,88	DEC 20,88		4.88		2.66		0.18		0.707	<T	0.04		1.90		0.21
DEC 22,88	DEC 21,88	<W	0.35		0.65		0.04		0.186		0.04		0.52		0.09
DEC 23,88	DEC 22,88		6.95		0.92		0.05		0.248	<T	0.04		1.35		0.09
DEC 24,88	DEC 23,88		2.91		1.92		0.12		0.597		0.05		0.97		0.16
DEC 25,88	DEC 24,88	<T	0.78		2.20		0.11		0.661		0.05		0.89		0.16
DEC 26,88	DEC 25,88	<W	0.14		0.79	<T	0.01		0.158		0.08		0.20		0.10
DEC 27,88	DEC 26,88	<W	0.27		0.96		0.04		0.196		0.07		0.40		0.11
DEC 28,88	DEC 27,88	P	6.87	P	1.81	P	0.09	P	0.343	P	0.02	P	1.53	P	0.11
DEC 29,88	DEC 28,88	P	0.76	P	1.09	P	0.02	P	0.260	P	0.03	P	1.09	P	0.05
DEC 30,88	DEC 29,88	P	1.23	P	0.88	P	0.04	P	0.213	P	0.03	P	1.15	P	0.07
DEC 31,88	DEC 30,88	P	10.71	P	2.06	P	0.21	P	0.390	P	0.03	P	2.30	P	0.25

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 1,88	DEC 31,88	800	800	1	28105.0	37311	2	1	
JAN 2,88	JAN 1,88	800	800	1	30053.0	37312	2	1	
JAN 3,88	JAN 2,88	800	800	1	28579.0	37313	2	1	
JAN 4,88	JAN 3,88	800	800	1	28147.0	37314	2	1	
JAN 5,88	JAN 4,88	800	800	1	27568.0	37315	2	1	
JAN 6,88	JAN 5,88	800	800	1	28853.0	37317	2	1	
JAN 7,88	JAN 6,88	800	800	1	27905.0	37318	2	1	
JAN 8,88	JAN 7,88	800	800	1	28642.0	37319	2	1	
JAN 9,88	JAN 8,88	800	800	1	29200.0	37320	2	1	
JAN 10,88	JAN 9,88	800	800	1	28642.0	37321	2	1	
JAN 11,88	JAN 10,88	800	800	1	28642.0	37322	2	1	
JAN 12,88	JAN 11,88	800	800	1	26621.0	37323	2	1	
JAN 13,88	JAN 12,88	800	800	1	27916.0	37326	2	1	
JAN 14,88	JAN 13,88	800	800	1	28189.0	37327	2	1	
JAN 15,88	JAN 14,88	800	800	1	28947.0	37328	2	1	
JAN 16,88	JAN 15,88	800	800	1	28232.0	37329	2	1	
JAN 17,88	JAN 16,88	800	800	1	28210.0	37330	2	1	
JAN 18,88	JAN 17,88	800	800	1	25295.0	37331	2	1	
JAN 19,88	JAN 18,88	800	800	1	26989.0	37332	2	1	
JAN 20,88	JAN 19,88	800	800	1	27779.0	37336	2	1	Q
JAN 21,88	JAN 20,88	800	800	1	19642.0	37337	2	1	Q
JAN 22,88	JAN 21,88	800	800	1	14947.0	37338	2	1	Q
JAN 23,88	JAN 22,88	800	800	1	15074.0	37339	2	1	Q
JAN 24,88	JAN 23,88	800	800	1	15737.0	37340	2	1	Q
JAN 25,88	JAN 24,88	800	800	1	15189.0	37341	2	1	Q
JAN 26,88	JAN 25,88	800	800	1	24000.0	37342	2	1	Q
JAN 27,88	JAN 26,88	800	800	1	19053.0	37344	2	1	Q
JAN 28,88	JAN 27,88	800	800	1	14274.0	37345	2	1	QA
JAN 29,88	JAN 28,88	800	800	1	26379.0	37346	2	1	Q
JAN 30,88	JAN 29,88	800	800	1	29253.0	37347	2	1	DQ
JAN 31,88	JAN 30,88	800	800	1	14632.0	37348	2	1	Q
FEB 1,88	JAN 31,88	800	800	1	17253.0	37349	2	1	
FEB 2,88	FEB 1,88	800	800	1	20347.0	37350	2	1	
FEB 3,88	FEB 2,88	800	800	1	20800.0	37359	2	1	Q
FEB 4,88	FEB 3,88	800	800	1	25242.0	37360	2	1	
FEB 5,88	FEB 4,88	800	800	1	28306.0	37361	2	1	
FEB 6,88	FEB 5,88	800	800	1	26653.0	37362	2	1	
FEB 7,88	FEB 6,88	800	800	1	26011.0	37363	2	1	
FEB 8,88	FEB 7,88	800	800	1	25358.0	37364	2	1	
FEB 9,88	FEB 8,88	800	800	1	24095.0	37365	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 1,88	DEC 31,87	2.91	1.63	0.17	0.388	0.05	<T 0.05	0.21
JAN 2,88	JAN 1,88	0.49	0.66	<W 0.00	0.097	0.06	<W 0.00	0.06
JAN 3,88	JAN 2,88	2.03	1.56	0.17	0.375	0.05	0.17	0.23
JAN 4,88	JAN 3,88	5.13	1.80	0.30	0.651	0.30	0.13	0.60
JAN 5,88	JAN 4,88	1.02	0.54	0.04	0.111	0.04	<T 0.06	0.07
JAN 6,88	JAN 5,88	1.80	0.88	<W 0.00	0.033	0.10	0.05	0.10
JAN 7,88	JAN 6,88	0.22	0.47	<W 0.00	0.012	0.05	<W 0.00	0.05
JAN 8,88	JAN 7,88	7.66	1.27	0.17	0.130	0.09	<T 0.07	0.26
JAN 9,88	JAN 8,88	3.78	2.20	0.26	0.650	0.17	<T 0.07	0.43
JAN 10,88	JAN 9,88	1.07	0.87	0.06	0.165	<T 0.02	0.16	0.08
JAN 11,88	JAN 10,88	3.44	0.24	0.26	0.408	0.05	0.14	0.32
JAN 12,88	JAN 11,88	9.54	4.66	0.42	1.580	0.48	0.22	0.90
JAN 13,88	JAN 12,88	11.85	3.55	0.24	0.896	0.36	0.31	0.60
JAN 14,88	JAN 13,88	<T 0.13	0.41	0.03	0.044	0.12	0.06	0.15
JAN 15,88	JAN 14,88	2.77	1.07	0.08	0.147	0.10	0.23	0.17
JAN 16,88	JAN 15,88	14.11	4.36	0.55	1.303	0.31	0.32	0.86
JAN 17,88	JAN 16,88	11.11	3.90	0.40	UG 3.439	0.92	0.29	1.32
JAN 18,88	JAN 17,88	6.58	3.87	0.19	UG 3.439	0.79	0.20	0.98
JAN 19,88	JAN 18,88	9.46	2.18	0.07	0.352	<T 0.03	0.12	0.10
JAN 20,88	JAN 19,88	U 90.83	U 3.59	U 0.12	U 0.333	U 0.07	U 0.01	U 0.19
JAN 21,88	JAN 20,88	8.23	1.35	0.09	0.204	0.06	0.28	0.16
JAN 22,88	JAN 21,88	0.96	0.62	0.02	0.134	<T 0.03	0.34	0.06
JAN 23,88	JAN 22,88	1.69	1.81	0.14	0.464	0.07	0.39	0.21
JAN 24,88	JAN 23,88	4.74	3.86	0.32	0.909	<W 0.00	0.50	0.32
JAN 25,88	JAN 24,88	6.63	1.63	0.11	0.395	<W 0.00	0.35	0.11
JAN 26,88	JAN 25,88	1.75	0.89	0.05	0.133	<T 0.01	0.21	0.05
JAN 27,88	JAN 26,88	9.76	0.66	0.01	0.092	<T 0.00	0.00	0.02
JAN 28,88	JAN 27,88	0.71	1.05	0.12	0.105	<T 0.00	0.40	0.13
JAN 29,88	JAN 28,88	11.52	1.17	0.10	0.095	<T 0.01	UG 3.29	0.12
JAN 30,88	JAN 29,88	14.17	5.85	1.06	1.709	0.71	UG 5.97	1.77
JAN 31,88	JAN 30,88	27.29	2.58	0.56	0.615	<T 0.04	0.95	0.60
FEB 1,88	JAN 31,88	5.73	2.60	0.17	0.493	<T 0.00	0.37	0.18
FEB 2,88	FEB 1,88	0.63	1.54	0.06	0.172	0.04	0.30	0.10
FEB 3,88	FEB 2,88	2.87	1.15	0.00	0.072	0.06	0.34	0.06
FEB 4,88	FEB 3,88	9.23	1.87	0.00	0.129	0.08	0.48	0.08
FEB 5,88	FEB 4,88	1.11	1.35	0.00	0.062	0.04	0.13	0.04
FEB 6,88	FEB 5,88	3.03	1.54	0.00	0.113	0.05	0.40	0.05
FEB 7,88	FEB 6,88	1.14	1.23	0.00	0.077	0.05	0.38	0.05
FEB 8,88	FEB 7,88	2.40	1.75	0.00	0.315	0.16	0.43	0.16
FEB 9,88	FEB 8,88	1.53	1.20	0.00	0.083	<T 0.03	0.32	0.03

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 10,88	FEB 9,88	800	800	1	26568.0	37367	2	1	
FEB 11,88	FEB 10,88	800	800	1	26579.0	37368	2	1	
FEB 12,88	FEB 11,88	800	800	1	28000.0	37369	2	1	
FEB 13,88	FEB 12,88	800	800	1	27779.0	37370	2	1	
FEB 14,88	FEB 13,88	800	800	1	27579.0	37371	2	1	
FEB 15,88	FEB 14,88	800	800	1	24916.0	37372	2	1	
FEB 16,88	FEB 15,88	800	800	1	26937.0	37373	2	1	
FEB 17,88	FEB 16,88	800	800	1	26105.0	37391	2	1	
FEB 18,88	FEB 17,88	800	800	1	25884.0	37392	2	1	
FEB 19,88	FEB 18,88	800	800	1	25947.0	37393	2	1	
FEB 20,88	FEB 19,88	800	800	1	23880.0	37394	2	1	
FEB 21,88	FEB 20,88	800	800	1	27853.0	37395	2	1	
FEB 22,88	FEB 21,88	800	800	1	27526.0	37396	2	1	
FEB 23,88	FEB 22,88	800	800	1	26505.0	37397	2	1	
FEB 24,88	FEB 23,88	800	800	1	27537.0	37399	2	1	
FEB 25,88	FEB 24,88	800	800	1	25000.0	37400	2	1	
FEB 26,88	FEB 25,88	800	800	1	27495.0	37401	2	1	
FEB 27,88	FEB 26,88	800	800	1	25611.0	37402	2	1	
FEB 28,88	FEB 27,88	800	800	1	27242.0	37403	2	1	
FEB 29,88	FEB 28,88	800	800	1	25621.0	37404	2	1	
MAR 1,88	FEB 29,88	800	800	1	26989.0	37405	2	1	
MAR 2,88	MAR 1,88	800	800	1	26042.0	37415	2	1	
MAR 3,88	MAR 2,88	800	800	1	25674.0	37416	2	1	
MAR 4,88	MAR 3,88	800	800	1	27011.0	37417	2	1	
MAR 5,88	MAR 4,88	800	800	1	27263.0	37418	2	1	
MAR 6,88	MAR 5,88	800	800	1	26116.0	37419	2	1	
MAR 7,88	MAR 6,88	800	800	1	27274.0	37420	2	1	
MAR 8,88	MAR 7,88	800	800	1	26516.0	37421	2	1	
MAR 9,88	MAR 8,88	800	800	1	24450.0	37431	2	1	
MAR 10,88	MAR 9,88	800	800	1	25990.0	37432	2	1	
MAR 11,88	MAR 10,88	800	800	1	28063.0	37433	2	1	
MAR 12,88	MAR 11,88	800	800	1	28705.0	37434	2	1	
MAR 13,88	MAR 12,88	800	800	1	28886.0	37435	2	1	
MAR 14,88	MAR 13,88	800	800	1	27821.0	37436	2	1	
MAR 15,88	MAR 14,88	800	800	1	26832.0	37437	2	1	
MAR 16,88	MAR 15,88	800	800	1	27200.0	37447	2	1	
MAR 17,88	MAR 16,88	800	800	1	25621.0	37448	2	1	
MAR 18,88	MAR 17,88	800	800	1	26400.0	37449	2	1	
MAR 19,88	MAR 18,88	800	800	1	28053.0	37450	2	1	
MAR 20,88	MAR 19,88	800	800	1	27789.0	37451	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 10,88	FEB 9,88	2.38	1.26	0.00	0.194	0.02	0.38	0.02
FEB 11,88	FEB 10,88	0.65	0.67	<T	0.119	0.05	0.36	0.07
FEB 12,88	FEB 11,88	16.94	1.55	0.13	0.149	0.06	0.45	0.19
FEB 13,88	FEB 12,88	4.60	1.50	0.17	0.213	<T	0.36	0.18
FEB 14,88	FEB 13,88	1.07	1.19	0.05	0.178	<T	0.24	0.06
FEB 15,88	FEB 14,88	8.11	2.52	0.44	0.570	0.03	0.54	0.47
FEB 16,88	FEB 15,88	2.76	1.04	<T	0.155	0.05	0.23	0.08
FEB 17,88	FEB 16,88	1.70	2.51	0.15	0.290	<T	0.67	0.15
FEB 18,88	FEB 17,88	1.34	2.16	0.17	0.441	<W	0.25	0.17
FEB 19,88	FEB 18,88	1.09	3.23	0.28	1.134	0.37	0.37	0.64
FEB 20,88	FEB 19,88	16.78	4.48	0.88	1.357	0.27	0.42	1.15
FEB 21,88	FEB 20,88	1.01	1.12	0.08	0.185	0.05	0.12	0.13
FEB 22,88	FEB 21,88	2.65	1.72	0.20	0.415	0.11	0.22	0.30
FEB 23,88	FEB 22,88	5.06	1.69	0.29	0.506	0.14	0.23	0.43
FEB 24,88	FEB 23,88	1.16	0.94	0.02	0.102	0.05	0.11	0.08
FEB 25,88	FEB 24,88	3.31	1.27	0.08	0.147	0.05	0.32	0.13
FEB 26,88	FEB 25,88	1.04	0.70	0.02	0.070	<T	0.20	0.04
FEB 27,88	FEB 26,88	8.44	2.32	0.29	0.594	0.07	0.47	0.35
FEB 28,88	FEB 27,88	1.82	2.39	0.17	0.336	<T	0.26	0.18
FEB 29,88	FEB 28,88	5.53	4.68	0.55	1.023	<T	0.33	0.58
MAR 1,88	FEB 29,88	<T	0.17	0.02	0.062	<T	0.04	0.06
MAR 2,88	MAR 1,88	6.28	1.58	0.12	0.242	0.07	0.39	0.19
MAR 3,88	MAR 2,88	7.65	3.54	0.39	0.515	0.01	0.53	0.41
MAR 4,88	MAR 3,88	0.50	1.10	0.06	0.099	0.03	0.17	0.09
MAR 5,88	MAR 4,88	1.28	1.42	0.11	0.199	0.02	0.21	0.14
MAR 6,88	MAR 5,88	1.83	1.76	0.12	0.583	0.29	0.30	0.41
MAR 7,88	MAR 6,88	4.67	3.51	0.22	UG 2.428	1.55	0.40	1.78
MAR 8,88	MAR 7,88	2.97	2.17	0.09	0.336	0.02	0.26	0.11
MAR 9,88	MAR 8,88	6.54	5.08	0.49	1.751	0.46	0.41	0.95
MAR 10,88	MAR 9,88	2.00	2.44	0.09	0.333	<T	0.20	0.11
MAR 11,88	MAR 10,88	<W	1.02	0.02	0.068	<T	0.10	0.05
MAR 12,88	MAR 11,88	15.12	1.28	0.02	0.119	0.07	0.13	0.09
MAR 13,88	MAR 12,88	UG 53.37	2.12	0.07	0.110	0.10	0.36	0.17
MAR 14,88	MAR 13,88	3.77	0.88	0.02	0.060	0.06	0.17	0.08
MAR 15,88	MAR 14,88	<T	0.67	0.02	0.062	0.12	0.14	0.14
MAR 16,88	MAR 15,88	0.37	0.70	0.03	0.088	0.08	0.13	0.11
MAR 17,88	MAR 16,88	0.19	0.57	<W	0.117	0.06	<W	0.00
MAR 18,88	MAR 17,88	0.51	0.80	0.06	0.133	0.07	0.13	0.12
MAR 19,88	MAR 18,88	0.61	1.03	0.07	0.205	<T	0.20	0.10
MAR 20,88	MAR 19,88	0.73	1.10	<T	0.117	0.04	<W	0.00

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
MAR 21,88	MAR 20,88	800	800	1	27842.0	37452	2	1		
MAR 22,88	MAR 21,88	800	800	1	27390.0	37453	2	1		
MAR 23,88	MAR 22,88	800	800	1	27379.0	37472	2	1		
MAR 24,88	MAR 23,88	800	800	1	25917.0	37473	2	1		
MAR 25,88	MAR 24,88	800	800	1	27032.0	37474	2	1		
MAR 26,88	MAR 25,88	800	800	1	24305.0	37475	2	1		
MAR 27,88	MAR 26,88	800	800	1	23674.0	37476	2	1		
MAR 28,88	MAR 27,88	800	800	1	25611.0	37477	2	1		
MAR 29,88	MAR 28,88	800	800	1	25863.0	37478	2	1		
MAR 30,88	MAR 29,88	800	800	1	23684.0	37480	2	1		
MAR 31,88	MAR 30,88	800	800	1	24726.0	37481	2	1		
APR 1,88	MAR 31,88	800	800	1	25053.0	37482	2	1		
APR 2,88	APR 1,88	800	800	1	23568.0	37483	2	1		
APR 3,88	APR 2,88	800	900	1	24747.0	37484	2	1		
APR 4,88	APR 3,88	900	900	1	7295.0	37485	2	1	Q	F
APR 5,88	APR 4,88	900	900	1	22011.0	37486	2	1		
APR 6,88	APR 5,88	900	800	1	21947.0	37496	2	1		
APR 7,88	APR 6,88	800	800	1	23273.0	37497	2	1		
APR 8,88	APR 7,88	800	800	1	25010.0	37498	2	1		
APR 9,88	APR 8,88	800	800	1	26295.0	37499	2	1		
APR 10,88	APR 9,88	800	800	1	25126.0	37500	2	1		
APR 11,88	APR 10,88	800	800	1	25958.0	37501	2	1		
APR 12,88	APR 11,88	800	800	1	25063.0	37502	2	1		
APR 13,88	APR 12,88	800	800	1	26295.0	37520	2	1		
APR 14,88	APR 13,88	800	800	1	24400.0	37521	2	1		
APR 15,88	APR 14,88	800	800	1	26474.0	37522	2	1		
APR 16,88	APR 15,88	800	800	1	26947.0	37523	2	1		
APR 17,88	APR 16,88	800	800	1	25684.0	37524	2	1		
APR 18,88	APR 17,88	800	800	1	26242.0	37525	2	1		
APR 19,88	APR 18,88	800	800	1	26021.0	37526	2	1		
APR 20,88	APR 19,88	800	800	1	26158.0	37544	2	1		
APR 21,88	APR 20,88	800	800	1	24811.0	37545	2	1		
APR 22,88	APR 21,88	800	800	1	26811.0	37546	2	1		
APR 23,88	APR 22,88	800	800	1	27232.0	37547	2	1		
APR 24,88	APR 23,88	800	800	1	23337.0	37548	2	1		
APR 25,88	APR 24,88	800	800	1	26168.0	37549	2	1		
APR 26,88	APR 25,88	800	800	1	24642.0	37550	2	1		
APR 27,88	APR 26,88	800	800	1	26442.0	37560	2	1		
APR 28,88	APR 27,88	800	800	1	25853.0	37561	2	1		
APR 29,88	APR 28,88	800	800	1	26505.0	37562	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 21,88	MAR 20,88	1.14	1.97	<W	0.00	0.216	0.04	0.04
MAR 22,88	MAR 21,88	0.81	1.83	<W	0.00	0.228	0.06	0.06
MAR 23,88	MAR 22,88	6.81	2.03		0.15	0.391	0.14	0.29
MAR 24,88	MAR 23,88	11.63	4.74		0.61	1.154	0.20	0.82
MAR 25,88	MAR 24,88	UG 77.01	UG 7.54		0.26	0.922	0.02	0.27
MAR 26,88	MAR 25,88	1.48	3.52		0.18	1.058	0.35	0.53
MAR 27,88	MAR 26,88	1.01	1.51		0.19	0.579	0.22	0.41
MAR 28,88	MAR 27,88	0.22	2.23		0.02	0.211	0.04	0.06
MAR 29,88	MAR 28,88	UG 82.45	3.78		0.10	0.364	0.05	0.15
MAR 30,88	MAR 29,88	1.82	2.11		0.20	0.762	0.18	0.38
MAR 31,88	MAR 30,88	0.21	1.35		0.04	0.328	0.33	0.04
APR 1,88	MAR 31,88	0.40	2.02		0.03	0.413	0.11	0.14
APR 2,88	APR 1,88	UG 48.54	UG 6.49		0.18	1.161	0.02	0.20
APR 3,88	APR 2,88	2.23	4.44		0.29	1.340	0.30	0.59
APR 4,88	APR 3,88	0.66	5.17		0.46	1.460	<W 0.00	0.46
APR 5,88	APR 4,88	0.17	2.58		0.07	0.175	<W 0.00	0.07
APR 6,88	APR 5,88	23.27	UG 7.93		0.06	0.598	<W 0.00	0.06
APR 7,88	APR 6,88	0.95	2.21		0.09	0.618	<W 0.00	0.09
APR 8,88	APR 7,88	<W 0.02	1.55		0.02	0.103	<W 0.00	0.02
APR 9,88	APR 8,88	<W 0.00	1.27	<T	0.01	0.117	<W 0.00	0.01
APR 10,88	APR 9,88	<W 0.00	1.27		0.02	0.172	<W 0.00	0.02
APR 11,88	APR 10,88	11.40	2.41		0.05	0.253	<W 0.00	0.05
APR 12,88	APR 11,88	17.87	2.55		0.05	0.222	<W 0.00	0.05
APR 13,88	APR 12,88	1.54	1.96		0.09	0.412	0.05	0.14
APR 14,88	APR 13,88	6.22	4.59		0.14	0.697	0.04	0.18
APR 15,88	APR 14,88	0.33	1.59		0.02	0.283	<T 0.02	0.04
APR 16,88	APR 15,88	0.35	1.35		0.02	0.223	<T 0.02	0.04
APR 17,88	APR 16,88	<W 0.08	1.09		0.02	0.234	<T 0.02	0.04
APR 18,88	APR 17,88	0.38	1.76		0.07	0.476	0.10	0.16
APR 19,88	APR 18,88	0.27	1.11	<T	0.01	0.154	<T 0.02	0.03
APR 20,88	APR 19,88	0.18	1.26		0.00	0.258	<T 0.03	0.03
APR 21,88	APR 20,88	26.74	2.89		0.03	0.393	<T 0.03	0.06
APR 22,88	APR 21,88	0.87	1.54		0.01	0.214	<T 0.02	0.03
APR 23,88	APR 22,88	7.53	1.17		0.02	0.275	<T 0.02	0.04
APR 24,88	APR 23,88	6.41	1.00		0.02	0.268	<T 0.02	0.04
APR 25,88	APR 24,88	0.06	1.03		0.01	0.182	<T 0.02	0.03
APR 26,88	APR 25,88	0.12	1.14		0.01	0.304	0.05	0.07
APR 27,88	APR 26,88	6.76	1.51		0.01	0.284	<T 0.03	0.04
APR 28,88	APR 27,88	UG 43.60	2.67		0.10	0.456	<T 0.03	0.13
APR 29,88	APR 28,88	4.08	2.01		0.06	0.292	<T 0.02	0.08

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
APR 30,88	APR 29,88	800	800	1	26874.0	37563	2	1	
MAY 1,88	APR 30,88	800	800	1	26621.0	37564	2	1	
MAY 2,88	MAY 1,88	800	800	1	26768.0	37565	2	1	
MAY 3,88	MAY 2,88	800	800	1	24905.0	37566	2	1	
MAY 4,88	MAY 3,88	800	800	1	25000.0	37592	2	1	
MAY 5,88	MAY 4,88	800	800	1	26140.0	37593	2	1	
MAY 6,88	MAY 5,88	800	800	1	26210.0	37594	2	1	
MAY 7,88	MAY 6,88	800	800	1	26221.0	37595	2	1	
MAY 8,88	MAY 7,88	800	800	1	25495.0	37596	2	1	
MAY 9,88	MAY 8,88	800	800	1	25747.0	37597	2	1	
MAY 10,88	MAY 9,88	800	800	1	24695.0	37598	2	1	
MAY 11,88	MAY 10,88	800	800	1	25253.0	37608	2	1	
MAY 12,88	MAY 11,88	800	800	1	25742.0	37609	2	1	
MAY 13,88	MAY 12,88	800	800	1	27484.0	37610	2	1	
MAY 14,88	MAY 13,88	800	800	1	27516.0	37611	2	1	
MAY 15,88	MAY 14,88	800	800	1	28000.0	37612	2	1	
MAY 16,88	MAY 15,88	800	800	1	27441.0	37613	2	1	
MAY 17,88	MAY 16,88	800	800	1	27333.0	37614	2	1	
MAY 18,88	MAY 17,88	800	800	1	25484.0	37659	2	1	
MAY 19,88	MAY 18,88	800	800	1	27323.0	37660	2	1	
MAY 20,88	MAY 19,88	800	800	1	27473.0	37661	2	1	
MAY 21,88	MAY 20,88	800	800	1	27796.0	37662	2	1	
MAY 22,88	MAY 21,88	800	800	1	27366.0	37663	2	1	
MAY 23,88	MAY 22,88	800	800	1	26968.0	37664	2	1	
MAY 24,88	MAY 23,88	800	800	1	26828.0	37665	2	1	
MAY 25,88	MAY 24,88	800	800	1	27022.0	37677	2	1	
MAY 26,88	MAY 25,88	800	800	1	27602.0	37678	2	1	
MAY 27,88	MAY 26,88	800	800	1	28462.0	37679	2	1	
MAY 28,88	MAY 27,88	800	800	1	27839.0	37680	2	1	
MAY 29,88	MAY 28,88	800	800	1	27720.0	37681	2	1	
MAY 30,88	MAY 29,88	800	800	1	27550.0	37682	2	1	
MAY 31,88	MAY 30,88	800	800	1	26516.0	37683	2	1	
JUN 1,88	MAY 31,88	800	800	1	25883.0	37702	2	1	
JUN 2,88	JUN 1,88	800	800	1	27638.0	37703	2	1	
JUN 3,88	JUN 2,88	800	800	1	28191.0	37704	2	1	
JUN 4,88	JUN 3,88	800	800	1	27894.0	37705	2	1	
JUN 5,88	JUN 4,88	800	800	1	28212.0	37706	2	1	
JUN 6,88	JUN 5,88	800	800	1	27894.0	37707	2	1	
JUN 7,88	JUN 6,88	800	800	1	27851.0	37708	2	1	
JUN 8,88	JUN 7,88	800	858	1	29670.0	37732	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
APR 30,88	APR 29,88	1.12	2.70	0.08	0.402	<T	0.03	0.15
MAY 1,88	APR 30,88	0.99	2.08	0.03	0.282	<T	0.02	0.13
MAY 2,88	MAY 1,88	0.77	2.18	0.04	0.336	<T	0.02	0.18
MAY 3,88	MAY 2,88	10.26	3.49	0.06	0.442	<T	0.03	0.33
MAY 4,88	MAY 3,88	10.19	3.44	0.16	0.623	0.06	0.02	0.02
MAY 5,88	MAY 4,88	8.67	2.14	0.05	0.443	0.05	0.18	0.10
MAY 6,88	MAY 5,88	8.30	4.04	0.07	U 0.442	0.04	0.17	0.11
MAY 7,88	MAY 6,88	2.68	1.40	0.04	0.335	0.05	0.14	0.09
MAY 8,88	MAY 7,88	1.90	1.00	0.03	0.247	0.06	0.14	0.09
MAY 9,88	MAY 8,88	11.78	7.19	0.60	1.759	0.22	0.15	0.82
MAY 10,88	MAY 9,88	4.33	3.98	0.46	1.166	0.10	0.26	0.56
MAY 11,88	MAY 10,88	0.22	0.74	0.00	0.183	<W 0.00	0.00	0.00
MAY 12,88	MAY 11,88	1.19	1.25	0.00	0.286	<T 0.03	0.16	0.03
MAY 13,88	MAY 12,88	1.04	1.82	0.16	0.497	0.08	0.16	0.24
MAY 14,88	MAY 13,88	0.21	0.85	<T 0.00	0.177	<T 0.02	0.07	<T 0.02
MAY 15,88	MAY 14,88	6.24	1.33	0.02	0.308	<W 0.00	0.18	0.02
MAY 16,88	MAY 15,88	4.14	3.31	0.26	0.815	0.15	0.18	0.41
MAY 17,88	MAY 16,88	0.82	0.85	0.00	0.133	<T 0.03	0.06	0.03
MAY 18,88	MAY 17,88	11.90	2.90	<T 0.00	0.257	0.01	0.07	0.01
MAY 19,88	MAY 18,88	UG 31.74	2.08	0.04	0.170	<T 0.00	0.29	0.04
MAY 20,88	MAY 19,88	10.99	2.00	0.09	0.344	0.01	0.33	0.11
MAY 21,88	MAY 20,88	UG 80.05	7.38	0.07	0.343	0.01	0.38	0.09
MAY 22,88	MAY 21,88	5.49	3.45	0.03	0.223	0.01	0.40	0.04
MAY 23,88	MAY 22,88	0.57	2.45	0.03	0.224	0.01	0.19	0.04
MAY 24,88	MAY 23,88	0.26	0.60	0.03	0.002	<T 0.00	0.11	0.03
MAY 25,88	MAY 24,88	<W 0.00	<T 0.05	0.02	0.000	<T 0.00	0.00	0.02
MAY 26,88	MAY 25,88	0.39	0.65	0.25	0.056	<T 0.00	<T 0.00	0.26
MAY 27,88	MAY 26,88	1.94	2.08	0.15	0.311	0.08	0.19	0.23
MAY 28,88	MAY 27,88	2.14	4.52	0.30	0.813	0.11	0.18	0.41
MAY 29,88	MAY 28,88	3.48	4.39	0.08	0.792	<T 0.00	0.34	0.09
MAY 30,88	MAY 29,88	2.06	7.50	0.29	1.787	0.04	0.24	0.33
MAY 31,88	MAY 30,88	1.37	6.63	0.23	1.525	0.03	0.13	0.26
JUN 1,88	MAY 31,88	5.62	4.57	0.08	0.801	<T 0.00	0.26	0.08
JUN 2,88	JUN 1,88	0.25	0.76	<T 0.00	0.006	<T 0.01	0.09	<T 0.01
JUN 3,88	JUN 2,88	5.56	0.84	<T 0.02	0.071	<T 0.01	0.20	<T 0.03
JUN 4,88	JUN 3,88	1.16	0.98	<T 0.01	0.108	<T 0.02	0.22	<T 0.03
JUN 5,88	JUN 4,88	0.92	0.70	0.03	0.013	<T 0.01	0.15	0.04
JUN 6,88	JUN 5,88	0.61	0.62	<T 0.02	<T 0.006	<T 0.02	0.11	<T 0.04
JUN 7,88	JUN 6,88	0.36	0.36	<T 0.01	0.017	<T 0.02	0.14	<T 0.03
JUN 8,88	JUN 7,88	0.14	0.45	0.02	0.002	0.03	0.00	0.04

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 9,88	JUN 8,88	858	908	1	26845.0	37733	2	1	
JUN 10,88	JUN 9,88	908	800	1	26082.0	37734	2	1	
JUN 11,88	JUN 10,88	800	800	1	28381.0	37735	2	1	
JUN 12,88	JUN 11,88	800	800	1	26660.0	37736	2	1	
JUN 13,88	JUN 12,88	800	800	1	26196.0	37737	2	1	
JUN 14,88	JUN 13,88	800	800	1	25474.0	37738	2	1	
JUN 15,88	JUN 14,88	800	800	1	24722.0	37774	2	1	
JUN 16,88	JUN 15,88	800	800	1	26113.0	37775	2	1	
JUN 17,88	JUN 16,88	800	800	1	27876.0	37776	2	1	
JUN 18,88	JUN 17,88	800	800	1	27546.0	37777	2	1	
JUN 19,88	JUN 18,88	800	800	1	27000.0	37778	2	1	
JUN 20,88	JUN 19,88	800	800	1	26969.0	37779	2	1	
JUN 21,88	JUN 20,88	800	800	1	25742.0	37780	2	1	
JUN 22,88	JUN 21,88	800	800	1	26299.0	37782	2	1	
JUN 23,88	JUN 22,88	800	800	1	25361.0	37783	2	1	
JUN 24,88	JUN 23,88	800	800	1	28773.0	37784	2	1	
JUN 25,88	JUN 24,88	800	800	1	26464.0	37785	2	1	
JUN 26,88	JUN 25,88	800	800	1	19938.0	37786	2	1	B
JUN 27,88	JUN 26,88	800	800	1	26340.0	37787	2	1	
JUN 28,88	JUN 27,88	800	800	1	25567.0	37788	2	1	
JUN 29,88	JUN 28,88	802	802	1	26412.0	37817	2	1	
JUN 30,88	JUN 29,88	802	802	1	26505.0	37818	2	1	
JUL 1,88	JUN 30,88	802	801	1	26092.0	37819	2	1	
JUL 2,88	JUL 1,88	801	801	1	27072.0	37820	2	1	
JUL 3,88	JUL 2,88	801	801	1	26814.0	37821	2	1	
JUL 4,88	JUL 3,88	800	800	1	26701.0	37822	2	1	
JUL 5,88	JUL 4,88	801	801	1	25845.0	37823	2	1	
JUL 6,88	JUL 5,88	801	801	1	26000.0	37841	2	1	
JUL 7,88	JUL 6,88	801	801	1	25433.0	37842	2	1	
JUL 8,88	JUL 7,88	801	801	1	26505.0	37843	2	1	Q
JUL 9,88	JUL 8,88	801	801	1	28680.0	37844	2	1	Q
JUL 10,88	JUL 9,88	801	801	1	26577.0	37845	2	1	
JUL 11,88	JUL 10,88	801	801	1	26309.0	37846	2	1	
JUL 12,88	JUL 11,88	801	801	1	25299.0	37847	2	1	
JUL 13,88	JUL 12,88	801	759	1	26536.0	37881	2	1	
JUL 14,88	JUL 13,88	759	759	1	25175.0	37882	2	1	Q
JUL 15,88	JUL 14,88	759	759	1	26949.0	37883	2	1	
JUL 16,88	JUL 15,88	759	759	1	27866.0	37884	2	1	
JUL 17,88	JUL 16,88	759	759	1	26134.0	37885	2	1	
JUL 18,88	JUL 17,88	759	759	1	26485.0	37886	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 10

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 9,88	JUN 8,88	<T	0.10	0.52	<T	0.00	<T	0.006		0.04	0.05	0.04
JUN 10,88	JUN 9,88	<W	0.03	0.32	<T	0.01		0.023	<W	0.00	0.05	0.01
JUN 11,88	JUN 10,88		0.32	0.40		0.04	<T	0.002		0.04	0.16	0.07
JUN 12,88	JUN 11,88		2.31	1.73		0.10		0.154		0.06	0.25	0.15
JUN 13,88	JUN 12,88		1.54	3.77		0.19		0.548		0.12	0.12	0.32
JUN 14,88	JUN 13,88		3.97	9.31		0.33		1.910		0.14	0.25	0.46
JUN 15,88	JUN 14,88		3.26	8.54		0.37		1.141		0.05	0.13	0.43
JUN 16,88	JUN 15,88		0.78	2.68		0.11		0.437		0.04	0.22	0.16
JUN 17,88	JUN 16,88	<T	0.10	0.32		0.04	<T	0.004	<T	0.00	0.11	0.04
JUN 18,88	JUN 17,88		15.97	1.95		0.05		0.169	<T	0.01	0.33	0.07
JUN 19,88	JUN 18,88		3.85	4.56		0.25		0.911		0.08	0.22	0.33
JUN 20,88	JUN 19,88		4.14	10.23		0.39		2.269		0.05	0.44	0.44
JUN 21,88	JUN 20,88		0.42	1.24		0.04		0.142	<T	0.01	0.17	0.05
JUN 22,88	JUN 21,88		8.66	1.26		0.12		0.200		0.03	0.44	0.16
JUN 23,88	JUN 22,88		0.27	2.08		0.09		0.345		0.08	0.13	0.17
JUN 24,88	JUN 23,88	<T	0.07	0.12		0.03	<W	0.000		0.03	0.06	0.07
JUN 25,88	JUN 24,88		0.67	1.48		0.09		0.231		0.07	0.35	0.16
JUN 26,88	JUN 25,88		0.62	2.64		0.16		0.451		0.08	0.26	0.24
JUN 27,88	JUN 26,88	<T	0.17	0.48	<W	0.00	<W	0.000		0.04	0.07	0.04
JUN 28,88	JUN 27,88		0.22	0.34		0.05	<W	0.000		0.05	0.10	0.10
JUN 29,88	JUN 28,88		0.00	0.11		0.02		0.009	<W	0.00	0.00	0.02
JUN 30,88	JUN 29,88		0.10	0.17	<T	0.01		0.010	<T	0.03	0.03	<T 0.04
JUL 1,88	JUN 30,88		0.08	0.24	<T	0.00		0.010		0.04	0.02	0.04
JUL 2,88	JUL 1,88		0.14	0.20		0.02		0.009	<T	0.03	0.06	0.05
JUL 3,88	JUL 2,88		0.54	0.28		0.02		0.010		0.04	0.12	0.06
JUL 4,88	JUL 3,88		0.77	1.04		0.05		0.129		0.04	0.15	0.09
JUL 5,88	JUL 4,88		3.21	3.86		0.20		0.776		0.06	0.23	0.25
JUL 6,88	JUL 5,88		6.91	11.98		0.69		2.491		0.07	0.18	0.76
JUL 7,88	JUL 6,88		5.79	17.92	UG	0.58		3.570		0.06	0.37	0.64
JUL 8,88	JUL 7,88		2.52	16.06		0.43		3.033		0.06	0.29	0.48
JUL 9,88	JUL 8,88		1.83	9.26		0.11		2.022		0.08	0.21	0.19
JUL 10,88	JUL 9,88	<T	0.18	1.42		0.11		0.288		0.07	0.10	0.18
JUL 11,88	JUL 10,88		0.28	3.40		0.06		0.711		0.06	0.14	0.11
JUL 12,88	JUL 11,88	<T	0.22	1.39		0.05		0.148		0.05	0.11	0.10
JUL 13,88	JUL 12,88	<T	0.01	0.30	<T	0.02	<T	0.000	<W	0.00	<T 0.00	0.02
JUL 14,88	JUL 13,88		0.95	3.69		0.06		0.589	<T	0.03	0.30	0.09
JUL 15,88	JUL 14,88	<T	0.03	0.26	<T	0.02	<T	0.001	<W	0.00	<T 0.02	0.02
JUL 16,88	JUL 15,88		0.60	1.16		0.04		0.038		0.04	0.22	0.07
JUL 17,88	JUL 16,88		0.42	3.14		0.07		0.293	<T	0.02	<T 0.14	0.09
JUL 18,88	JUL 17,88		0.27	2.46		0.04		0.255	<T	0.02	<T 0.15	0.06

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 19,88	JUL 18,88	759	759	1	25237.0	37887	2	1	
JUL 20,88	JUL 19,88	800	800	1	25713.0	37914	2	1	
JUL 21,88	JUL 20,88	800	800	1	27289.0	37915	2	1	
JUL 22,88	JUL 21,88	800	800	1	26110.0	37916	2	1	
JUL 23,88	JUL 22,88	800	1137	1	3546.0	37917	2	1	
JUL 24,88	JUL 23,88	900	1545	1	*****	37918	2	1	QFA
JUL 25,88	JUL 24,88	900	1545	1	*****	37919	2	1	QFA
JUL 26,88	JUL 25,88	900	1545	1	*****	37920	2	1	QFA
JUL 27,88	JUL 26,88	1635	758	1	17516.0	37942	2	1	QFA
JUL 28,88	JUL 27,88	758	758	1	26949.0	37943	2	1	Q
JUL 29,88	JUL 28,88	758	758	1	28021.0	37944	2	1	Q
JUL 30,88	JUL 29,88	758	758	1	26516.0	37945	2	1	Q
JUL 31,88	JUL 30,88	758	758	1	27021.0	37946	2	1	Q
AUG 1,88	JUL 31,88	758	758	1	26505.0	37947	2	1	Q
AUG 2,88	AUG 1,88	758	758	1	25237.0	37948	2	1	
AUG 3,88	AUG 2,88	758	758	1	26866.0	37980	2	1	Q
AUG 4,88	AUG 3,88	758	758	1	26845.0	37981	2	1	
AUG 5,88	AUG 4,88	758	758	1	27412.0	37982	2	1	
AUG 6,88	AUG 5,88	758	757	1	26918.0	37983	2	1	
AUG 7,88	AUG 6,88	757	757	1	26949.0	37984	2	1	
AUG 8,88	AUG 7,88	757	757	1	26835.0	37985	2	1	
AUG 9,88	AUG 8,88	757	757	1	25176.0	37986	2	1	
AUG 10,88	AUG 9,88	757	801	1	26516.0	83019	2	1	
AUG 11,88	AUG 10,88	801	801	1	26619.0	83020	2	1	
AUG 12,88	AUG 11,88	801	801	1	27258.0	83021	2	1	
AUG 13,88	AUG 12,88	801	801	1	26670.0	83022	2	1	
AUG 14,88	AUG 13,88	801	801	1	27660.0	83023	2	1	Q
AUG 15,88	AUG 14,88	801	801	1	26969.0	83024	2	1	
AUG 16,88	AUG 15,88	801	801	1	26845.0	83025	2	1	
AUG 17,88	AUG 16,88	801	801	1	26103.0	83047	2	1	
AUG 18,88	AUG 17,88	801	801	1	27124.0	83048	2	1	
AUG 19,88	AUG 18,88	801	801	1	27608.0	83049	2	1	
AUG 20,88	AUG 19,88	801	801	1	27381.0	83050	2	1	
AUG 21,88	AUG 20,88	801	801	1	27753.0	83051	2	1	
AUG 22,88	AUG 21,88	801	801	1	27650.0	83052	2	1	
AUG 23,88	AUG 22,88	801	801	1	26124.0	83053	2	1	
AUG 24,88	AUG 23,88	801	800	1	24979.0	83097	2	1	Q
AUG 25,88	AUG 24,88	800	800	1	28021.0	83098	2	1	
AUG 26,88	AUG 25,88	800	800	1	27229.0	83099	2	1	
AUG 27,88	AUG 26,88	800	800	1	26969.0	83100	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 19,88	JUL 18,88	0.65	2.40	0.05	0.353	<T	0.03	0.08
JUL 20,88	JUL 19,88	0.47	1.03	0.00	0.057	<T	0.02	0.02
JUL 21,88	JUL 20,88	0.37	1.06	<T	0.00	<T	0.02	0.02
JUL 22,88	JUL 21,88	<T	1.17	<T	0.00	<T	0.03	0.03
JUL 23,88	JUL 22,88	16.53	1.55	<W	0.00	<T	0.00	0.00
JUL 24,88	JUL 23,88	*****	*****	*****	*****	*****	*****	*****
JUL 25,88	JUL 24,88	*****	*****	*****	*****	*****	*****	*****
JUL 26,88	JUL 25,88	*****	*****	*****	*****	*****	*****	*****
JUL 27,88	JUL 26,88	<W	0.09	2.52	<W	0.00	0.274	0.03
JUL 28,88	JUL 27,88	1.05	1.56	0.05	0.227	<T	0.03	0.07
JUL 29,88	JUL 28,88	0.91	3.68	0.12	0.714	0.04	0.29	0.15
JUL 30,88	JUL 29,88	6.73	15.05	0.32	2.750	0.08	0.59	0.40
JUL 31,88	JUL 30,88	<T	0.23	0.83	<T	0.03	0.113	0.05
AUG 1,88	JUL 31,88	0.76	0.62	<T	0.03	0.069	<T	0.06
AUG 2,88	AUG 1,88	<T	0.04	<T	0.01	<W	0.00	0.00
AUG 3,88	AUG 2,88	4.41	12.59	0.35	3.051	0.06	0.54	0.41
AUG 4,88	AUG 3,88	3.36	13.05	0.30	2.820	<W	0.00	0.30
AUG 5,88	AUG 4,88	9.55	8.33	0.14	1.908	0.04	0.49	0.17
AUG 6,88	AUG 5,88	2.14	11.23	0.30	2.207	<W	0.00	0.30
AUG 7,88	AUG 6,88	<T	0.09	0.31	<T	0.03	0.126	0.03
AUG 8,88	AUG 7,88	<W	0.09	0.69	<T	0.03	0.253	0.07
AUG 9,88	AUG 8,88	1.76	10.06	0.27	2.622	0.09	0.59	0.36
AUG 10,88	AUG 9,88	8.49	6.34	0.04	0.999	<W	0.00	0.04
AUG 11,88	AUG 10,88	0.74	1.19	0.05	0.199	<W	0.00	0.05
AUG 12,88	AUG 11,88	2.41	5.76	0.23	1.350	<W	0.00	0.23
AUG 13,88	AUG 12,88	1.13	7.35	0.19	1.744	<W	0.00	0.19
AUG 14,88	AUG 13,88	4.36	5.46	0.05	1.114	<T	0.02	0.06
AUG 15,88	AUG 14,88	0.95	3.15	0.09	0.667	<T	0.01	0.10
AUG 16,88	AUG 15,88	0.48	0.31	<W	0.00	0.022	<W	0.00
AUG 17,88	AUG 16,88	0.07	2.79	0.03	0.559	<W	0.00	0.03
AUG 18,88	AUG 17,88	0.46	1.12	0.00	0.210	<W	0.00	0.00
AUG 19,88	AUG 18,88	0.42	0.20	<W	0.00	<T	0.004	0.00
AUG 20,88	AUG 19,88	0.42	0.23	<W	0.00	<W	0.00	0.00
AUG 21,88	AUG 20,88	0.33	0.33	<T	0.00	0.058	<W	0.00
AUG 22,88	AUG 21,88	0.32	0.13	<W	0.00	0.000	<W	0.00
AUG 23,88	AUG 22,88	10.65	1.58	0.01	0.241	<W	0.00	0.01
AUG 24,88	AUG 23,88	1.00	1.74	0.00	0.273	0.05	0.14	0.05
AUG 25,88	AUG 24,88	5.60	2.62	<W	0.00	0.408	<W	0.00
AUG 26,88	AUG 25,88	0.09	0.73	<T	0.03	0.012	<T	0.03
AUG 27,88	AUG 26,88	0.05	0.59	<W	0.00	<T	0.001	0.00

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 28,88	AUG 27,88	800	800	1	27083.0	83101	2	1	
AUG 29,88	AUG 28,88	800	800	1	26639.0	83102	2	1	
AUG 30,88	AUG 29,88	800	800	1	26500.0	83103	2	1	
AUG 31,88	AUG 30,88	800	757	1	26392.0	83113	2	1	
SEP 1,88	AUG 31,88	757	757	1	25742.0	83114	2	1	
SEP 2,88	SEP 1,88	757	757	1	26103.0	83115	2	1	
SEP 3,88	SEP 2,88	757	747	1	26258.0	83116	2	1	
SEP 4,88	SEP 3,88	757	757	1	25727.0	83117	2	1	
SEP 5,88	SEP 4,88	757	757	1	26134.0	83118	2	1	
SEP 6,88	SEP 5,88	757	757	1	26598.0	83119	2	1	
SEP 7,88	SEP 6,88	757	757	1	26505.0	83164	2	1	
SEP 8,88	SEP 7,88	757	757	1	26186.0	83165	2	1	
SEP 9,88	SEP 8,88	757	757	1	27330.0	83166	2	1	
SEP 10,88	SEP 9,88	757	757	1	27392.0	83167	2	1	
SEP 11,88	SEP 10,88	757	757	1	27093.0	83168	2	1	
SEP 12,88	SEP 11,88	757	757	1	26619.0	83169	2	1	
SEP 13,88	SEP 12,88	757	757	1	24784.0	83170	2	1	
SEP 14,88	SEP 13,88	757	757	1	26258.0	83190	2	1	
SEP 15,88	SEP 14,88	757	757	1	26186.0	83191	2	1	
SEP 16,88	SEP 15,88	757	757	1	26959.0	83192	2	1	
SEP 17,88	SEP 16,88	757	757	1	26959.0	83193	2	1	
SEP 18,88	SEP 17,88	757	757	1	26082.0	83194	2	1	
SEP 19,88	SEP 18,88	757	757	1	26031.0	83195	2	1	
SEP 20,88	SEP 19,88	757	757	1	25052.0	83196	2	1	
SEP 21,88	SEP 20,88	757	757	1	25918.0	83223	2	1	
SEP 22,88	SEP 21,88	757	757	1	26041.0	83224	2	1	
SEP 23,88	SEP 22,88	757	757	1	26773.0	83225	2	1	
SEP 24,88	SEP 23,88	757	757	1	26928.0	83226	2	1	
SEP 25,88	SEP 24,88	757	757	1	26526.0	83227	2	1	
SEP 26,88	SEP 25,88	757	757	1	26361.0	83228	2	1	
SEP 27,88	SEP 26,88	757	757	1	26052.0	83229	2	1	
SEP 28,88	SEP 27,88	757	757	1	26217.0	83278	2	1	
SEP 29,88	SEP 28,88	757	757	1	28103.0	83279	2	1	
SEP 30,88	SEP 29,88	757	757	1	27722.0	83280	2	1	
OCT 1,88	SEP 30,88	757	757	1	26928.0	83281	2	1	
OCT 2,88	OCT 1,88	757	757	1	25742.0	83282	2	1	
OCT 3,88	OCT 2,88	757	757	1	27485.0	83283	2	1	
OCT 4,88	OCT 3,88	757	757	1	26918.0	83284	2	1	
OCT 5,88	OCT 4,88	800	800	1	26907.0	83305	2	1	
OCT 6,88	OCT 5,88	800	800	1	27608.0	83306	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3		
AUG 28,88	AUG 27,88	0.91	1.75	0.07	0.311	0.06	<W	0.13		
AUG 29,88	AUG 28,88	0.20	0.41	<W	0.000	<W	0.00	<W	0.00	
AUG 30,88	AUG 29,88	0.06	0.42	<T	0.002	<T	0.03	<W	0.00	
AUG 31,88	AUG 30,88	0.00	<T	0.12	<W	0.004	<T	0.02	<W	0.00
SEP 1,88	AUG 31,88	0.30	0.63	<W	0.000	<T	0.04	0.23	0.04	0.02
SEP 2,88	SEP 1,88	3.11	5.67	0.17	1.180	0.06	0.78	0.23	0.04	0.02
SEP 3,88	SEP 2,88	8.20	UG 22.81	0.53	3.382	<W	0.00	1.05	0.53	0.23
SEP 4,88	SEP 3,88	1.15	14.58	0.19	2.675	<W	0.00	0.72	0.19	0.53
SEP 5,88	SEP 4,88	0.41	2.86	<T	0.02	0.341	<W	0.00	0.34	0.19
SEP 6,88	SEP 5,88	0.47	<T	0.06	<W	0.000	<T	0.17	<W	0.02
SEP 7,88	SEP 6,88	0.20	0.27	0.03	0.019	0.00	0.30	0.03	0.00	0.03
SEP 8,88	SEP 7,88	0.73	<T	0.08	<T	0.03	0.225	0.00	0.34	0.03
SEP 9,88	SEP 8,88	8.55	9.81	0.70	1.676	0.01	0.72	0.70	0.03	0.03
SEP 10,88	SEP 9,88	0.71	6.07	<T	0.01	<W	0.000	0.13	0.65	0.70
SEP 11,88	SEP 10,88	<T	0.39	<W	0.00	<W	0.000	0.00	0.34	0.14
SEP 12,88	SEP 11,88	1.75	2.64	<W	0.00	0.180	0.01	0.42	0.01	0.00
SEP 13,88	SEP 12,88	1.88	3.35	0.09	0.416	<W	0.00	0.54	0.09	0.01
SEP 14,88	SEP 13,88	<T	0.16	<T	0.00	<W	0.000	0.00	0.24	0.00
SEP 15,88	SEP 14,88	<T	0.03	0.49	<T	0.00	<W	0.000	0.01	0.01
SEP 16,88	SEP 15,88	0.16	0.53	<T	0.00	<W	0.000	0.11	1.12	0.21
SEP 17,88	SEP 16,88	1.54	1.56	0.10	0.082	0.00	0.95	0.01	0.37	0.01
SEP 18,88	SEP 17,88	0.80	5.85	<T	0.01	0.932	<W	0.00	0.21	0.00
SEP 19,88	SEP 18,88	1.30	2.13	<T	0.00	0.077	0.01	0.60	0.07	0.01
SEP 20,88	SEP 19,88	5.46	11.96	0.46	2.084	0.01	1.27	0.47	0.01	0.01
SEP 21,88	SEP 20,88	<W	0.14	0.36	0.00	0.075	0.00	0.21	0.00	0.00
SEP 22,88	SEP 21,88	<W	0.08	0.19	0.00	0.021	0.01	<T	0.12	0.01
SEP 23,88	SEP 22,88	2.49	2.24	0.02	0.620	0.02	0.60	0.04	0.01	0.01
SEP 24,88	SEP 23,88	<W	0.05	1.04	0.00	0.253	0.01	<T	0.07	0.01
SEP 25,88	SEP 24,88	<W	0.18	0.79	0.00	0.170	0.01	0.26	0.01	0.01
SEP 26,88	SEP 25,88	0.77	1.02	0.03	0.199	0.02	0.30	0.05	0.01	0.01
SEP 27,88	SEP 26,88	6.79	1.31	0.00	0.328	0.01	0.92	0.01	0.14	0.01
SEP 28,88	SEP 27,88	0.35	1.74	0.14	0.339	<W	0.00	0.23	0.75	0.01
SEP 29,88	SEP 28,88	3.52	0.64	0.75	0.100	<W	0.00	0.25	0.07	0.01
SEP 30,88	SEP 29,88	0.34	0.78	<W	0.00	0.141	0.07	0.32	0.07	0.01
OCT 1,88	SEP 30,88	4.20	4.98	0.28	4.234	0.06	0.61	0.35	0.18	0.01
OCT 2,88	OCT 1,88	0.39	5.24	0.12	1.325	0.06	0.21	0.02	0.00	0.01
OCT 3,88	OCT 2,88	0.09	0.67	<W	0.000	<T	0.02	<T	0.00	0.02
OCT 4,88	OCT 3,88	1.59	0.68	<T	0.00	<W	0.000	0.20	0.00	0.00
OCT 5,88	OCT 4,88	18.16	1.15	<T	0.00	0.064	<W	0.00	0.80	0.00
OCT 6,88	OCT 5,88	<W	0.07	0.36	<W	0.00	<T	0.02	<T	0.11

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
OCT 7,88	OCT 6,88	800	800	1	28536.0	83307	2	1	
OCT 8,88	OCT 7,88	800	800	1	28423.0	83308	2	1	
OCT 9,88	OCT 8,88	800	800	1	28299.0	83309	2	1	
OCT 10,88	OCT 9,88	800	800	1	27794.0	83310	2	1	
OCT 11,88	OCT 10,88	800	800	1	27588.0	83311	2	1	
OCT 12,88	OCT 11,88	800	800	1	27454.0	83349	2	1	
OCT 13,88	OCT 12,88	800	800	1	27690.0	83350	2	1	
OCT 14,88	OCT 13,88	800	800	1	28639.0	83351	2	1	
OCT 15,88	OCT 14,88	800	800	1	27711.0	83352	2	1	
OCT 16,88	OCT 15,88	800	800	1	26949.0	83353	2	1	
OCT 17,88	OCT 16,88	800	800	1	26959.0	83354	2	1	
OCT 18,88	OCT 17,88	800	800	1	26495.0	83355	2	1	
OCT 19,88	OCT 18,88	800	800	1	27278.0	83373	2	1	
OCT 20,88	OCT 19,88	800	800	1	27268.0	83374	2	1	
OCT 21,88	OCT 20,88	800	800	1	28268.0	83375	2	1	
OCT 22,88	OCT 21,88	800	800	1	27525.0	83376	2	1	
OCT 23,88	OCT 22,88	800	800	1	27226.0	83377	2	1	
OCT 24,88	OCT 23,88	800	800	1	27494.0	83378	2	1	
OCT 25,88	OCT 24,88	800	800	1	26340.0	83379	2	1	
OCT 26,88	OCT 25,88	800	800	1	28258.0	83395	2	1	
OCT 27,88	OCT 26,88	800	800	1	27154.0	83396	2	1	
OCT 28,88	OCT 27,88	800	800	1	26742.0	83397	2	1	
OCT 29,88	OCT 28,88	800	800	1	28010.0	83398	2	1	
OCT 30,88	OCT 29,88	800	900	1	27670.0	83399	2	1	
OCT 31,88	OCT 30,88	900	900	1	27711.0	83400	2	1	
NOV 1,88	OCT 31,88	900	900	1	26433.0	83401	2	1	
NOV 2,88	NOV 1,88	900	800	1	28083.0	83435	2	1	
NOV 3,88	NOV 2,88	800	800	1	26784.0	83436	2	1	
NOV 4,88	NOV 3,88	800	800	1	27485.0	83437	2	1	
NOV 5,88	NOV 4,88	800	800	1	26701.0	83438	2	1	
NOV 6,88	NOV 5,88	800	800	1	26433.0	83439	2	1	
NOV 7,88	NOV 6,88	800	800	1	26825.0	83440	2	1	
NOV 8,88	NOV 7,88	800	800	1	26217.0	83441	2	1	
NOV 9,88	NOV 8,88	800	800	1	26639.0	83451	2	1	
NOV 10,88	NOV 9,88	800	800	1	26814.0	83452	2	1	
NOV 11,88	NOV 10,88	800	800	1	28278.0	83453	2	1	
NOV 12,88	NOV 11,88	800	800	1	28835.0	83454	2	1	
NOV 13,88	NOV 12,88	800	800	1	27742.0	83455	2	1	
NOV 14,88	NOV 13,88	800	800	1	27567.0	83456	2	1	
NOV 15,88	NOV 14,88	800	800	1	26907.0	83457	2	1	

F

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 16

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 7,88	OCT 6,88	<W	0.00	0.46	<W	0.00		0.050	<T	0.02	<W	0.00	0.02
OCT 8,88	OCT 7,88	<W	0.14	1.27	<T	0.02		0.198	<W	0.00		0.21	0.02
OCT 9,88	OCT 8,88		3.75	1.98	<T	0.02		0.315	<T	0.02		0.42	0.04
OCT 10,88	OCT 9,88	<T	0.28	1.80		0.05		0.414		0.04		0.25	0.10
OCT 11,88	OCT 10,88	<W	0.05	1.12	<T	0.01		0.258	<T	0.03	<T	0.07	0.04
OCT 12,88	OCT 11,88	<W	0.00	0.00	<T	0.00	<T	0.001	<W	0.00	<W	0.00	0.00
OCT 13,88	OCT 12,88	<W	0.00	0.29	<T	0.00		0.023		0.05	<W	0.00	0.05
OCT 14,88	OCT 13,88		0.78	0.91	<W	0.00		0.159		0.08		0.28	0.08
OCT 15,88	OCT 14,88		4.29	3.32		0.13		0.546		0.42		0.32	0.55
OCT 16,88	OCT 15,88		2.45	5.90		0.20		1.883		0.62		0.33	0.82
OCT 17,88	OCT 16,88		7.85	5.12		0.26		1.381		0.22		0.48	0.49
OCT 18,88	OCT 17,88		0.69	1.70		0.03		0.451		0.08		0.30	0.10
OCT 19,88	OCT 18,88	<W	0.00	0.00	<T	0.00	<T	0.000	<W	0.00	<W	0.00	0.00
OCT 20,88	OCT 19,88		16.08	0.55		0.04		0.067	<W	0.00		1.45	0.04
OCT 21,88	OCT 20,88		2.21	0.99		0.05		0.178	<W	0.00		2.25	0.05
OCT 22,88	OCT 21,88		7.26	2.80		0.15		0.637	<W	0.00	UG	2.71	0.15
OCT 23,88	OCT 22,88		4.95	2.57		0.10		0.302	<T	0.02		1.97	0.12
OCT 24,88	OCT 23,88	UG	56.69	3.86		0.07		0.303	<W	0.00	UG	2.93	0.07
OCT 25,88	OCT 24,88		0.81	0.84		0.06		0.149	<W	0.00		0.82	0.06
OCT 26,88	OCT 25,88	<W	0.22	1.38		0.04		0.085	<T	0.02		0.33	0.06
OCT 27,88	OCT 26,88	<W	0.45	1.07		0.05		0.166	<T	0.02		0.68	0.08
OCT 28,88	OCT 27,88		3.96	2.51		0.19		0.816		0.21	UG	2.52	0.40
OCT 29,88	OCT 28,88	<W	0.15	0.43		0.04		0.108	<T	0.02		0.23	0.06
OCT 30,88	OCT 29,88	<T	0.23	0.54	<T	0.01		0.073	<W	0.00		0.23	0.01
OCT 31,88	OCT 30,88	<W	0.27	0.90		0.02		0.134	<T	0.03		0.41	0.05
NOV 1,88	OCT 31,88		5.53	2.27		0.25		0.700		0.26		2.29	0.50
NOV 2,88	NOV 1,88		11.77	5.12		0.31		0.869	<W	0.00		2.03	0.31
NOV 3,88	NOV 2,88		1.40	0.44		0.09		0.333	<W	0.00		0.67	0.09
NOV 4,88	NOV 3,88		2.21	6.00		0.17		1.187	<T	0.03		0.40	0.20
NOV 5,88	NOV 4,88		13.45	5.42		0.23		1.015		0.05		1.16	0.28
NOV 6,88	NOV 5,88		12.11	0.71		0.16		0.837	<T	0.02		1.06	0.17
NOV 7,88	NOV 6,88		0.89	0.85		0.04		0.230	<W	0.00		0.41	0.04
NOV 8,88	NOV 7,88		0.55	1.25		0.09		0.172	<T	0.02		0.34	0.11
NOV 9,88	NOV 8,88	<W	0.21	1.01		0.03		0.201		0.01		0.31	0.04
NOV 10,88	NOV 9,88		1.70	2.27		0.06		0.690		0.10		1.88	0.16
NOV 11,88	NOV 10,88	<W	0.13	0.32		0.01		0.069		0.01		0.19	0.02
NOV 12,88	NOV 11,88	<W	0.08	0.83	<T	0.00		0.113		0.01		0.12	0.01
NOV 13,88	NOV 12,88	<W	1.21	1.51		0.05		0.411		0.00		1.82	0.05
NOV 14,88	NOV 13,88		1.90	2.10		0.15		0.610		0.02		2.30	0.17
NOV 15,88	NOV 14,88	<W	0.28	1.19		0.05		0.277		0.01		0.42	0.06

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 16,88	NOV 15,88	800	800	1	27134.0	83501	2	1	
NOV 17,88	NOV 16,88	800	800	1	26392.0	83502	2	1	
NOV 18,88	NOV 17,88	800	800	1	27670.0	83503	2	1	
NOV 19,88	NOV 18,88	800	800	1	28000.0	83504	2	1	
NOV 20,88	NOV 19,88	800	800	1	27918.0	83505	2	1	
NOV 21,88	NOV 20,88	800	800	1	27639.0	83506	2	1	
NOV 22,88	NOV 21,88	800	800	1	26660.0	83507	2	1	
NOV 23,88	NOV 22,88	800	800	1	27289.0	83532	2	1	
NOV 24,88	NOV 23,88	800	800	1	26082.0	83533	2	1	
NOV 25,88	NOV 24,88	800	800	1	27423.0	83534	2	1	
NOV 26,88	NOV 25,88	800	800	1	27536.0	83535	2	1	
NOV 27,88	NOV 26,88	800	800	1	26000.0	83536	2	1	
NOV 28,88	NOV 27,88	800	800	1	26485.0	83537	2	1	
NOV 29,88	NOV 28,88	800	756	1	26732.0	83538	2	1	
NOV 30,88	NOV 29,88	756	756	1	26155.0	83548	2	1	
DEC 1,88	NOV 30,88	756	756	1	26227.0	83549	2	1	
DEC 2,88	DEC 1,88	756	756	1	27619.0	83550	2	1	
DEC 3,88	DEC 2,88	756	756	1	26794.0	83551	2	1	
DEC 4,88	DEC 3,88	756	756	1	27660.0	83552	2	1	
DEC 5,88	DEC 4,88	756	756	1	27660.0	83553	2	1	
DEC 6,88	DEC 5,88	756	756	1	27423.0	83554	2	1	
DEC 7,88	DEC 6,88	756	756	1	26454.0	83598	2	1	
DEC 8,88	DEC 7,88	756	756	1	29237.0	83599	2	1	
DEC 9,88	DEC 8,88	756	756	1	29495.0	83600	2	1	
DEC 10,88	DEC 9,88	756	756	1	29763.0	83601	2	1	
DEC 11,88	DEC 10,88	756	756	1	29165.0	83602	2	1	
DEC 12,88	DEC 11,88	756	756	1	29371.0	83603	2	1	
DEC 13,88	DEC 12,88	756	756	1	27979.0	83604	2	1	
DEC 14,88	DEC 13,88	756	756	1	27639.0	83634	2	1	
DEC 15,88	DEC 14,88	756	756	1	27485.0	83635	2	1	
DEC 16,88	DEC 15,88	756	756	1	29306.0	83636	2	1	
DEC 17,88	DEC 16,88	756	756	1	28237.0	83637	2	1	
DEC 18,88	DEC 17,88	756	756	1	28206.0	83638	2	1	
DEC 19,88	DEC 18,88	756	756	1	27608.0	83639	2	1	
DEC 20,88	DEC 19,88	756	756	1	26299.0	83640	2	1	
DEC 21,88	DEC 20,88	756	756	1	27619.0	83658	2	1	
DEC 22,88	DEC 21,88	756	756	1	28351.0	83659	2	1	
DEC 23,88	DEC 22,88	756	756	1	26918.0	83660	2	1	
DEC 24,88	DEC 23,88	756	756	1	29000.0	83661	2	1	
DEC 25,88	DEC 24,88	756	756	1	27598.0	83662	2	1	

PAGE : 18

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 16,88	NOV 15,88	5.30	1.33	<W	0.00	0.351	<T	0.00		0.41	0.00
NOV 17,88	NOV 16,88	4.58	2.99		0.11	0.736		0.05		0.53	0.15
NOV 18,88	NOV 17,88	0.59	0.36	<T	0.02	0.084	<T	0.02		0.47	0.04
NOV 19,88	NOV 18,88	0.37	0.39	<T	0.01	0.092	<T	0.01		0.46	0.03
NOV 20,88	NOV 19,88	4.59	1.22		0.05	0.248	<T	0.04		0.68	0.09
NOV 21,88	NOV 20,88	<T 0.60	2.64		0.22	0.274	<W	0.00		0.90	0.22
NOV 22,88	NOV 21,88	<T 0.10	1.16	<T	0.02	0.072	<W	0.00	<T	0.15	0.02
NOV 23,88	NOV 22,88	6.06	3.30		0.04	0.284	<W	0.00		0.68	0.04
NOV 24,88	NOV 23,88	2.09	5.10		0.13	1.290	<T	0.02		0.49	0.16
NOV 25,88	NOV 24,88	9.15	6.13	UG	0.48	1.435	<T	0.04		2.40	0.52
NOV 26,88	NOV 25,88	19.13	6.50	UG	0.22	2.260		0.35		0.86	0.57
NOV 27,88	NOV 26,88	20.29	7.00	UG	0.42	2.452		0.36		0.95	0.78
NOV 28,88	NOV 27,88	<W 0.72	1.85		0.07	0.458	<T	0.02		1.08	0.09
NOV 29,88	NOV 28,88	<W 0.22	0.49		0.03	0.091	<T	0.03		0.33	0.06
NOV 30,88	NOV 29,88	2.49	1.95		0.10	0.892		0.46		2.99	0.56
DEC 1,88	NOV 30,88	2.85	1.45		0.08	0.432		0.13		0.62	0.21
DEC 2,88	DEC 1,88	1.53	1.56		0.08	0.341	<W	0.00		1.86	0.08
DEC 3,88	DEC 2,88	<W 0.50	1.01		0.07	0.257	<T	0.03		0.76	0.10
DEC 4,88	DEC 3,88	1.68	2.57		0.17	1.205		0.58		2.14	0.75
DEC 5,88	DEC 4,88	<W 0.59	0.87		0.10	0.296		0.09		0.88	0.20
DEC 6,88	DEC 5,88	<T 0.98	0.55	<T	0.01	0.131	<T	0.03		1.25	0.04
DEC 7,88	DEC 6,88	2.01	1.47		0.25	1.123		0.89		1.54	1.14
DEC 8,88	DEC 7,88	<T 0.19	0.76		0.05	0.106		0.04	<T	0.07	0.08
DEC 9,88	DEC 8,88	<T 0.71	0.90		0.07	0.159		0.06		0.95	0.13
DEC 10,88	DEC 9,88	0.77	1.08		0.05	0.153		0.06		0.50	0.11
DEC 11,88	DEC 10,88	1.84	1.52		0.05	0.192		0.08		1.12	0.13
DEC 12,88	DEC 11,88	2.03	2.08		0.05	0.252		0.09		0.62	0.14
DEC 13,88	DEC 12,88	8.13	2.86		0.32	0.575		0.08		1.92	0.40
DEC 14,88	DEC 13,88	4.42	2.75		0.15	0.815		0.09		0.76	0.25
DEC 15,88	DEC 14,88	3.61	1.46		0.13	0.352		0.12		2.57	0.24
DEC 16,88	DEC 15,88	<W 0.24	0.75	<T	0.00	0.103	<T	0.03		0.37	0.03
DEC 17,88	DEC 16,88	3.22	1.49		0.07	0.249	<T	0.03		2.11	0.10
DEC 18,88	DEC 17,88	19.81	1.95		0.04	0.215	<W	0.00		2.44	0.04
DEC 19,88	DEC 18,88	25.01	2.06		0.05	0.238	<T	0.02		2.63	0.07
DEC 20,88	DEC 19,88	10.75	3.69		0.18	1.429		0.59		2.50	0.76
DEC 21,88	DEC 20,88	2.63	1.99		0.13	0.500		0.04		2.08	0.17
DEC 22,88	DEC 21,88	6.79	1.09	<T	0.02	0.128	<T	0.03		1.28	0.05
DEC 23,88	DEC 22,88	6.50	1.37		0.04	0.250	<T	0.04		1.09	0.08
DEC 24,88	DEC 23,88	1.26	2.69		0.10	0.985		0.30		1.36	0.41
DEC 25,88	DEC 24,88	0.97	2.17		0.07	0.767		0.25		0.85	0.31

ONTARIO MINISTRY OF THE ENVIRONMENT
 AIR SAMPLING ANALYSIS RESULTS
 APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 19

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 26,88	DEC 25,88	756	756	1	28041.0	83663	2	1	
DEC 27,88	DEC 26,88	756	756	1	26691.0	83664	2	1	
DEC 28,88	DEC 27,88	756	756	1	23540.0	83704	2	1	
DEC 29,88	DEC 28,88	756	756	1	26505.0	83705	2	1	
DEC 30,88	DEC 29,88	756	756	1	27525.0	83706	2	1	
DEC 31,88	DEC 30,88	756	756	1	27021.0	83707	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : HIGH FALLS/DAILY/AIR

PAGE : 20

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
DEC 26,88	DEC 25,88	0.72		0.89	<T	0.02		0.117		0.04		0.80		0.06
DEC 27,88	DEC 26,88	0.25		0.94	<T	0.02		0.128		0.07		0.35		0.09
DEC 28,88	DEC 27,88	3.26	P	1.44	P	0.11	P	0.531	P	0.08	P	1.83	P	0.19
DEC 29,88	DEC 28,88	1.91	P	0.75	P	0.03	P	0.228	P	0.03	P	1.62	P	0.06
DEC 30,88	DEC 29,88	5.59	P	0.76	P	0.04	P	0.191	P	0.04	P	2.07	P	0.08
DEC 31,88	DEC 30,88	6.98	P	2.66	P	0.43	P	0.959	P	0.04	P	2.37	P	0.47

PART V

NORTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 1,88	DEC 31,88	700	700	1	21711.0	58614	2	1	
JAN 2,88	JAN 1,88	700	700	1	21728.0	58615	2	1	
JAN 3,88	JAN 2,88	700	700	1	21479.0	58616	2	1	
JAN 4,88	JAN 3,88	700	700	1	21586.0	58617	2	1	
JAN 5,88	JAN 4,88	700	700	1	19937.0	58618	2	1	
JAN 6,88	JAN 5,88	700	700	1	21197.0	58620	2	1	
JAN 7,88	JAN 6,88	700	700	1	25003.0	58621	2	1	
JAN 8,88	JAN 7,88	700	700	1	24415.0	58622	2	1	
JAN 9,88	JAN 8,88	700	700	1	24088.0	58623	2	1	
JAN 10,88	JAN 9,88	700	700	1	25070.0	58624	2	1	
JAN 11,88	JAN 10,88	700	700	1	23741.0	58625	2	1	
JAN 12,88	JAN 11,88	700	700	1	23818.0	58626	2	1	
JAN 13,88	JAN 12,88	700	700	1	25176.0	58628	2	1	
JAN 14,88	JAN 13,88	700	700	1	24945.0	58629	2	1	
JAN 15,88	JAN 14,88	700	700	1	23779.0	58630	2	1	
JAN 16,88	JAN 15,88	700	700	1	23066.0	58631	2	1	
JAN 17,88	JAN 16,88	700	700	1	23509.0	58632	2	1	
JAN 18,88	JAN 17,88	700	700	1	22941.0	58633	2	1	
JAN 19,88	JAN 18,88	700	700	1	22941.0	58634	2	1	
JAN 20,88	JAN 19,88	700	700	1	22315.0	58636	2	1	
JAN 21,88	JAN 20,88	700	700	1	24251.0	58637	2	1	
JAN 22,88	JAN 21,88	700	700	1	23432.0	58638	2	1	
JAN 23,88	JAN 22,88	700	700	1	24242.0	58639	2	1	
JAN 24,88	JAN 23,88	700	700	1	24810.0	58640	2	1	
JAN 25,88	JAN 24,88	700	700	1	24029.0	58641	2	1	
JAN 26,88	JAN 25,88	700	700	1	25533.0	58642	2	1	
JAN 27,88	JAN 26,88	700	700	1	25716.0	58644	2	1	
JAN 28,88	JAN 27,88	700	700	1	24540.0	58645	2	1	
JAN 29,88	JAN 28,88	700	700	1	24145.0	58646	2	1	
JAN 30,88	JAN 29,88	700	700	1	22748.0	58647	2	1	
JAN 31,88	JAN 30,88	700	700	1	23692.0	58648	2	1	
FEB 1,88	JAN 31,88	700	700	1	24261.0	58649	2	1	
FEB 2,88	FEB 1,88	700	700	1	25205.0	58650	2	1	
FEB 3,88	FEB 2,88	700	700	1	24646.0	58652	2	1	
FEB 4,88	FEB 3,88	700	700	1	24762.0	58653	2	1	
FEB 5,88	FEB 4,88	700	700	1	25369.0	58654	2	1	
FEB 6,88	FEB 5,88	700	700	1	24926.0	58655	2	1	
FEB 7,88	FEB 6,88	700	700	1	25167.0	58656	2	1	
FEB 8,88	FEB 7,88	700	700	1	24030.0	58657	2	1	
FEB 9,88	FEB 8,88	700	700	1	23731.0	58658	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 1,88	DEC 31,87	1.10	1.33	0.27	0.230	0.05	0.41	0.32
JAN 2,88	JAN 1,88	1.10	0.80	0.17	0.207	0.14	0.43	0.31
JAN 3,88	JAN 2,88	1.39	1.63	0.08	0.489	0.16	0.44	0.24
JAN 4,88	JAN 3,88	0.87	0.76	0.09	0.081	0.08	0.35	0.17
JAN 5,88	JAN 4,88	3.87	1.02	0.05	0.100	0.08	0.27	0.12
JAN 6,88	JAN 5,88	1.22	0.98	0.22	0.059	0.14	0.12	0.36
JAN 7,88	JAN 6,88	2.61	0.92	0.09	0.130	0.15	0.00	0.24
JAN 8,88	JAN 7,88	2.26	1.69	0.43	0.709	0.39	0.61	0.82
JAN 9,88	JAN 8,88	1.00	0.73	0.17	0.114	0.07	0.36	0.25
JAN 10,88	JAN 9,88	2.23	0.84	0.06	0.160	0.14	0.40	0.20
JAN 11,88	JAN 10,88	2.39	2.19	0.10	1.095	0.53	0.31	0.63
JAN 12,88	JAN 11,88	0.87	1.62	0.04	0.441	0.05	0.35	0.09
JAN 13,88	JAN 12,88	0.37	0.53	0.00	0.026	0.10	0.08	0.10
JAN 14,88	JAN 13,88	1.17	0.67	0.01	0.067	0.11	0.25	0.12
JAN 15,88	JAN 14,88	3.86	2.08	0.51	0.556	0.36	0.73	0.87
JAN 16,88	JAN 15,88	3.42	2.75	0.63	UG 1.895	1.18	0.72	1.82
JAN 17,88	JAN 16,88	1.95	1.51	0.47	0.911	0.55	0.63	1.03
JAN 18,88	JAN 17,88	1.33	0.81	0.32	0.269	0.10	0.46	0.42
JAN 19,88	JAN 18,88	1.45	2.35	0.18	0.576	<W 0.00	0.40	0.18
JAN 20,88	JAN 19,88	0.76	2.58	0.16	0.713	<W 0.00	0.38	0.16
JAN 21,88	JAN 20,88	0.81	1.11	0.03	0.227	<W 0.00	0.58	0.03
JAN 22,88	JAN 21,88	1.34	1.63	0.12	0.395	<W 0.00	0.50	0.12
JAN 23,88	JAN 22,88	0.90	1.17	0.10	0.268	<W 0.00	0.56	0.10
JAN 24,88	JAN 23,88	<W 0.22	0.87	0.02	0.131	<W 0.00	0.32	0.02
JAN 25,88	JAN 24,88	0.80	0.82	0.04	0.187	<W 0.00	0.58	0.04
JAN 26,88	JAN 25,88	<T 0.30	0.38	0.04	0.069	<W 0.00	0.29	0.04
JAN 27,88	JAN 26,88	1.60	0.87	0.11	0.136	0.04	0.22	0.15
JAN 28,88	JAN 27,88	1.73	0.99	0.16	0.244	<T 0.03	0.23	0.19
JAN 29,88	JAN 28,88	3.27	2.08	0.46	0.717	0.20	0.47	0.66
JAN 30,88	JAN 29,88	UG 5.61	UG 6.42	1.07	UG 2.805	1.12	0.57	2.19
JAN 31,88	JAN 30,88	0.66	UG 4.94	0.37	1.026	<W 0.00	0.29	0.37
FEB 1,88	JAN 31,88	3.13	0.66	0.10	0.206	<T 0.03	0.22	0.13
FEB 2,88	FEB 1,88	4.78	1.44	0.07	0.198	0.04	0.15	0.11
FEB 3,88	FEB 2,88	4.59	1.66	0.26	0.243	0.04	0.07	0.30
FEB 4,88	FEB 3,88	3.57	1.83	0.26	0.394	0.05	0.35	0.31
FEB 5,88	FEB 4,88	2.11	1.32	0.07	0.246	<T 0.01	0.21	0.08
FEB 6,88	FEB 5,88	1.23	1.10	0.08	0.120	0.05	0.36	0.13
FEB 7,88	FEB 6,88	2.15	1.03	0.08	0.169	0.10	0.30	0.18
FEB 8,88	FEB 7,88	1.59	1.05	0.08	0.146	0.04	0.27	0.12
FEB 9,88	FEB 8,88	3.06	1.21	0.17	0.263	0.07	0.24	0.25

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 10,88	FEB 9,88	700	700	1	26043.0	58660	2	1	
FEB 11,88	FEB 10,88	700	700	1	21110.0	58661	2	1	
FEB 12,88	FEB 11,88	700	700	1	20262.0	58662	2	1	
FEB 13,88	FEB 12,88	700	700	1	23615.0	58663	2	1	
FEB 14,88	FEB 13,88	700	700	1	24232.0	58664	2	1	
FEB 15,88	FEB 14,88	700	700	1	23577.0	58665	2	1	
FEB 16,88	FEB 15,88	700	700	1	24010.0	58666	2	1	
FEB 17,88	FEB 16,88	700	700	1	24386.0	58668	2	1	
FEB 18,88	FEB 17,88	700	700	1	22787.0	58669	2	1	
FEB 19,88	FEB 18,88	700	700	1	23375.0	58670	2	1	
FEB 20,88	FEB 19,88	700	700	1	20609.0	58671	2	1	
FEB 21,88	FEB 20,88	700	700	1	23085.0	58672	2	1	
FEB 22,88	FEB 21,88	700	700	1	22922.0	58673	2	1	
FEB 23,88	FEB 22,88	700	700	1	22604.0	58674	2	1	
FEB 24,88	FEB 23,88	700	700	1	25051.0	58676	2	1	
FEB 25,88	FEB 24,88	700	700	1	24222.0	58677	2	1	
FEB 26,88	FEB 25,88	700	700	1	19916.0	58678	2	1	
FEB 27,88	FEB 26,88	700	700	1	19434.0	58679	2	1	
FEB 28,88	FEB 27,88	700	700	1	22584.0	58680	2	1	
FEB 29,88	FEB 28,88	700	700	1	19434.0	58681	2	1	
MAR 1,88	FEB 29,88	700	700	1	20918.0	58682	2	1	
MAR 2,88	MAR 1,88	700	700	1	21303.0	58684	2	1	
MAR 3,88	MAR 2,88	700	700	1	20966.0	58685	2	1	
MAR 4,88	MAR 3,88	700	700	1	21207.0	58686	2	1	
MAR 5,88	MAR 4,88	700	700	1	19655.0	58687	2	1	
MAR 6,88	MAR 5,88	700	700	1	20012.0	58688	2	1	
MAR 7,88	MAR 6,88	700	700	1	19125.0	58689	2	1	
MAR 8,88	MAR 7,88	700	700	1	19800.0	58690	2	1	
MAR 9,88	MAR 8,88	700	700	1	17449.0	58692	2	1	
MAR 10,88	MAR 9,88	700	700	1	19906.0	58693	2	1	
MAR 11,88	MAR 10,88	700	700	1	22623.0	58694	2	1	
MAR 12,88	MAR 11,88	700	700	1	20927.0	58695	2	1	
MAR 13,88	MAR 12,88	700	700	1	21033.0	58696	2	1	
MAR 14,88	MAR 13,88	700	700	1	23943.0	58697	2	1	
MAR 15,88	MAR 14,88	700	839	1	26862.0	58698	2	1	
MAR 16,88	MAR 15,88	839	700	1	22796.0	58700	2	1	
MAR 17,88	MAR 16,88	700	700	1	21534.0	58701	2	1	
MAR 18,88	MAR 17,88	700	700	1	21698.0	58702	2	1	
MAR 19,88	MAR 18,88	700	700	1	23866.0	58703	2	1	
MAR 20,88	MAR 19,88	700	700	1	25157.0	58704	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 10,88	FEB 9,88	1.51	0.25	0.05	0.073	0.04	0.21	0.08
FEB 11,88	FEB 10,88	1.74	0.68	0.07	0.162	0.05	0.04	0.12
FEB 12,88	FEB 11,88	1.88	0.78	0.10	0.206	<T	0.02	0.12
FEB 13,88	FEB 12,88	2.91	0.93	0.24	0.250	0.06	0.30	0.31
FEB 14,88	FEB 13,88	2.71	1.22	0.37	0.378	0.06	0.31	0.43
FEB 15,88	FEB 14,88	1.55	1.78	0.17	0.454	<W	0.00	0.17
FEB 16,88	FEB 15,88	1.71	1.14	0.10	0.340	0.05	0.34	0.15
FEB 17,88	FEB 16,88	2.97	1.47	0.00	0.412	0.07	0.04	0.07
FEB 18,88	FEB 17,88	1.45	0.95	<T	0.301	0.04	0.39	0.05
FEB 19,88	FEB 18,88	3.40	0.72	0.94	0.240	0.07	2.14	1.01
FEB 20,88	FEB 19,88	0.65	0.77	0.04	0.260	0.06	0.40	0.10
FEB 21,88	FEB 20,88	1.13	1.99	0.24	0.635	0.11	0.30	0.35
FEB 22,88	FEB 21,88	1.59	0.56	0.02	0.201	0.05	<T	0.08
FEB 23,88	FEB 22,88	1.72	0.72	<T	0.160	0.04	0.22	0.06
FEB 24,88	FEB 23,88	0.31	0.43	<T	0.136	0.05	0.47	0.05
FEB 25,88	FEB 24,88	0.77	0.65	0.02	0.182	0.07	<T	0.13
FEB 26,88	FEB 25,88	1.62	0.54	0.17	0.184	0.08	0.33	0.25
FEB 27,88	FEB 26,88	1.80	0.98	0.24	0.382	0.11	<T	0.18
FEB 28,88	FEB 27,88	1.77	0.61	0.16	0.229	0.07	<T	0.12
FEB 29,88	FEB 28,88	0.25	0.31	<T	0.150	<W	<T	0.13
MAR 1,88	FEB 29,88	0.50	0.70	<T	0.175	0.03	<T	0.16
MAR 2,88	MAR 1,88	0.88	0.97	0.16	0.390	0.04	0.90	0.19
MAR 3,88	MAR 2,88	0.34	0.69	0.03	0.211	0.06	0.17	0.09
MAR 4,88	MAR 3,88	1.26	0.50	0.04	0.126	0.05	0.17	0.09
MAR 5,88	MAR 4,88	1.12	1.35	0.30	0.479	0.15	0.63	0.45
MAR 6,88	MAR 5,88	1.25	1.65	0.35	1.135	0.87	0.56	1.23
MAR 7,88	MAR 6,88	<T	1.73	0.12	0.466	<W	0.00	0.12
MAR 8,88	MAR 7,88	0.72	2.00	0.07	0.374	<W	0.00	0.07
MAR 9,88	MAR 8,88	<W	0.74	0.13	0.319	<W	0.00	0.13
MAR 10,88	MAR 9,88	<W	0.25	0.07	0.197	<W	0.00	0.07
MAR 11,88	MAR 10,88	0.80	0.79	0.11	0.306	<W	0.00	0.11
MAR 12,88	MAR 11,88	<W	0.28	0.04	0.163	<W	0.00	0.04
MAR 13,88	MAR 12,88	<W	0.28	0.03	0.139	<W	0.00	0.03
MAR 14,88	MAR 13,88	<W	0.29	<T	0.132	<W	0.00	0.01
MAR 15,88	MAR 14,88	<W	0.19	<T	0.127	<W	0.00	0.01
MAR 16,88	MAR 15,88	<T	0.36	0.00	0.080	<T	0.03	0.04
MAR 17,88	MAR 16,88	<T	0.56	0.03	0.124	0.03	0.07	0.06
MAR 18,88	MAR 17,88	0.50	1.00	0.06	0.250	0.05	0.17	0.11
MAR 19,88	MAR 18,88	0.69	0.59	0.02	0.091	<T	0.03	0.06
MAR 20,88	MAR 19,88	1.85	1.49	0.02	0.225	0.04	0.15	0.06

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 21,88	MAR 20,88	700	700	1	23317.0	58705	2	1	
MAR 22,88	MAR 21,88	700	700	1	22478.0	58706	2	1	
MAR 23,88	MAR 22,88	700	700	1	20995.0	58708	2	1	
MAR 24,88	MAR 23,88	700	700	1	23220.0	58709	2	1	
MAR 25,88	MAR 24,88	700	700	1	21467.0	58710	2	1	
MAR 26,88	MAR 25,88	700	700	1	21274.0	58711	2	1	
MAR 27,88	MAR 26,88	700	700	1	21544.0	58712	2	1	
MAR 28,88	MAR 27,88	700	700	1	25542.0	58713	2	1	
MAR 29,88	MAR 28,88	700	700	1	17314.0	58714	2	1	B
MAR 30,88	MAR 29,88	700	700	1	18576.0	58716	2	1	
MAR 31,88	MAR 30,88	700	700	1	23972.0	58717	2	1	
APR 1,88	MAR 31,88	700	700	1	23991.0	58718	2	1	
APR 2,88	APR 1,88	700	700	1	22517.0	58719	2	1	
APR 3,88	APR 2,88	700	700	1	23105.0	58720	2	1	
APR 4,88	APR 3,88	700	700	1	18412.0	58721	2	1	
APR 5,88	APR 4,88	700	700	1	19434.0	58722	2	1	
APR 6,88	APR 5,88	700	700	1	22074.0	58724	2	1	
APR 7,88	APR 6,88	700	700	1	*****	58725	2	1	AC
APR 8,88	APR 7,88	700	700	1	23480.0	58726	2	1	
APR 9,88	APR 8,88	700	700	1	22931.0	58727	2	1	
APR 10,88	APR 9,88	700	700	1	23943.0	58728	2	1	
APR 11,88	APR 10,88	700	700	1	22170.0	58729	2	1	
APR 12,88	APR 11,88	700	700	1	23403.0	58730	2	1	
APR 13,88	APR 12,88	700	700	1	22990.0	58732	2	1	
APR 14,88	APR 13,88	700	700	1	24145.0	58733	2	1	
APR 15,88	APR 14,88	700	700	1	21650.0	58734	2	1	
APR 16,88	APR 15,88	700	700	1	22421.0	58735	2	1	
APR 17,88	APR 16,88	700	700	1	23307.0	58736	2	1	
APR 18,88	APR 17,88	700	700	1	22401.0	58737	2	1	
APR 19,88	APR 18,88	700	700	1	23548.0	58738	2	1	
APR 20,88	APR 19,88	700	700	1	28616.0	58742	2	1	
APR 21,88	APR 20,88	700	700	1	25494.0	58743	2	1	
APR 22,88	APR 21,88	700	700	1	23798.0	58744	2	1	
APR 23,88	APR 22,88	700	700	1	23798.0	58745	2	1	
APR 24,88	APR 23,88	700	700	1	24126.0	58746	2	1	
APR 25,88	APR 24,88	700	700	1	25735.0	58747	2	1	
APR 26,88	APR 25,88	700	700	1	22816.0	58748	2	1	
APR 27,88	APR 26,88	700	700	1	22888.0	58750	2	1	
APR 28,88	APR 27,88	700	700	1	23586.0	58751	2	1	
APR 29,88	APR 28,88	700	700	1	24473.0	58752	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 21,88	MAR 20,88	1.89	1.56	0.24	0.264	0.03	1.01	0.27
MAR 22,88	MAR 21,88	1.69	2.27	0.23	0.588	0.06	0.40	0.28
MAR 23,88	MAR 22,88	UG 5.61	4.07	0.66	1.196	0.24	0.30	0.90
MAR 24,88	MAR 23,88	1.19	3.94	0.20	1.129	<T 0.02	0.49	0.22
MAR 25,88	MAR 24,88	1.04	2.86	0.19	0.802	<T 0.02	0.53	0.22
MAR 26,88	MAR 25,88	0.34	1.12	0.15	0.266	<T 0.04	0.41	0.18
MAR 27,88	MAR 26,88	0.35	2.53	0.02	0.414	<T 0.02	0.20	0.04
MAR 28,88	MAR 27,88	<W 0.09	0.38	<T 0.00	0.095	<T 0.02	0.13	<T 0.02
MAR 29,88	MAR 28,88	0.75	1.73	0.14	0.428	0.06	0.40	0.20
MAR 30,88	MAR 29,88	0.55	2.27	0.19	0.501	0.03	<W 0.00	0.22
MAR 31,88	MAR 30,88	0.78	1.74	0.06	0.403	<T 0.01	0.37	0.08
APR 1,88	MAR 31,88	0.36	2.05	0.04	0.426	<W 0.00	0.24	0.04
APR 2,88	APR 1,88	0.55	1.88	0.12	0.485	0.01	0.18	0.14
APR 3,88	APR 2,88	0.86	2.15	0.13	0.550	0.02	0.68	0.15
APR 4,88	APR 3,88	<T 0.00	3.15	0.07	0.647	<W 0.00	0.00	0.07
APR 5,88	APR 4,88	<T 0.31	2.19	0.14	0.343	<T 0.00	0.46	0.15
APR 6,88	APR 5,88	0.21	3.31	0.07	0.245	0.07	0.06	0.14
APR 7,88	APR 6,88	*****	*****	*****	*****	*****	*****	*****
APR 8,88	APR 7,88	1.78	1.24	0.10	0.234	<T 0.03	0.07	0.13
APR 9,88	APR 8,88	2.20	1.57	0.10	0.316	0.05	0.19	0.16
APR 10,88	APR 9,88	0.97	2.26	<T 0.01	0.418	0.11	0.45	0.13
APR 11,88	APR 10,88	0.43	0.34	0.04	0.510	0.06	0.03	0.09
APR 12,88	APR 11,88	1.66	1.06	0.12	0.235	0.06	0.05	0.18
APR 13,88	APR 12,88	1.08	0.94	0.03	0.109	0.06	0.07	0.08
APR 14,88	APR 13,88	0.77	1.86	0.00	0.197	<T 0.00	0.04	0.00
APR 15,88	APR 14,88	0.61	2.10	<T 0.00	0.208	<T 0.01	0.26	<T 0.01
APR 16,88	APR 15,88	0.36	1.49	0.00	0.245	<T 0.00	<T 0.08	0.00
APR 17,88	APR 16,88	1.03	1.73	0.01	0.365	0.08	<T 0.09	0.08
APR 18,88	APR 17,88	0.46	1.51	<T 0.00	0.167	<T 0.01	<T 0.05	<T 0.01
APR 19,88	APR 18,88	0.41	1.49	<T 0.00	0.180	<T 0.01	<T 0.04	<T 0.01
APR 20,88	APR 19,88	1.35	1.34	0.00	0.254	0.03	0.16	0.03
APR 21,88	APR 20,88	<T 0.18	0.38	<W 0.00	0.069	<W 0.00	<T 0.11	<W 0.00
APR 22,88	APR 21,88	<T 0.28	0.80	<W 0.00	0.163	<W 0.00	<T 0.16	<W 0.00
APR 23,88	APR 22,88	<T 0.08	1.07	<W 0.00	0.198	<T 0.03	<T 0.04	0.03
APR 24,88	APR 23,88	0.27	0.79	0.05	0.179	0.04	<T 0.03	0.09
APR 25,88	APR 24,88	<T 0.24	0.54	<W 0.00	0.059	0.05	<T 0.14	0.05
APR 26,88	APR 25,88	<W 0.03	0.53	<W 0.00	0.029	0.07	<T 0.05	0.07
APR 27,88	APR 26,88	<T 0.29	0.90	0.04	0.206	<W 0.00	<T 0.14	0.04
APR 28,88	APR 27,88	0.57	0.94	0.03	0.187	<T 0.03	0.21	0.06
APR 29,88	APR 28,88	<T 0.23	0.78	0.05	0.141	<T 0.03	0.20	0.08

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
APR 30,88	APR 29,88	700	700	1	21920.0	58753	2	1	
MAY 1,88	APR 30,88	700	700	1	23057.0	58754	2	1	
MAY 2,88	MAY 1,88	700	700	1	22739.0	58755	2	1	
MAY 3,88	MAY 2,88	700	700	1	22796.0	58756	2	1	
MAY 4,88	MAY 3,88	700	700	1	23403.0	58758	2	1	
MAY 5,88	MAY 4,88	700	700	1	22344.0	58759	2	1	
MAY 6,88	MAY 5,88	700	700	1	23191.0	58760	2	1	
MAY 7,88	MAY 6,88	700	700	1	22536.0	58761	2	1	
MAY 8,88	MAY 7,88	700	700	1	23317.0	58762	2	1	
MAY 9,88	MAY 8,88	700	700	1	21910.0	58763	2	1	
MAY 10,88	MAY 9,88	700	700	1	19761.0	58764	2	1	
MAY 11,88	MAY 10,88	700	700	1	23201.0	58766	2	1	
MAY 12,88	MAY 11,88	700	700	1	22613.0	58767	2	1	
MAY 13,88	MAY 12,88	700	700	1	22228.0	58768	2	1	
MAY 14,88	MAY 13,88	700	700	1	23037.0	58769	2	1	
MAY 15,88	MAY 14,88	700	700	1	23606.0	58770	2	1	
MAY 16,88	MAY 15,88	700	700	1	23355.0	58771	2	1	
MAY 17,88	MAY 16,88	700	700	1	23027.0	58772	2	1	
MAY 18,88	MAY 17,88	700	700	1	23586.0	58774	2	1	
MAY 19,88	MAY 18,88	700	700	1	22710.0	58775	2	1	
MAY 20,88	MAY 19,88	700	700	1	23394.0	58776	2	1	
MAY 21,88	MAY 20,88	700	700	1	20898.0	58777	2	1	
MAY 22,88	MAY 21,88	700	700	1	22055.0	58778	2	1	
MAY 23,88	MAY 22,88	700	700	1	23153.0	58779	2	1	
MAY 24,88	MAY 23,88	700	700	1	23240.0	58780	2	1	
MAY 25,88	MAY 24,88	700	700	1	23114.0	58782	2	1	
MAY 26,88	MAY 25,88	700	700	1	22873.0	58783	2	1	
JUN 1,88	MAY 31,88	700	700	1	18871.0	58790	2	1	
JUN 2,88	JUN 1,88	700	700	1	20862.0	58791	2	1	
JUN 3,88	JUN 2,88	700	700	1	21653.0	58792	2	1	
JUN 29,88	JUN 28,88	1640	700	1	14466.0	58800	2	1	A
JUN 30,88	JUN 29,88	700	700	1	23611.0	58801	2	1	
JUL 1,88	JUN 30,88	700	700	1	23713.0	58802	2	1	
JUL 2,88	JUL 1,88	700	700	1	22817.0	58803	2	1	
JUL 3,88	JUL 2,88	700	700	1	24248.0	58804	2	1	
JUL 4,88	JUL 3,88	700	700	1	23371.0	58805	2	1	
JUL 5,88	JUL 4,88	700	700	1	23472.0	58806	2	1	
JUL 6,88	JUL 5,88	700	700	1	22576.0	58808	2	1	
JUL 7,88	JUL 6,88	700	700	1	23140.0	58809	2	1	
JUL 8,88	JUL 7,88	700	700	1	23094.0	58810	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3							
APR 30,88	APR 29,88	0.52	1.74	0.03	0.377	0.06	<T	0.10	0.08						
MAY 1,88	APR 30,88	0.42	2.17	0.04	0.480	0.05	<W	0.00	0.09						
MAY 2,88	MAY 1,88	1.07	1.96	0.15	0.438	0.08	<T	0.11	0.22						
MAY 3,88	MAY 2,88	2.26	2.37	0.29	0.564	0.08	<T	0.10	0.37						
MAY 4,88	MAY 3,88	1.72	1.97	0.19	0.411	0.06	<T	0.11	0.25						
MAY 5,88	MAY 4,88	1.25	2.49	0.11	0.500	0.07	<T	0.09	0.17						
MAY 6,88	MAY 5,88	1.26	3.91	0.16	0.835	0.15	<T	0.06	0.31						
MAY 7,88	MAY 6,88	<T	0.23	0.05	0.010	0.08	<T	0.04	0.13						
MAY 8,88	MAY 7,88	3.18	2.76	0.13	0.634	0.10		0.48	0.23						
MAY 9,88	MAY 8,88	<T	0.41	0.01	0.587	0.07		0.31	0.07						
MAY 10,88	MAY 9,88	<W	0.11	0.01	0.052	<W		0.17	0.01						
MAY 11,88	MAY 10,88	<W	0.01	0.00	0.073	0.04	<T	0.01	0.04						
MAY 12,88	MAY 11,88	<T	0.10	0.62	0.066	0.04	<T	0.07	0.66						
MAY 13,88	MAY 12,88	<T	0.20	0.04	0.196	0.04	<T	0.14	0.09						
MAY 14,88	MAY 13,88	<T	0.09	0.04	0.195	0.04	<T	0.01	0.09						
MAY 15,88	MAY 14,88	0.85	1.55	0.10	0.212	0.15		0.18	0.24						
MAY 16,88	MAY 15,88	0.51	0.85	0.05	*****	0.07		0.19	0.13						
MAY 17,88	MAY 16,88	<T	0.15	<T	0.130	0.05	<T	0.10	0.09						
MAY 18,88	MAY 17,88	0.37	0.95	0.03	0.153	0.04		0.00	0.08						
MAY 19,88	MAY 18,88	2.07	2.08	0.12	0.307	0.08		0.03	0.20						
MAY 20,88	MAY 19,88	3.48	UG	0.29	1.191	0.07		0.01	0.37						
MAY 21,88	MAY 20,88	1.06	UG	0.47	1.085	0.31		0.08	0.78						
MAY 22,88	MAY 21,88	<T	0.15	0.03	0.588	<T		0.11	0.06						
MAY 23,88	MAY 22,88	<T	0.15	0.02	0.105	0.04		0.08	0.07						
MAY 24,88	MAY 23,88	0.29	0.83	0.06	0.083	0.04	<T	0.00	0.10						
MAY 25,88	MAY 24,88	P	1.47	P	7.79	P	0.13	P	0.67	P	0.36				
MAY 26,88	MAY 25,88	P	1.62	P	1.49	P	0.20	P	0.020	P	0.10	P	0.49	P	0.30
JUN 1,88	MAY 31,88	P	1.94	P	6.62	P	0.38	P	1.325	P	0.16	P	0.76	P	0.54
JUN 2,88	JUN 1,88	P	1.26	P	3.38	P	0.28	P	0.685	P	0.05	P	0.72	P	0.32
JUN 3,88	JUN 2,88	P	3.52	P	2.45	P	0.02	P	0.494	P	0.01	P	0.82	P	0.03
JUN 29,88	JUN 28,88	1P	0.34	1P	0.21	1P	0.00	1P	0.000	1P	0.07	1P	0.22	1P	0.07
JUN 30,88	JUN 29,88	0.28	0.28	<W	0.00	<W	0.000	<T	0.04		0.14		0.04		0.04
JUL 1,88	JUN 30,88	0.26	<T	0.14	<W	0.00	<W	0.000	<W	0.00		0.14	<W		0.00
JUL 2,88	JUL 1,88	0.83	0.20	<W	0.00	<T	0.004	<T	0.04		0.27		0.04		0.04
JUL 3,88	JUL 2,88	1.04	0.93	<W	0.00		0.115		0.07		0.40		0.07		0.07
JUL 4,88	JUL 3,88	1.33	2.44		0.17		0.475		0.19		0.64		0.36		0.36
JUL 5,88	JUL 4,88	UG	4.70	UG	7.46		0.13		1.875		0.13		0.68		0.26
JUL 6,88	JUL 5,88	2.52	UG	11.42		0.12	UG		2.822		0.07		0.99		0.18
JUL 7,88	JUL 6,88	1.96	UG	8.76		0.23			1.845		0.08		0.41		0.31
JUL 8,88	JUL 7,88	1.16	3.81		0.13		0.844		0.06		0.39		0.20		0.20

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 9,88	JUL 8,88	700	700	1	21930.0	58811	2	1	
JUL 10,88	JUL 9,88	700	700	1	23223.0	58812	2	1	
JUL 11,88	JUL 10,88	700	700	1	23205.0	58813	2	1	
JUL 12,88	JUL 11,88	700	700	1	22789.0	58814	2	1	
JUL 13,88	JUL 12,88	700	700	1	23075.0	58816	2	1	
JUL 14,88	JUL 13,88	700	700	1	22706.0	58817	2	1	
JUL 16,88	JUL 14,88	700	700	1	33467.0	58818	2	1	B Z
JUL 17,88	JUL 16,88	700	700	1	22733.0	58819	2	1	
JUL 18,88	JUL 17,88	700	700	1	23611.0	58820	2	1	
JUL 19,88	JUL 18,88	700	700	1	23214.0	58821	2	1	
JUL 19,88	JUL 19,88	700	845	1	1977.0	58822	2	1	CBA Z
JUL 20,88	JUL 19,88	900	700	1	20978.0	58824	2	1	
JUL 21,88	JUL 20,88	700	700	1	23999.0	58825	2	1	
JUL 22,88	JUL 21,88	700	700	1	24276.0	58826	2	1	
JUL 23,88	JUL 22,88	700	700	1	23094.0	58827	2	1	
JUL 24,88	JUL 23,88	700	700	1	23325.0	58828	2	1	
JUL 25,88	JUL 24,88	700	700	1	23057.0	58829	2	1	
JUL 26,88	JUL 25,88	700	700	1	22743.0	58830	2	1	
JUL 27,88	JUL 26,88	700	700	1	23140.0	58832	2	1	
JUL 28,88	JUL 27,88	700	700	1	22262.0	58833	2	1	
JUL 29,88	JUL 28,88	700	700	1	11103.0	58834	2	1	B F
JUL 30,88	JUL 29,88	700	700	1	19722.0	58835	2	1	
JUL 31,88	JUL 30,88	700	700	1	23399.0	58836	2	1	
AUG 1,88	JUL 31,88	700	700	1	24285.0	58837	2	1	
AUG 2,88	AUG 1,88	700	700	1	22761.0	58838	2	1	
AUG 3,88	AUG 2,88	700	700	1	22567.0	58840	2	1	
AUG 4,88	AUG 3,88	700	700	1	22170.0	58841	2	1	
AUG 5,88	AUG 4,88	700	700	1	22789.0	58842	2	1	
AUG 6,88	AUG 5,88	700	700	1	22059.0	58843	2	1	
AUG 7,88	AUG 6,88	700	700	1	22660.0	58844	2	1	
AUG 8,88	AUG 7,88	700	700	1	22641.0	58845	2	1	
AUG 9,88	AUG 8,88	700	700	1	20710.0	58846	2	1	E
AUG 10,88	AUG 9,88	700	700	1	22124.0	58848	2	1	
AUG 11,88	AUG 10,88	700	700	1	23195.0	58849	2	1	
AUG 12,88	AUG 11,88	700	700	1	22170.0	58850	2	1	
AUG 13,88	AUG 12,88	700	700	1	22216.0	58851	2	1	
AUG 14,88	AUG 13,88	700	700	1	22198.0	58852	2	1	
AUG 15,88	AUG 14,88	700	700	1	22761.0	58853	2	1	
AUG 16,88	AUG 15,88	700	700	1	22518.0	58854	2	1	
AUG 17,88	AUG 16,88	700	700	1	22272.0	58856	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 10

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
JUL 9,88	JUL 8,88		0.88		0.49	<W	0.00	<W	0.000	<T	0.05		0.38		0.05
JUL 10,88	JUL 9,88		0.89		0.75		0.04	<T	0.013	<T	0.04		0.43		0.08
JUL 11,88	JUL 10,88		0.18	<T	0.14	<W	0.00	<T	0.004	<W	0.00	<T	0.12	<W	0.00
JUL 12,88	JUL 11,88		0.12		0.40		0.15		0.053		0.04	<T	0.00		0.19
JUL 13,88	JUL 12,88		0.32		0.54	<W	0.00		0.022	<W	0.00		0.48	<W	0.00
JUL 14,88	JUL 13,88		0.25		0.84	<W	0.00	<T	0.004		0.06		0.37		0.06
JUL 16,88	JUL 14,88		0.09		1.14	<T	0.02		0.081		0.04		0.14		0.07
JUL 17,88	JUL 16,88		0.20		0.54	<W	0.00	<T	0.018	<T	0.04		0.30		0.04
JUL 18,88	JUL 17,88		0.19		0.59	<W	0.00	<T	0.004	<T	0.04		0.29		0.04
JUL 19,88	JUL 18,88		0.23		0.38		0.08	<T	0.004	<T	0.03		0.35		0.11
JUL 19,88	JUL 19,88	P	10.77	P	1.26	P	0.38	P	0.051	P	0.10	P	1.52	P	0.48
JUL 20,88	JUL 19,88		0.00		0.65		0.07		0.029	<T	0.05	<T	0.00		0.12
JUL 21,88	JUL 20,88		0.40		0.82	<W	0.00	<T	0.004		0.05	<T	0.00		0.05
JUL 22,88	JUL 21,88		0.36		0.37	<T	0.03		0.045	<T	0.04	<T	0.08	<T	0.07
JUL 23,88	JUL 22,88		1.50		1.02		0.09		0.204	<T	0.03		0.35		0.12
JUL 24,88	JUL 23,88		0.87		1.74		0.13		0.394		0.08		0.28		0.20
JUL 25,88	JUL 24,88		0.44		0.76	<W	0.00		0.134	<T	0.04	<T	0.07		0.04
JUL 26,88	JUL 25,88		0.89		0.67	<W	0.00		0.132	<W	0.00		0.50	<W	0.00
JUL 27,88	JUL 26,88		0.47		0.64	<W	0.00	<T	0.000		0.06		0.15		0.06
JUL 28,88	JUL 27,88		0.95		1.00	<W	0.00	<T	0.010		0.07		0.26		0.07
JUL 29,88	JUL 28,88		1.92		2.11		0.27		0.057		0.23		0.60		0.50
JUL 30,88	JUL 29,88		0.50		2.28		0.11		0.387		0.09		0.40		0.20
JUL 31,88	JUL 30,88		0.44		0.36	<T	0.02		0.048	<W	0.00		0.23		0.02
AUG 1,88	JUL 31,88		0.32		0.74		0.05	<T	0.001		0.06		0.19		0.11
AUG 2,88	AUG 1,88		0.17		0.50	<T	0.02		0.036	<T	0.04		0.19	<T	0.07
AUG 3,88	AUG 2,88		0.00	<T	0.10	<T	0.03		0.010	<W	0.00	<W	0.00		0.03
AUG 4,88	AUG 3,88		0.43		1.01		0.15	<W	0.000	<W	0.00		0.22		0.15
AUG 5,88	AUG 4,88		0.09		0.41	<W	0.00	<T	0.000	<W	0.00	<T	0.00	<W	0.00
AUG 6,88	AUG 5,88		0.29		0.50	<W	0.00	<W	0.000	<W	0.00		0.23	<W	0.00
AUG 7,88	AUG 6,88		0.85		0.83		0.19	<T	0.000	<W	0.00		0.36		0.19
AUG 8,88	AUG 7,88		0.35		1.24		0.13		0.015	<W	0.00		0.23		0.13
AUG 9,88	AUG 8,88		0.11		0.55	<W	0.00	<T	0.001	<W	0.00	<T	0.03	<W	0.00
AUG 10,88	AUG 9,88		0.26		0.74		0.12	<T	0.005	<T	0.03		0.39		0.15
AUG 11,88	AUG 10,88		0.93		1.26		0.22	<T	0.009		0.05		0.18		0.27
AUG 12,88	AUG 11,88		0.56		1.24		0.20	<T	0.010		0.05		0.15		0.24
AUG 13,88	AUG 12,88		0.11		1.32		0.10		0.172	<W	0.00	<T	0.00		0.10
AUG 14,88	AUG 13,88		0.07		0.81		0.04		0.077	<W	0.00	<T	0.06		0.04
AUG 15,88	AUG 14,88		0.18		0.90		0.06		0.159	<W	0.00	<T	0.08		0.06
AUG 16,88	AUG 15,88		0.65		1.13		0.16		0.165	<T	0.03		0.29		0.19
AUG 17,88	AUG 16,88		0.11		0.82		0.08	<T	0.001	<W	0.00		0.16		0.08

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 18,88	AUG 17,88	700	700	1	22576.0	58857	2	1	
AUG 19,88	AUG 18,88	700	700	1	23232.0	58858	2	1	
AUG 20,88	AUG 19,88	700	700	1	22567.0	58859	2	1	
AUG 21,88	AUG 20,88	700	700	1	22918.0	58860	2	1	
AUG 22,88	AUG 21,88	700	700	1	23232.0	58861	2	1	
AUG 23,88	AUG 22,88	700	700	1	21745.0	58862	2	1	
AUG 24,88	AUG 23,88	700	700	1	22530.0	58864	2	1	
AUG 25,88	AUG 24,88	700	700	1	22613.0	58865	2	1	
AUG 26,88	AUG 25,88	700	700	1	22863.0	58866	2	1	
AUG 27,88	AUG 26,88	700	700	1	21662.0	58867	2	1	
AUG 28,88	AUG 27,88	700	700	1	22770.0	58868	2	1	
AUG 29,88	AUG 28,88	700	700	1	22586.0	58869	2	1	
AUG 30,88	AUG 29,88	700	700	1	22650.0	58870	2	1	
AUG 31,88	AUG 30,88	700	700	1	22992.0	58872	2	1	
SEP 1,88	AUG 31,88	700	700	1	22586.0	58873	2	1	
SEP 2,88	SEP 1,88	700	700	1	22281.0	58874	2	1	
SEP 3,88	SEP 2,88	700	700	1	21985.0	58875	2	1	
SEP 4,88	SEP 3,88	700	700	1	22807.0	58876	2	1	
SEP 5,88	SEP 4,88	700	700	1	23334.0	58877	2	1	
SEP 6,88	SEP 5,88	700	700	1	22595.0	58878	2	1	
SEP 7,88	SEP 6,88	700	700	1	23463.0	58880	2	1	
SEP 8,88	SEP 7,88	700	700	1	23140.0	58881	2	1	
SEP 9,88	SEP 8,88	700	700	1	33163.0	58882	2	1	
SEP 10,88	SEP 9,88	700	700	1	23048.0	58883	2	1	
SEP 11,88	SEP 10,88	700	700	1	23593.0	58884	2	1	
SEP 12,88	SEP 11,88	700	700	1	2365.0	58885	2	1	
SEP 13,88	SEP 12,88	700	700	1	9.0	58886	2	1	
SEP 14,88	SEP 13,88	900	700	1	20286.0	58888	2	1	
SEP 15,88	SEP 14,88	700	700	1	24082.0	58889	2	1	
SEP 16,88	SEP 15,88	700	700	1	23103.0	58890	2	1	
SEP 17,88	SEP 16,88	700	700	1	21163.0	58891	2	1	
SEP 18,88	SEP 17,88	700	700	1	22087.0	58892	2	1	
SEP 19,88	SEP 18,88	700	700	1	22031.0	58893	2	1	
SEP 20,88	SEP 19,88	700	700	1	22290.0	58894	2	1	
SEP 21,88	SEP 20,88	700	700	1	23833.0	58896	2	1	
SEP 22,88	SEP 21,88	700	700	1	23085.0	58897	2	1	
SEP 23,88	SEP 22,88	700	700	1	23121.0	58898	2	1	
SEP 24,88	SEP 23,88	700	700	1	23703.0	58899	2	1	
SEP 25,88	SEP 24,88	700	700	1	23038.0	58900	2	1	
SEP 26,88	SEP 25,88	700	700	1	23740.0	58901	2	1	

B
B
B
F
F

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
AUG 18,88	AUG 17,88	0.48		0.69	<T	0.01	<T	0.009	<W	0.00	<T	0.17		0.01
AUG 19,88	AUG 18,88	0.27	<T	0.18	<W	0.00	<T	0.005	<W	0.00	<T	0.05	<W	0.00
AUG 20,88	AUG 19,88	0.32	<W	0.00	<W	0.00	<T	0.009	<W	0.00	<T	0.09	<W	0.00
AUG 21,88	AUG 20,88	0.29		0.43	<T	0.03	<T	0.009	<W	0.00	<T	0.08		0.03
AUG 22,88	AUG 21,88	0.79		0.74	<T	0.02		0.052	<W	0.00		0.31		0.02
AUG 23,88	AUG 22,88	0.68		1.72		0.07		0.254	<W	0.00		0.23		0.07
AUG 24,88	AUG 23,88	0.00		1.34		0.02	<T	0.013	<W	0.00	<T	0.00		0.02
AUG 25,88	AUG 24,88	0.51		1.13	<W	0.00		0.142	<W	0.00		0.13	<W	0.00
AUG 26,88	AUG 25,88	0.50		0.45	<T	0.00	<T	0.004	<W	0.00	<T	0.12		0.00
AUG 27,88	AUG 26,88	0.65		0.60	<T	0.00	<T	0.005	<W	0.00		0.35		0.00
AUG 28,88	AUG 27,88	0.43	<T	0.15	<T	0.00	<T	0.004	<W	0.00	<T	0.16		0.00
AUG 29,88	AUG 28,88	0.40	<T	0.21	<T	0.00	<T	0.004	<W	0.00	<W	0.00		0.00
AUG 30,88	AUG 29,88	0.15		0.24	<T	0.00	<T	0.004	<W	0.00	<T	0.13		0.00
AUG 31,88	AUG 30,88	0.27		0.45		0.01	<W	0.000	<W	0.00		0.41		0.01
SEP 1,88	AUG 31,88	1.59		3.95		0.13		0.602		0.11		0.39		0.24
SEP 2,88	SEP 1,88	0.52		3.22		0.16		0.646	<W	0.00		0.33		0.16
SEP 3,88	SEP 2,88	0.27		0.82		0.05	<W	0.000		0.05		0.13		0.09
SEP 4,88	SEP 3,88	0.12		1.67	<T	0.01		0.316		0.04	<T	0.05		0.06
SEP 5,88	SEP 4,88	0.18		0.63	<T	0.01	<W	0.000	<W	0.00	<T	0.05		0.01
SEP 6,88	SEP 5,88	0.26	<T	0.18	<W	0.00	<T	0.004	<W	0.00	<T	0.08	<W	0.00
SEP 7,88	SEP 6,88	0.08		0.86		0.06		0.209	<T	0.02		0.13		0.08
SEP 8,88	SEP 7,88	1.97		2.35		0.10		0.472		0.14		0.29		0.23
SEP 9,88	SEP 8,88	0.16		1.28	<W	0.00		0.156		0.06		0.14		0.06
SEP 10,88	SEP 9,88	3.72		4.57	<T	0.03		1.137		0.10		0.03		0.14
SEP 11,88	SEP 10,88	<W		0.31	<W	0.00		0.107	<T	0.01	<W	0.00		0.01
SEP 12,88	SEP 11,88	0.28	<T	0.55	<W	0.00		0.239	<T	0.17		0.32		0.17
SEP 13,88	SEP 12,88	U		0.00	U	0.00	U	1.675	U	0.00	U	194.88	U	0.00
SEP 14,88	SEP 13,88	0.48		0.74		0.05		0.145	<T	0.01		0.20		0.06
SEP 15,88	SEP 14,88	<W		0.08	<W	0.00		0.037	<W	0.00	<T	0.13	<W	0.00
SEP 16,88	SEP 15,88	0.99		0.74	<T	0.01		0.199	<W	0.00		0.57		0.01
SEP 17,88	SEP 16,88	0.70		2.69		0.06		0.761	<W	0.00		0.48		0.06
SEP 18,88	SEP 17,88	<W		1.68		0.09		0.471		0.05	<T	0.10		0.14
SEP 19,88	SEP 18,88	<T		2.31		0.07		0.622	<T	0.04		0.55		0.11
SEP 20,88	SEP 19,88	0.53	<T	0.09	<W	0.00		0.036	<W	0.00	<T	0.05	<W	0.00
SEP 21,88	SEP 20,88	0.07	<T	0.21	<W	0.00		0.036	<W	0.00	<T	0.10	<W	0.00
SEP 22,88	SEP 21,88	<W		0.30	<W	0.00		0.066	<W	0.00		0.23	<W	0.00
SEP 23,88	SEP 22,88	0.16		1.21	<W	0.00		0.295	<T	0.02		0.23		0.02
SEP 24,88	SEP 23,88	0.30		1.01	<W	0.00		0.115	<T	0.03		0.18		0.03
SEP 25,88	SEP 24,88	0.61		1.52		0.05		0.189		0.11		0.32		0.16
SEP 26,88	SEP 25,88	<W		0.51	<W	0.00		0.127	<W	0.00		0.18	<W	0.00

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
SEP 27,88	SEP 26,88	700	700	1	22521.0	58902	2	1	
SEP 28,88	SEP 27,88	700	700	1	22576.0	58904	2	1	
SEP 29,88	SEP 28,88	700	700	1	22493.0	58905	2	1	
SEP 30,88	SEP 29,88	700	700	1	22133.0	58906	2	1	
OCT 1,88	SEP 30,88	700	700	1	21847.0	58907	2	1	
OCT 2,88	OCT 1,88	700	700	1	22503.0	58908	2	1	
OCT 3,88	OCT 2,88	700	700	1	23029.0	58909	2	1	
OCT 4,88	OCT 3,88	700	700	1	23066.0	58910	2	1	
OCT 5,88	OCT 4,88	700	700	1	23491.0	58912	2	1	
OCT 6,88	OCT 5,88	700	700	1	23094.0	58913	2	1	
OCT 7,88	OCT 6,88	700	700	1	22770.0	58914	2	1	
OCT 8,88	OCT 7,88	700	700	1	22346.0	58915	2	1	
OCT 9,88	OCT 8,88	700	700	1	23075.0	58916	2	1	
OCT 10,88	OCT 9,88	700	700	1	22900.0	58917	2	1	
OCT 11,88	OCT 10,88	700	700	1	23408.0	58918	2	1	
OCT 12,88	OCT 11,88	700	700	1	27315.0	58920	2	1	
OCT 13,88	OCT 12,88	700	700	1	25117.0	58921	2	1	
OCT 14,88	OCT 13,88	700	700	1	24405.0	58922	2	1	
OCT 15,88	OCT 14,88	700	700	1	22632.0	58923	2	1	
OCT 16,88	OCT 15,88	700	700	1	22595.0	58924	2	1	
OCT 17,88	OCT 16,88	700	700	1	23602.0	58925	2	1	
OCT 18,88	OCT 17,88	700	700	1	24563.0	58926	2	1	
OCT 20,88	OCT 19,88	700	700	1	28036.0	58928	2	1	Q
OCT 21,88	OCT 20,88	700	700	1	24673.0	58929	2	1	
OCT 22,88	OCT 21,88	700	700	1	26031.0	58930	2	1	
OCT 23,88	OCT 22,88	700	700	1	24840.0	58931	2	1	
OCT 24,88	OCT 23,88	700	700	1	24590.0	58932	2	1	
OCT 25,88	OCT 24,88	700	700	1	54439.0	58933	2	1	
OCT 25,88	OCT 25,88	700	700	1	1561.0	58934	2	1	Q F Z
OCT 26,88	OCT 25,88	700	700	1	23962.0	58936	2	1	
OCT 27,88	OCT 26,88	700	700	1	25218.0	58937	2	1	
OCT 28,88	OCT 27,88	700	700	1	24849.0	58938	2	1	
OCT 29,88	OCT 28,88	700	700	1	25837.0	58939	2	1	
OCT 30,88	OCT 29,88	700	700	1	25810.0	58940	2	1	
OCT 31,88	OCT 30,88	700	700	1	25006.0	58941	2	1	
NOV 1,88	OCT 31,88	700	700	1	24729.0	58942	2	1	
NOV 2,88	NOV 1,88	700	700	1	25634.0	58944	2	1	
NOV 3,88	NOV 2,88	700	700	1	23860.0	58945	2	1	
NOV 4,88	NOV 3,88	700	700	1	23981.0	58946	2	1	
NOV 5,88	NOV 4,88	700	700	1	23630.0	58947	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3		NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 27,88	SEP 26,88	0.13	1.64	<W	0.00	0.427	<T	0.02		0.19	0.02
SEP 28,88	SEP 27,88	0.06	0.27	<W	0.00	0.058	<W	0.00	<T	0.09	<W 0.00
SEP 29,88	SEP 28,88	0.07	0.76	<W	0.00	0.183	<W	0.00	<T	0.09	<W 0.00
SEP 30,88	SEP 29,88	0.32	3.66		0.05	0.603	<W	0.00		0.41	0.05
OCT 1,88	SEP 30,88	0.43	3.89		0.08	1.005	<T	0.02		0.37	0.10
OCT 2,88	OCT 1,88	0.18	0.71	<W	0.00	0.171	<T	0.02		0.27	0.02
OCT 3,88	OCT 2,88	0.18	0.30	<W	0.00	0.074	<W	0.00		0.26	<W 0.00
OCT 4,88	OCT 3,88	0.21	0.13	<W	0.00	0.033	<W	0.00		0.30	<W 0.00
OCT 5,88	OCT 4,88	0.00	0.43	<W	0.00	0.094	<W	0.00	<T	0.00	<W 0.00
OCT 6,88	OCT 5,88	0.06	0.61	<T	0.00	0.145	<W	0.00		0.07	0.00
OCT 7,88	OCT 6,88	0.80	0.75		0.09	0.097		0.11	<T	0.00	0.20
OCT 8,88	OCT 7,88	0.56	1.52		0.07	0.246		0.08	<T	0.03	0.15
OCT 9,88	OCT 8,88	0.73	2.04		0.07	0.523		0.19		0.12	0.26
OCT 10,88	OCT 9,88	1.25	1.31		0.07	0.361		0.05	<T	0.03	0.12
OCT 11,88	OCT 10,88	0.01	0.30	<W	0.00	0.075	<W	0.00	<T	0.00	<W 0.00
OCT 12,88	OCT 11,88	<W 0.00	0.22	<W	0.00	0.062	<T	0.01	<T	0.00	0.01
OCT 13,88	OCT 12,88	<T 0.16	0.36	<T	0.00	0.082	<T	0.02	<T	0.06	<T 0.03
OCT 14,88	OCT 13,88	UG 4.32	1.52		0.17	0.310		0.36		0.15	0.54
OCT 15,88	OCT 14,88	3.26	2.47		0.17	0.462		0.62		0.11	0.79
OCT 16,88	OCT 15,88	2.19	4.38		0.18	0.790		0.65		0.42	0.83
OCT 17,88	OCT 16,88	<T 0.13	1.44		0.04	0.405	<W	0.00		0.07	0.04
OCT 18,88	OCT 17,88	<T 0.23	0.81		0.03	0.216	<W	0.00		0.23	0.03
OCT 20,88	OCT 19,88	0.49	0.43		0.06	0.125	<W	0.00		0.47	0.06
OCT 21,88	OCT 20,88	<T 0.39	0.85		0.08	0.243		0.08		0.34	0.16
OCT 22,88	OCT 21,88	<W 0.14	0.61	<T	0.02	0.156	<W	0.00		0.20	0.02
OCT 23,88	OCT 22,88	0.29	0.48	<T	0.02	0.127	<W	0.00		0.13	0.02
OCT 24,88	OCT 23,88	<W 0.09	0.08	<T	0.01	0.031	<W	0.00		0.13	0.01
OCT 25,88	OCT 24,88	<W 0.00	0.11	<W	0.00	0.034	<W	0.00	<T	0.01	<W 0.00
OCT 25,88	OCT 25,88	P 1.92	0.64	P	0.13	0.032	P	0.13	P	1.92	P 0.26
OCT 26,88	OCT 25,88	<W 0.01	0.67	<T	0.03	0.184	<W	0.00	<T	0.01	0.03
OCT 27,88	OCT 26,88	<T 0.44	2.86		0.06	0.851	<W	0.00		0.49	0.06
OCT 28,88	OCT 27,88	<T 0.29	1.09		0.10	0.320		0.06		0.25	0.16
OCT 29,88	OCT 28,88	<T 0.14	1.20		0.05	0.349	<T	0.01	<T	0.09	0.05
OCT 30,88	OCT 29,88	<W 0.19	1.01		0.08	0.306	<T	0.02		0.28	0.09
OCT 31,88	OCT 30,88	1.98	0.56		0.18	0.178		0.14		0.33	0.32
NOV 1,88	OCT 31,88	0.88	1.09		0.09	0.324		0.19		0.66	0.27
NOV 2,88	NOV 1,88	<W 0.01	1.48		0.13	0.425		0.06		0.02	0.19
NOV 3,88	NOV 2,88	1.48	2.31		0.16	0.673		0.06		0.77	0.22
NOV 4,88	NOV 3,88	3.33	UG 4.55		0.26	UG 1.883		1.18		0.56	1.44
NOV 5,88	NOV 4,88	<W 0.04	0.38	<W	0.00	0.074	<T	0.02	<T	0.06	0.02

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 6,88	NOV 5,88	700	700	1	26087.0	58948	2	1	
NOV 7,88	NOV 6,88	700	700	1	25200.0	58949	2	1	
NOV 8,88	NOV 7,88	700	700	1	23713.0	58950	2	1	
NOV 10,88	NOV 9,88	700	700	1	26133.0	58952	2	1	
NOV 11,88	NOV 10,88	700	700	1	25126.0	58953	2	1	
NOV 12,88	NOV 11,88	700	700	1	24304.0	58954	2	1	
NOV 13,88	NOV 12,88	700	700	1	23038.0	58955	2	1	
NOV 14,88	NOV 13,88	700	700	1	24766.0	58956	2	1	
NOV 15,88	NOV 14,88	700	700	1	23362.0	58957	2	1	
NOV 15,88	NOV 15,88	700	820	1	1977.0	58958	2	1	E
NOV 16,88	NOV 15,88	845	700	1	22170.0	58960	2	1	QA Z
NOV 17,88	NOV 16,88	700	700	1	24489.0	58961	2	1	
NOV 18,88	NOV 17,88	700	700	1	24535.0	58962	2	1	
NOV 19,88	NOV 18,88	700	700	1	23546.0	58963	2	1	
NOV 20,88	NOV 19,88	700	700	1	24424.0	58964	2	1	
NOV 21,88	NOV 20,88	700	700	1	22863.0	58965	2	1	
NOV 22,88	NOV 21,88	700	700	1	23787.0	58966	2	1	
NOV 23,88	NOV 22,88	700	700	1	23953.0	58968	2	1	
NOV 24,88	NOV 23,88	700	700	1	22854.0	58969	2	1	
NOV 25,88	NOV 24,88	700	700	1	23703.0	58970	2	1	
NOV 26,88	NOV 25,88	700	700	1	20877.0	58971	2	1	
NOV 27,88	NOV 26,88	700	700	1	23214.0	58972	2	1	
NOV 28,88	NOV 27,88	700	700	1	24128.0	58973	2	1	
NOV 29,88	NOV 28,88	700	700	1	23944.0	58974	2	1	
NOV 30,88	NOV 29,88	700	700	1	24147.0	58976	2	1	
DEC 1,88	NOV 30,88	700	700	1	23352.0	58977	2	1	
DEC 2,88	DEC 1,88	700	700	1	23214.0	58978	2	1	
DEC 3,88	DEC 2,88	700	700	1	20655.0	58979	2	1	
DEC 4,88	DEC 3,88	700	700	1	23944.0	58980	2	1	
DEC 5,88	DEC 4,88	700	700	1	23482.0	58981	2	1	
DEC 6,88	DEC 5,88	700	700	1	23075.0	58982	2	1	
DEC 7,88	DEC 6,88	700	700	1	23676.0	58984	2	1	
DEC 8,88	DEC 7,88	700	700	1	23953.0	58985	2	1	
DEC 9,88	DEC 8,88	700	700	1	24147.0	58986	2	1	
DEC 10,88	DEC 9,88	700	700	1	23657.0	58987	2	1	
DEC 11,88	DEC 10,88	700	700	1	24626.0	58988	2	1	
DEC 12,88	DEC 11,88	700	700	1	26077.0	58989	2	1	
DEC 13,88	DEC 12,88	700	700	1	23057.0	58990	2	1	
DEC 14,88	DEC 13,88	700	700	1	23426.0	58992	2	1	
DEC 15,88	DEC 14,88	700	700	1	24267.0	58993	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 16

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 6,88	NOV 5,88	<T	0.13	1.61	0.17	0.428	0.05	<T	0.22
NOV 7,88	NOV 6,88	<W	0.12	0.44	<T	0.086	0.02	<T	0.02
NOV 8,88	NOV 7,88	<T	0.27	0.59	0.10	0.139	0.06		0.15
NOV 10,88	NOV 9,88		0.29	0.61	0.11	0.146	0.02		0.13
NOV 11,88	NOV 10,88	<W	0.00	1.23	<T	0.227	0.00	<T	0.03
NOV 12,88	NOV 11,88		0.74	2.02	0.12	0.706	0.18		0.30
NOV 13,88	NOV 12,88		1.58	1.52	0.20	0.489	0.06		0.26
NOV 14,88	NOV 13,88		0.36	2.18	0.13	0.745	0.15	<T	0.28
NOV 15,88	NOV 14,88	<W	0.00	<T	0.05	0.563	0.00	<W	0.05
NOV 15,88	NOV 15,88	1P	0.00	1P	0.20	1P	0.405	1P	0.20
NOV 16,88	NOV 15,88	1P	0.78	1P	0.08	1P	0.058	1P	0.08
NOV 17,88	NOV 16,88	<W	0.20	<T	0.04	0.013	<W	0.00	0.04
NOV 18,88	NOV 17,88	<W	0.00	0.38	0.05	0.111	<W	0.00	0.05
NOV 19,88	NOV 18,88	<W	0.87	0.65	0.10	0.150	<W	0.00	0.10
NOV 20,88	NOV 19,88	<W	0.83	0.67	0.13	0.157	<W	0.00	0.13
NOV 21,88	NOV 20,88	<W	0.00	0.27	0.05	0.097	<W	0.00	0.05
NOV 22,88	NOV 21,88	<W	0.06	0.76	0.05	0.247	<T	0.04	0.09
NOV 23,88	NOV 22,88	<W	0.58	4.07	0.15	UG	1.688	0.59	0.74
NOV 24,88	NOV 23,88		3.50	4.19	0.28	UG	2.132	1.07	1.35
NOV 25,88	NOV 24,88		3.42	4.12	0.27	UG	2.161	1.17	1.44
NOV 26,88	NOV 25,88	<W	0.60	1.01	0.18		0.394	0.14	0.32
NOV 27,88	NOV 26,88	<W	0.15	0.52	0.05		0.154	<W	0.05
NOV 28,88	NOV 27,88	<W	0.30	0.71	0.06		0.138	<T	0.08
NOV 29,88	NOV 28,88		0.72	1.05	0.10		0.183		0.15
NOV 30,88	NOV 29,88		1.91	2.02	0.15		0.825	0.50	0.65
DEC 1,88	NOV 30,88		1.46	1.46	0.07		0.273	<T	0.07
DEC 2,88	DEC 1,88		2.69	1.55	0.12		0.639		0.44
DEC 3,88	DEC 2,88		1.75	0.97	0.13		0.418	UG	0.41
DEC 4,88	DEC 3,88	<T	0.28	0.67	0.04		0.166	<T	0.04
DEC 5,88	DEC 4,88	<T	0.59	1.45	0.05		0.593	0.23	0.29
DEC 6,88	DEC 5,88		2.66	0.74	0.16		0.354	0.20	0.37
DEC 7,88	DEC 6,88		0.59	0.68	0.05		0.174	0.01	0.06
DEC 8,88	DEC 7,88	<T	0.13	0.42	<T	0.03	0.097	<T	0.04
DEC 9,88	DEC 8,88		0.30	1.04	<T	0.03	0.179	<T	0.05
DEC 10,88	DEC 9,88		1.27	1.53	<T	0.04	0.350		0.12
DEC 11,88	DEC 10,88		1.57	1.75	<T	0.03	0.214	0.03	0.07
DEC 12,88	DEC 11,88		2.84	0.70	<T	0.03	0.175	<T	0.07
DEC 13,88	DEC 12,88		0.91	2.04	0.08		0.970	0.04	0.52
DEC 14,88	DEC 13,88	<T	0.09	0.73	<T	0.04	0.199	<T	0.04
DEC 15,88	DEC 14,88		0.08	1.20	<T	0.01	0.095	<T	0.02

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 16,88	DEC 15,88	700	700	1	24738.0	58994	2	1	
DEC 17,88	DEC 16,88	700	700	1	23445.0	58995	2	1	
DEC 18,88	DEC 17,88	700	700	1	23454.0	58996	2	1	
DEC 19,88	DEC 18,88	700	700	1	22946.0	58997	2	1	
DEC 20,88	DEC 19,88	700	700	1	22761.0	58998	2	1	
DEC 21,88	DEC 20,88	700	700	1	33676.0	59000	2	1	
DEC 22,88	DEC 21,88	700	700	1	23297.0	86501	2	1	
DEC 23,88	DEC 22,88	700	700	1	23454.0	86502	2	1	
DEC 24,88	DEC 23,88	700	700	1	22456.0	86503	2	1	
DEC 25,88	DEC 24,88	700	700	1	24045.0	86504	2	1	
DEC 26,88	DEC 25,88	700	700	1	23916.0	86505	2	1	
DEC 27,88	DEC 26,88	700	700	1	23445.0	86506	2	1	
DEC 28,88	DEC 27,88	700	700	1	23048.0	86508	2	1	
DEC 29,88	DEC 28,88	700	700	1	23722.0	86509	2	1	
DEC 30,88	DEC 29,88	700	700	1	23528.0	86510	2	1	
DEC 31,88	DEC 30,88	700	700	1	23131.0	86511	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : FERNBERG/DAILY/AIR

#16

PAGE : 18

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
DEC 16,88	DEC 15,88	2.26	1.05	0.05	0.207	0.03	0.24	0.08
DEC 17,88	DEC 16,88	0.68	1.15	<T 0.04	0.357	0.11	0.51	0.15
DEC 18,88	DEC 17,88	0.69	0.55	<T 0.03	0.056	0.00	0.34	0.03
DEC 19,88	DEC 18,88	0.26	1.53	0.09	0.637	0.23	0.39	0.32
DEC 20,88	DEC 19,88	0.15	1.63	0.14	0.409	0.01	0.22	0.15
DEC 21,88	DEC 20,88	<T 0.36	1.39	0.08	0.173	<W 0.00	0.54	0.08
DEC 22,88	DEC 21,88	1.03	1.55	0.18	0.426	0.06	0.93	0.24
DEC 23,88	DEC 22,88	4.12	1.53	0.20	0.492	0.07	1.51	0.27
DEC 24,88	DEC 23,88	1.38	1.51	0.20	0.460	0.06	0.94	0.26
DEC 25,88	DEC 24,88	1.36	1.33	0.07	0.207	0.06	0.88	0.13
DEC 26,88	DEC 25,88	<T 0.99	1.11	0.07	0.143	0.09	1.28	0.16
DEC 27,88	DEC 26,88	<W 0.65	0.85	0.07	0.101	<W 0.00	0.97	0.07
DEC 28,88	DEC 27,88	P 0.85	P 0.98	P 0.10	P 0.226	P 0.01	P 0.84	P 0.11
DEC 29,88	DEC 28,88	P 2.82	P 0.89	P 0.08	P 0.221	P 0.01	P 0.88	P 0.08
DEC 30,88	DEC 29,88	P 2.38	P 1.40	P 0.19	P 0.446	P 0.17	P 0.28	P 0.36
DEC 31,88	DEC 30,88	P 1.88	P 1.99	P 0.30	P 0.830	P 0.38	P 0.31	P 0.67

PART VI

SOUTHEASTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JAN 1,88	DEC 31,88	800	800	1	23258.0	68196	2	1	
JAN 2,88	JAN 1,88	800	800	1	24951.0	68197	2	1	
JAN 3,88	JAN 2,88	800	800	1	23137.0	68195	2	1	
JAN 4,88	JAN 3,88	800	800	1	22875.0	68198	2	1	
JAN 5,88	JAN 4,88	800	800	1	23641.0	68194	2	1	
JAN 6,88	JAN 5,88	800	800	1	22613.0	57174	2	1	
JAN 7,88	JAN 6,88	800	800	1	24689.0	57175	2	1	
JAN 8,88	JAN 7,88	800	800	1	23489.0	57176	2	1	
JAN 9,88	JAN 8,88	800	800	1	21686.0	57177	2	1	
JAN 10,88	JAN 9,88	800	800	1	23096.0	57178	2	1	
JAN 11,88	JAN 10,88	800	800	1	22250.0	57179	2	1	
JAN 12,88	JAN 11,88	800	800	1	22502.0	57180	2	1	
JAN 13,88	JAN 12,88	800	800	1	23268.0	57181	2	1	
JAN 27,88	JAN 26,88	800	800	1	19801.0	94400	2	1	
JAN 28,88	JAN 27,88	800	800	1	22351.0	94401	2	1	E
JAN 29,88	JAN 28,88	800	800	1	21978.0	94397	2	1	
JAN 30,88	JAN 29,88	800	800	1	24134.0	94395	2	1	
JAN 31,88	JAN 30,88	800	800	1	21776.0	94396	2	1	
FEB 1,88	JAN 31,88	800	800	1	20557.0	94394	2	1	FQ
MAR 9,88	MAR 8,88	1030	800	1	19330.0	94402	2	1	
MAR 10,88	MAR 9,88	800	800	1	21330.0	94403	2	1	
MAR 11,88	MAR 10,88	800	800	1	23030.0	94404	2	1	
MAR 12,88	MAR 11,88	800	800	1	24630.0	94405	2	1	
MAR 13,88	MAR 12,88	800	800	1	23380.0	94406	2	1	
MAR 14,88	MAR 13,88	800	800	1	20870.0	94407	2	1	
MAR 15,88	MAR 14,88	800	800	1	23240.0	94408	2	1	
MAR 16,88	MAR 15,88	800	800	1	22490.0	94410	2	1	
MAR 17,88	MAR 16,88	800	800	1	23830.0	94411	2	1	
MAR 18,88	MAR 17,88	800	800	1	24120.0	94412	2	1	
MAR 19,88	MAR 18,88	800	800	1	26140.0	94413	2	1	
MAR 20,88	MAR 19,88	800	800	1	25010.0	94414	2	1	
MAR 21,88	MAR 20,88	800	800	1	23680.0	94415	2	1	
MAR 22,88	MAR 21,88	800	800	1	24390.0	94416	2	1	
MAR 23,88	MAR 22,88	800	800	1	22922.0	94418	2	1	
MAR 24,88	MAR 23,88	800	800	1	22880.0	94419	2	1	
MAR 25,88	MAR 24,88	800	800	1	22530.0	94420	2	1	
MAR 26,88	MAR 25,88	800	800	1	22630.0	94421	2	1	
MAR 27,88	MAR 26,88	800	800	1	21980.0	94422	2	1	
MAR 28,88	MAR 27,88	800	800	1	21920.0	94423	2	1	
MAR 29,88	MAR 28,88	800	800	1	22490.0	94424	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 1,88	DEC 31,87	10.66	2.05	0.43	0.473	0.29	0.44	0.72
JAN 2,88	JAN 1,88	1.44	2.25	0.19	0.633	0.22	0.21	0.41
JAN 3,88	JAN 2,88	5.59	1.97	0.37	0.704	0.55	0.27	0.92
JAN 4,88	JAN 3,88	20.99	1.89	0.57	0.481	0.36	0.20	0.93
JAN 5,88	JAN 4,88	12.69	3.54	0.48	1.015	<T 0.03	0.18	0.51
JAN 6,88	JAN 5,88	2.50	0.84	0.00	0.117	0.16	0.00	0.16
JAN 7,88	JAN 6,88	2.20	1.51	0.00	0.057	<T 0.01	0.00	0.01
JAN 8,88	JAN 7,88	2.41	1.30	0.14	0.113	0.33	0.00	0.47
JAN 9,88	JAN 8,88	7.41	4.29	0.66	1.102	0.36	0.25	1.02
JAN 10,88	JAN 9,88	4.58	3.27	0.86	0.615	0.13	0.12	0.99
JAN 11,88	JAN 10,88	8.22	2.97	0.47	0.558	0.23	0.20	0.70
JAN 12,88	JAN 11,88	UG 82.60	9.07	1.17	1.764	0.10	0.45	1.27
JAN 13,88	JAN 12,88	UG 32.44	6.66	1.11	1.255	0.15	0.12	1.26
JAN 27,88	JAN 26,88	P 6.93	P 2.09	P 0.19	P 0.530	P 0.06	P 1.00	P 0.25
JAN 28,88	JAN 27,88	P 11.47	P 1.77	P 0.34	P 0.369	P 0.21	P 0.96	P 0.55
JAN 29,88	JAN 28,88	P 25.05	P 5.51	P 1.57	P 1.183	P 0.14	P 0.92	P 1.71
JAN 30,88	JAN 29,88	P 19.59	P 4.97	P 1.15	P 1.139	P 0.22	P 0.79	P 1.37
JAN 31,88	JAN 30,88	P 12.84	P 4.87	P 0.86	P 1.033	P 0.10	P 0.94	P 0.97
FEB 1,88	JAN 31,88	P 3.98	P 2.94	P 0.39	P 0.793	P 0.04	P 1.13	P 0.43
MAR 9,88	MAR 8,88	1P 7.68	1P 2.99	1P 0.40	1P 1.061	1P 0.55	1P 0.07	1P 0.94
MAR 10,88	MAR 9,88	7.28	5.67	0.50	2.086	0.56	0.40	1.06
MAR 11,88	MAR 10,88	1.36	1.55	0.04	0.478	0.08	0.53	0.12
MAR 12,88	MAR 11,88	6.96	1.36	0.04	0.020	0.06	0.17	0.10
MAR 13,88	MAR 12,88	4.41	1.55	0.16	0.289	0.25	0.30	0.41
MAR 14,88	MAR 13,88	5.81	4.29	0.86	1.078	0.14	0.41	1.00
MAR 15,88	MAR 14,88	12.25	3.51	0.28	1.011	0.08	0.39	0.36
MAR 16,88	MAR 15,88	7.00	0.00	0.14	0.000	0.00	0.00	0.14
MAR 17,88	MAR 16,88	2.14	0.00	0.05	0.000	0.00	0.15	0.05
MAR 18,88	MAR 17,88	7.06	0.00	0.14	0.000	0.00	0.25	0.14
MAR 19,88	MAR 18,88	11.69	0.00	0.84	0.000	0.00	0.20	0.84
MAR 20,88	MAR 19,88	1.48	0.00	0.11	0.000	0.00	0.23	0.11
MAR 21,88	MAR 20,88	1.11	0.00	0.05	0.000	0.00	0.12	0.05
MAR 22,88	MAR 21,88	2.86	0.00	0.07	0.000	0.00	0.19	0.07
MAR 23,88	MAR 22,88	0.25	0.00	0.18	0.000	0.00	0.38	0.18
MAR 24,88	MAR 23,88	11.85	6.09	0.79	*****	UG 13.66	0.00	14.45
MAR 25,88	MAR 24,88	10.49	9.16	0.71	2.388	0.65	0.00	1.36
MAR 26,88	MAR 25,88	0.78	6.33	0.68	1.759	0.22	0.25	0.90
MAR 27,88	MAR 26,88	0.28	2.01	0.35	1.843	0.16	0.43	0.52
MAR 28,88	MAR 27,88	0.21	2.07	0.13	0.584	0.08	0.31	0.21
MAR 29,88	MAR 28,88	0.12	2.56	0.20	0.769	0.24	0.18	0.44

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
MAR 30,88	MAR 29,88	800	800	1	22230.0	94426	2	1		
MAR 31,88	MAR 30,88	800	800	1	22950.0	94427	2	1		
APR 1,88	MAR 31,88	800	800	1	23720.0	94428	2	1		
APR 2,88	APR 1,88	800	800	1	23100.0	94429	2	1		
APR 3,88	APR 2,88	800	800	1	23810.0	94430	2	1		
APR 4,88	APR 3,88	800	800	1	21020.0	94431	2	1		
APR 5,88	APR 4,88	800	800	1	21950.0	94432	2	1		
APR 6,88	APR 5,88	800	800	1	20560.0	94457	2	1		
APR 7,88	APR 6,88	800	800	1	23460.0	94458	2	1		
APR 8,88	APR 7,88	800	800	1	22080.0	94459	2	1		
APR 9,88	APR 8,88	800	800	1	22700.0	94460	2	1		
APR 10,88	APR 9,88	800	800	1	23990.0	94461	2	1		
APR 11,88	APR 10,88	800	800	1	22470.0	94462	2	1		
APR 12,88	APR 11,88	800	800	1	23310.0	94463	2	1		
APR 13,88	APR 12,88	800	800	1	24250.0	94465	2	1		
APR 14,88	APR 13,88	800	800	1	*****	94466	2	1	Q	
APR 15,88	APR 14,88	1320	800	1	16677.0	94467	2	1	Q	
APR 16,88	APR 15,88	800	800	1	23328.0	94468	2	1		
APR 17,88	APR 16,88	800	800	1	24064.0	94469	2	1		
APR 18,88	APR 17,88	800	800	1	22431.0	94470	2	1		
APR 19,88	APR 18,88	800	800	1	24457.0	94471	2	1		
APR 20,88	APR 19,88	800	800	1	40197.0	94473	2	1	Q	
APR 21,88	APR 20,88	800	800	1	23268.0	94474	2	1		
APR 22,88	APR 21,88	800	800	1	22069.0	94475	2	1		
APR 23,88	APR 22,88	800	800	1	22683.0	94476	2	1		
APR 24,88	APR 23,88	800	800	1	23207.0	94477	2	1		
APR 25,88	APR 24,88	800	800	1	22653.0	94478	2	1		
APR 26,88	APR 25,88	800	800	1	7074.0	94479	2	1	QA	F
APR 27,88	APR 26,88	800	800	1	14209.0	94481	2	1	QA	F
APR 28,88	APR 27,88	800	800	1	22179.0	94482	2	1		
APR 29,88	APR 28,88	800	800	1	20184.0	94483	2	1		
APR 30,88	APR 29,88	800	800	1	21746.0	94484	2	1		
MAY 1,88	APR 30,88	800	800	1	21071.0	94485	2	1		
MAY 2,88	MAY 1,88	800	800	1	21474.0	94486	2	1		
MAY 3,88	MAY 2,88	800	800	1	23107.0	94487	2	1		
MAY 4,88	MAY 3,88	800	800	1	21716.0	94489	2	1		
MAY 5,88	MAY 4,88	800	800	1	22522.0	94490	2	1		
MAY 6,88	MAY 5,88	800	800	1	22088.0	94491	2	1		
MAY 7,88	MAY 6,88	800	800	1	24850.0	94492	2	1		
MAY 8,88	MAY 7,88	800	800	1	23367.0	94493	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 30,88	MAR 29,88	6.82	0.21	0.90	0.540	0.65	UG 4.98	1.56
MAR 31,88	MAR 30,88	3.57	3.35	0.26	0.763	0.20	0.00	0.46
APR 1,88	MAR 31,88	0.82	2.35	0.14	0.645	0.32	0.22	0.46
APR 2,88	APR 1,88	5.40	4.13	0.42	1.918	UG 11.66	0.12	12.07
APR 3,88	APR 2,88	3.77	5.80	0.79	1.827	0.44	0.11	1.23
APR 4,88	APR 3,88	3.37	UG 11.13	0.61	3.092	0.27	0.33	0.88
APR 5,88	APR 4,88	4.44	5.10	0.97	1.882	1.04	0.45	2.01
APR 6,88	APR 5,88	1.09	4.57	0.44	0.861	0.08	0.03	0.52
APR 7,88	APR 6,88	1.59	4.42	0.47	0.900	0.14	0.21	0.62
APR 8,88	APR 7,88	<W 0.13	2.14	0.30	0.198	0.12	0.20	0.41
APR 9,88	APR 8,88	<W 0.17	0.71	0.19	0.097	0.03	0.26	0.22
APR 10,88	APR 9,88	<W 0.27	1.35	0.31	0.215	0.04	0.40	0.35
APR 11,88	APR 10,88	<W 0.32	1.98	0.33	0.403	0.11	0.48	0.44
APR 12,88	APR 11,88	1.00	2.21	0.22	0.511	0.49	0.28	0.71
APR 13,88	APR 12,88	0.49	2.43	0.49	0.238	0.41	0.30	0.89
APR 14,88	APR 13,88	*****	*****	*****	*****	*****	*****	*****
APR 15,88	APR 14,88	3.32	3.90	0.23	1.074	0.31	0.00	0.53
APR 16,88	APR 15,88	<W 0.12	2.24	0.11	0.511	0.04	0.18	0.15
APR 17,88	APR 16,88	3.14	3.25	0.07	0.657	0.00	0.27	0.07
APR 18,88	APR 17,88	6.37	4.96	0.41	1.668	0.89	0.19	1.30
APR 19,88	APR 18,88	<T 0.15	1.66	0.05	0.346	0.02	0.10	0.07
APR 20,88	APR 19,88	0.55	1.79	0.13	0.344	0.07	0.35	0.21
APR 21,88	APR 20,88	1.00	2.42	0.00	0.421	0.00	0.00	0.00
APR 22,88	APR 21,88	<W 0.14	0.00	0.00	0.000	0.01	0.21	0.01
APR 23,88	APR 22,88	0.62	2.29	0.64	0.622	0.14	0.19	0.77
APR 24,88	APR 23,88	0.16	0.65	0.00	0.185	0.00	0.12	0.00
APR 25,88	APR 24,88	1.43	1.05	0.22	0.292	0.10	0.25	0.32
APR 26,88	APR 25,88	<W 0.15	<T 0.00	0.00	<T 0.000	0.00	0.22	0.00
APR 27,88	APR 26,88	0.68	0.17	0.00	0.000	0.00	0.00	0.00
APR 28,88	APR 27,88	2.23	2.04	0.45	0.359	0.16	0.38	0.61
APR 29,88	APR 28,88	1.40	2.49	0.46	0.476	0.06	0.44	0.52
APR 30,88	APR 29,88	0.84	2.61	0.13	0.502	0.06	0.32	0.18
MAY 1,88	APR 30,88	0.49	2.35	0.05	0.485	0.05	0.14	0.09
MAY 2,88	MAY 1,88	1.25	0.78	0.16	0.024	0.07	0.26	0.23
MAY 3,88	MAY 2,88	1.30	3.65	0.23	0.723	0.08	0.32	0.30
MAY 4,88	MAY 3,88	0.92	2.20	0.21	0.238	0.10	0.00	0.32
MAY 5,88	MAY 4,88	1.14	2.43	0.40	0.305	0.19	0.87	0.59
MAY 6,88	MAY 5,88	2.01	6.14	0.74	1.332	0.18	1.07	0.92
MAY 7,88	MAY 6,88	1.03	3.74	0.26	0.685	0.11	0.80	0.37
MAY 8,88	MAY 7,88	1.00	1.36	0.22	0.043	0.14	0.57	0.36

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAY 9,88	MAY 8,88	800	800	1	22754.0	94494	2	1	
MAY 10,88	MAY 9,88	800	800	1	23238.0	94495	2	1	
MAY 11,88	MAY 10,88	800	800	1	*****	94497	2	1	BF
MAY 12,88	MAY 11,88	800	800	1	*****	94498	2	1	BF
MAY 13,88	MAY 12,88	800	800	1	*****	94499	2	1	BF
MAY 14,88	MAY 13,88	800	800	1	*****	94500	2	1	BF
MAY 15,88	MAY 14,88	800	800	1	*****	94501	2	1	BF
MAY 16,88	MAY 15,88	800	800	1	*****	94502	2	1	BF
MAY 17,88	MAY 16,88	800	800	1	*****	94503	2	1	BF
MAY 18,88	MAY 17,88	800	800	1	*****	94505	2	1	BF
MAY 19,88	MAY 18,88	800	800	1	*****	94506	2	1	BF
MAY 20,88	MAY 19,88	800	800	1	*****	94507	2	1	BF
MAY 21,88	MAY 20,88	800	800	1	*****	94508	2	1	BF
MAY 22,88	MAY 21,88	800	800	1	*****	94509	2	1	BF
MAY 23,88	MAY 22,88	800	800	1	*****	94510	2	1	BF
MAY 24,88	MAY 23,88	800	800	1	*****	94511	2	1	BF
MAY 25,88	MAY 24,88	800	800	1	*****	94513	2	1	BF
MAY 26,88	MAY 25,88	800	800	1	*****	94514	2	1	BF
MAY 27,88	MAY 26,88	800	800	1	*****	94515	2	1	BF
MAY 28,88	MAY 27,88	800	800	1	*****	94516	2	1	BF
MAY 29,88	MAY 28,88	800	800	1	*****	94517	2	1	BF
MAY 30,88	MAY 29,88	800	800	1	*****	94518	2	1	BF
MAY 31,88	MAY 30,88	800	800	1	*****	94519	2	1	BF
JUN 1,88	MAY 31,88	800	800	1	*****	94521	2	1	BF
JUN 2,88	JUN 1,88	800	800	1	*****	94522	2	1	BF
JUN 3,88	JUN 2,88	800	800	1	*****	94523	2	1	BF
JUN 4,88	JUN 3,88	800	800	1	*****	94524	2	1	BF
JUN 5,88	JUN 4,88	800	800	1	*****	94525	2	1	BF
JUN 6,88	JUN 5,88	800	800	1	*****	94526	2	1	BF
JUN 7,88	JUN 6,88	800	800	1	*****	94527	2	1	BF
JUN 8,88	JUN 7,88	800	800	1	*****	94529	2	1	BF
JUN 9,88	JUN 8,88	800	800	1	*****	94530	2	1	BF
JUN 10,88	JUN 9,88	800	800	1	*****	94531	2	1	BF
JUN 11,88	JUN 10,88	800	800	1	*****	94532	2	1	BF
JUN 12,88	JUN 11,88	800	800	1	*****	94533	2	1	BF
JUN 13,88	JUN 12,88	800	800	1	*****	94534	2	1	BF
JUN 14,88	JUN 13,88	800	800	1	*****	94535	2	1	B
JUN 30,88	JUN 29,88	800	800	1	22562.0	66018	2	1	
JUL 1,88	JUN 30,88	800	800	1	20305.0	66019	2	1	
JUL 2,88	JUL 1,88	800	800	1	23298.0	66020	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 9,88	MAY 8,88	5.51	4.82	0.66	0.950	0.18	0.51	0.83
MAY 10,88	MAY 9,88	4.23	5.24	0.96	0.965	0.34	1.96	1.30
MAY 11,88	MAY 10,88	*****	*****	*****	*****	*****	*****	*****
MAY 12,88	MAY 11,88	*****	*****	*****	*****	*****	*****	*****
MAY 13,88	MAY 12,88	*****	*****	*****	*****	*****	*****	*****
MAY 14,88	MAY 13,88	*****	*****	*****	*****	*****	*****	*****
MAY 15,88	MAY 14,88	*****	*****	*****	*****	*****	*****	*****
MAY 16,88	MAY 15,88	*****	*****	*****	*****	*****	*****	*****
MAY 17,88	MAY 16,88	*****	*****	*****	*****	*****	*****	*****
MAY 18,88	MAY 17,88	*****	*****	*****	*****	*****	*****	*****
MAY 19,88	MAY 18,88	*****	*****	*****	*****	*****	*****	*****
MAY 20,88	MAY 19,88	*****	*****	*****	*****	*****	*****	*****
MAY 21,88	MAY 20,88	*****	*****	*****	*****	*****	*****	*****
MAY 22,88	MAY 21,88	*****	*****	*****	*****	*****	*****	*****
MAY 23,88	MAY 22,88	*****	*****	*****	*****	*****	*****	*****
MAY 24,88	MAY 23,88	*****	*****	*****	*****	*****	*****	*****
MAY 25,88	MAY 24,88	*****	*****	*****	*****	*****	*****	*****
MAY 26,88	MAY 25,88	*****	*****	*****	*****	*****	*****	*****
MAY 27,88	MAY 26,88	*****	*****	*****	*****	*****	*****	*****
MAY 28,88	MAY 27,88	*****	*****	*****	*****	*****	*****	*****
MAY 29,88	MAY 28,88	*****	*****	*****	*****	*****	*****	*****
MAY 30,88	MAY 29,88	*****	*****	*****	*****	*****	*****	*****
MAY 31,88	MAY 30,88	*****	*****	*****	*****	*****	*****	*****
JUN 1,88	MAY 31,88	*****	*****	*****	*****	*****	*****	*****
JUN 2,88	JUN 1,88	*****	*****	*****	*****	*****	*****	*****
JUN 3,88	JUN 2,88	*****	*****	*****	*****	*****	*****	*****
JUN 4,88	JUN 3,88	*****	*****	*****	*****	*****	*****	*****
JUN 5,88	JUN 4,88	*****	*****	*****	*****	*****	*****	*****
JUN 6,88	JUN 5,88	*****	*****	*****	*****	*****	*****	*****
JUN 7,88	JUN 6,88	P 0.00	P 0.00	P 0.00	P 0.000	P 0.00	P 0.00	P 0.00
JUN 8,88	JUN 7,88	*****	*****	*****	*****	*****	*****	*****
JUN 9,88	JUN 8,88	*****	*****	*****	*****	*****	*****	*****
JUN 10,88	JUN 9,88	*****	*****	*****	*****	*****	*****	*****
JUN 11,88	JUN 10,88	*****	*****	*****	*****	*****	*****	*****
JUN 12,88	JUN 11,88	*****	*****	*****	*****	*****	*****	*****
JUN 13,88	JUN 12,88	*****	*****	*****	*****	*****	*****	*****
JUN 14,88	JUN 13,88	*****	*****	*****	*****	*****	*****	*****
JUN 30,88	JUN 29,88	0.40	0.22	0.02	<W 0.000	0.01	0.32	0.02
JUL 1,88	JUN 30,88	<W 0.84	0.25	0.32	<W 0.000	<W 0.00	1.26	0.32
JUL 2,88	JUL 1,88	<T 0.17	0.66	0.07	<W 0.000	0.01	0.22	0.08

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 3,88	JUL 2,88	800	800	1	22129.0	66021	2	1	
JUL 4,88	JUL 3,88	800	800	1	22845.0	66022	2	1	
JUL 5,88	JUL 4,88	800	800	1	23318.0	66023	2	1	
JUL 6,88	JUL 5,88	800	800	1	21273.0	66025	2	1	
JUL 7,88	JUL 6,88	800	800	1	22028.0	66026	2	1	
JUL 8,88	JUL 7,88	800	800	1	20920.0	66027	2	1	
JUL 9,88	JUL 8,88	800	800	1	22764.0	66028	2	1	
JUL 10,88	JUL 9,88	800	800	1	21686.0	66029	2	1	
JUL 11,88	JUL 10,88	800	800	1	23308.0	66030	2	1	
JUL 12,88	JUL 11,88	800	800	1	23086.0	66031	2	1	
JUL 13,88	JUL 12,88	800	800	1	*****	66033	2	1	
JUL 14,88	JUL 13,88	800	800	1	22331.0	66034	2	1	E
JUL 15,88	JUL 14,88	800	800	1	21545.0	66035	2	1	
JUL 16,88	JUL 15,88	800	800	1	23681.0	66036	2	1	
JUL 17,88	JUL 16,88	800	800	1	22774.0	66037	2	1	
JUL 18,88	JUL 17,88	800	800	1	22764.0	66038	2	1	
JUL 19,88	JUL 18,88	800	800	1	23560.0	66039	2	1	
JUL 20,88	JUL 19,88	800	800	1	21797.0	66041	2	1	
JUL 21,88	JUL 20,88	800	800	1	22512.0	66042	2	1	
JUL 22,88	JUL 21,88	800	800	1	18854.0	66043	2	1	
JUL 23,88	JUL 22,88	800	800	1	22663.0	66044	2	1	
JUL 24,88	JUL 23,88	800	800	1	22935.0	66045	2	1	
JUL 25,88	JUL 24,88	800	800	1	22945.0	66046	2	1	
JUL 26,88	JUL 25,88	800	800	1	23298.0	66047	2	1	
JUL 27,88	JUL 26,88	800	800	1	21504.0	66049	2	1	
JUL 28,88	JUL 27,88	800	800	1	21545.0	66050	2	1	
JUL 29,88	JUL 28,88	800	800	1	21091.0	66051	2	1	
JUL 30,88	JUL 29,88	800	800	1	22562.0	66052	2	1	
JUL 31,88	JUL 30,88	800	800	1	22059.0	66053	2	1	
AUG 1,88	JUL 31,88	800	800	1	22501.0	66054	2	1	
AUG 2,88	AUG 1,88	800	800	1	22955.0	66055	2	1	
AUG 3,88	AUG 2,88	800	800	1	23207.0	66057	2	1	
AUG 4,88	AUG 3,88	1600	800	1	16123.0	66058	2	1	
AUG 5,88	AUG 4,88	800	800	1	21595.0	66059	2	1	
AUG 6,88	AUG 5,88	800	800	1	22976.0	66060	2	1	
AUG 7,88	AUG 6,88	800	800	1	22855.0	66061	2	1	
AUG 8,88	AUG 7,88	800	800	1	23056.0	66062	2	1	
AUG 9,88	AUG 8,88	800	800	1	23328.0	66063	2	1	
AUG 10,88	AUG 9,88	800	800	1	21968.0	66065	2	1	
AUG 11,88	AUG 10,88	800	800	1	21404.0	66066	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 8

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 3,88	JUL 2,88	<T	1.11	0.44	0.39	<W	0.000	0.03	1.66	0.42
JUL 4,88	JUL 3,88		1.09	0.90	0.27	<W	0.000	0.05	1.07	0.32
JUL 5,88	JUL 4,88		0.64	1.12	0.25		0.043	0.04	0.32	0.29
JUL 6,88	JUL 5,88		3.54	6.97	0.99		1.335	0.07	UG 3.87	1.05
JUL 7,88	JUL 6,88		5.49	11.00	1.20		1.975	0.29	1.98	1.49
JUL 8,88	JUL 7,88		7.93	25.54	1.23		5.688	0.10	1.06	1.33
JUL 9,88	JUL 8,88		2.37	18.42	0.78		5.052	0.12	1.17	0.89
JUL 10,88	JUL 9,88		2.21	10.02	0.63		1.762	0.12	1.00	0.75
JUL 11,88	JUL 10,88		7.30	15.16	0.89		3.617	0.17	1.28	1.06
JUL 12,88	JUL 11,88		3.66	12.88	0.76		3.266	0.04	1.40	0.80
JUL 13,88	JUL 12,88		*****	*****	*****		*****	*****	*****	*****
JUL 14,88	JUL 13,88		2.94	2.80	0.28		0.435	0.15	1.10	0.43
JUL 15,88	JUL 14,88		2.20	4.81	0.34		0.975	0.07	1.11	0.41
JUL 16,88	JUL 15,88		1.67	0.87	0.14	<W	0.000	0.13	0.53	0.27
JUL 17,88	JUL 16,88		5.66	7.06	0.74		1.406	0.23	1.66	0.97
JUL 18,88	JUL 17,88		0.53	3.93	0.31		0.919	0.19	0.46	0.50
JUL 19,88	JUL 18,88		2.73	5.55	0.52		1.253	<T 0.02	1.20	0.54
JUL 20,88	JUL 19,88		1.06	4.78	0.33		1.147	0.02	0.20	0.35
JUL 21,88	JUL 20,88		1.76	2.03	0.24		0.369	0.06	0.38	0.30
JUL 22,88	JUL 21,88		1.65	2.40	0.70		0.530	0.05	2.23	0.75
JUL 23,88	JUL 22,88		0.36	1.24	0.21		0.282	0.03	0.09	0.24
JUL 24,88	JUL 23,88		0.78	1.98	0.39		0.475	0.04	0.89	0.43
JUL 25,88	JUL 24,88		0.20	1.74	0.21		0.431	0.04	0.00	0.24
JUL 26,88	JUL 25,88		1.04	6.17	0.39		1.708	0.12	0.75	0.51
JUL 27,88	JUL 26,88		4.28	8.05	0.98		2.121	<T 0.00	UG 4.31	0.98
JUL 28,88	JUL 27,88		1.92	6.90	0.87		1.639	<T 0.00	1.89	0.87
JUL 29,88	JUL 28,88		4.23	9.51	0.82		2.115	0.06	0.45	0.88
JUL 30,88	JUL 29,88		11.40	17.40	1.48		3.476	0.12	1.10	1.60
JUL 31,88	JUL 30,88		9.10	15.76	0.99		3.591	0.05	0.68	1.04
AUG 1,88	JUL 31,88		0.66	2.23	0.26		0.334	0.01	0.12	0.27
AUG 2,88	AUG 1,88		10.59	7.22	0.82		1.599	0.14	0.62	0.96
AUG 3,88	AUG 2,88		1.98	12.73	0.70		2.763	0.04	0.00	0.75
AUG 4,88	AUG 3,88		15.51	24.07	1.36		5.676	0.12	0.96	1.48
AUG 5,88	AUG 4,88	UG	18.93	28.15	1.14		5.086	0.06	0.95	1.20
AUG 6,88	AUG 5,88		14.34	16.76	0.88		2.399	<W 0.00	0.81	0.88
AUG 7,88	AUG 6,88		4.67	5.12	0.48		1.288	0.08	0.75	0.56
AUG 8,88	AUG 7,88		2.87	2.78	0.14		0.595	0.07	1.27	0.20
AUG 9,88	AUG 8,88		2.54	2.80	0.30		0.631	0.08	0.50	0.37
AUG 10,88	AUG 9,88	UG	21.43	27.02	0.82		5.044	0.06	0.00	0.88
AUG 11,88	AUG 10,88		1.32	6.53	0.27		1.358	0.08	0.00	0.35

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 12,88	AUG 11,88	800	800	1	21383.0	66067	2	1	
AUG 13,88	AUG 12,88	800	800	1	22814.0	66068	2	1	
AUG 14,88	AUG 13,88	800	800	1	22028.0	66069	2	1	
AUG 15,88	AUG 14,88	800	800	1	23500.0	66070	2	1	
AUG 16,88	AUG 15,88	800	800	1	23469.0	66071	2	1	
AUG 17,88	AUG 16,88	800	800	1	22915.0	66073	2	1	
AUG 18,88	AUG 17,88	1510	800	1	15216.0	66074	2	1	
AUG 19,88	AUG 18,88	800	800	1	21524.0	66075	2	1	
AUG 20,88	AUG 19,88	800	800	1	23157.0	66076	2	1	
AUG 21,88	AUG 20,88	800	800	1	22593.0	66077	2	1	
AUG 22,88	AUG 21,88	800	800	1	23409.0	66078	2	1	
AUG 23,88	AUG 22,88	800	800	1	23751.0	66079	2	1	
AUG 24,88	AUG 23,88	800	800	1	22462.0	66095	2	1	
AUG 25,88	AUG 24,88	800	800	1	22069.0	66096	2	1	
AUG 26,88	AUG 25,88	800	800	1	21111.0	66097	2	1	
AUG 27,88	AUG 26,88	800	800	1	22734.0	66098	2	1	
AUG 28,88	AUG 27,88	800	800	1	22341.0	66099	2	1	
AUG 29,88	AUG 28,88	800	800	1	23056.0	66100	2	1	
AUG 30,88	AUG 29,88	800	800	1	23338.0	66101	2	1	
AUG 31,88	AUG 30,88	800	800	1	*****	66103	2	1	
SEP 1,88	AUG 31,88	800	800	1	*****	66104	2	1	F
SEP 2,88	SEP 1,88	800	800	1	*****	66105	2	1	F
SEP 3,88	SEP 2,88	800	800	1	*****	66106	2	1	F
SEP 4,88	SEP 3,88	800	800	1	*****	66107	2	1	F
SEP 5,88	SEP 4,88	800	800	1	*****	66108	2	1	F
SEP 6,88	SEP 5,88	800	800	1	*****	66109	2	1	F
SEP 7,88	SEP 6,88	800	800	1	*****	66111	2	1	F
SEP 8,88	SEP 7,88	800	800	1	18642.0	66112	2	1	
SEP 9,88	SEP 8,88	800	800	1	21444.0	66113	2	1	
SEP 10,88	SEP 9,88	800	800	1	22693.0	66114	2	1	
SEP 11,88	SEP 10,88	800	800	1	22462.0	66115	2	1	
SEP 12,88	SEP 11,88	800	800	1	23479.0	66116	2	1	
SEP 13,88	SEP 12,88	800	800	1	23419.0	66117	2	1	
SEP 14,88	SEP 13,88	800	800	1	22380.0	66119	2	1	
SEP 15,88	SEP 14,88	800	800	1	22300.0	66120	2	1	
SEP 16,88	SEP 15,88	800	800	1	21700.0	66121	2	1	
SEP 17,88	SEP 16,88	800	800	1	23300.0	66122	2	1	
SEP 18,88	SEP 17,88	800	800	1	22860.0	66123	2	1	
SEP 19,88	SEP 18,88	800	800	1	23230.0	66124	2	1	
SEP 20,88	SEP 19,88	800	800	1	23310.0	66125	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 12,88	AUG 11,88	4.15	3.98	0.28	0.802	0.20	0.00	0.48
AUG 13,88	AUG 12,88	2.00	10.46	0.95	2.426	0.22	1.05	1.17
AUG 14,88	AUG 13,88	6.69	18.28	1.11	4.678	0.14	4.18	1.25
AUG 15,88	AUG 14,88	4.06	13.48	0.87	3.479	0.13	0.35	1.00
AUG 16,88	AUG 15,88	0.33	1.48	0.06	0.288	0.05	0.00	0.11
AUG 17,88	AUG 16,88	1.56	1.74	0.18	0.270	0.11	0.00	0.29
AUG 18,88	AUG 17,88	0.64	1.32	0.12	0.239	<T	0.07	0.19
AUG 19,88	AUG 18,88	0.24	0.31	0.05	0.026	0.09	0.18	0.15
AUG 20,88	AUG 19,88	0.49	0.67	0.13	0.024	0.19	0.33	0.32
AUG 21,88	AUG 20,88	0.25	1.10	0.08	0.131	<T	0.16	0.13
AUG 22,88	AUG 21,88	0.19	0.33	0.03	0.011	<W	0.07	0.03
AUG 23,88	AUG 22,88	0.88	0.37	0.05	0.125	0.11	0.34	0.15
AUG 24,88	AUG 23,88	0.71	1.25	0.14	0.188	0.07	0.00	0.21
AUG 25,88	AUG 24,88	0.45	0.91	0.06	0.122	0.01	0.00	0.07
AUG 26,88	AUG 25,88	1.37	1.61	0.20	0.326	0.01	0.00	0.21
AUG 27,88	AUG 26,88	0.90	0.18	0.11	0.030	0.03	0.57	0.14
AUG 28,88	AUG 27,88	2.40	4.03	0.26	1.020	<T	0.45	0.26
AUG 29,88	AUG 28,88	1.34	3.56	0.12	0.949	0.03	0.52	0.15
AUG 30,88	AUG 29,88	0.45	0.00	0.06	0.000	<T	0.30	0.06
AUG 31,88	AUG 30,88	*****	*****	*****	*****	*****	*****	*****
SEP 1,88	AUG 31,88	*****	*****	*****	*****	*****	*****	*****
SEP 2,88	SEP 1,88	*****	*****	*****	*****	*****	*****	*****
SEP 3,88	SEP 2,88	*****	*****	*****	*****	*****	*****	*****
SEP 4,88	SEP 3,88	*****	*****	*****	*****	*****	*****	*****
SEP 5,88	SEP 4,88	*****	*****	*****	*****	*****	*****	*****
SEP 6,88	SEP 5,88	*****	*****	*****	*****	*****	*****	*****
SEP 7,88	SEP 6,88	1P 0.00	1P 0.00	1P 0.00	1P 0.000	1P 0.00	1P 0.00	1P 0.00
SEP 8,88	SEP 7,88	3.95	1.78	0.22	0.359	0.30	1.09	0.52
SEP 9,88	SEP 8,88	9.45	7.79	0.84	1.884	0.09	0.81	0.94
SEP 10,88	SEP 9,88	9.59	13.58	1.39	3.155	0.20	4.60	1.59
SEP 11,88	SEP 10,88	0.77	1.52	0.14	0.142	0.16	0.42	0.31
SEP 12,88	SEP 11,88	4.62	2.31	0.24	0.575	0.07	4.96	0.31
SEP 13,88	SEP 12,88	5.19	3.12	0.24	0.773	0.21	1.13	0.45
SEP 14,88	SEP 13,88	0.13	1.22	0.06	0.187	<T	0.13	0.07
SEP 15,88	SEP 14,88	1.23	1.09	0.06	0.229	0.05	1.05	0.11
SEP 16,88	SEP 15,88	0.15	0.57	0.03	0.009	0.03	0.16	0.07
SEP 17,88	SEP 16,88	0.97	<T 0.01	0.12	0.017	0.08	0.88	0.20
SEP 18,88	SEP 17,88	3.30	8.81	0.64	2.314	0.16	1.94	0.81
SEP 19,88	SEP 18,88	0.39	5.01	0.21	1.266	0.13	0.28	0.34
SEP 20,88	SEP 19,88	3.55	13.57	0.57	3.085	0.06	1.09	0.63

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
SEP 21,88	SEP 20,88	800	800	1	19750.0	66127	2	1	
SEP 22,88	SEP 21,88	800	800	1	21900.0	66128	2	1	
SEP 23,88	SEP 22,88	800	800	1	21430.0	66129	2	1	
SEP 24,88	SEP 23,88	800	800	1	22730.0	66130	2	1	
SEP 25,88	SEP 24,88	800	800	1	22710.0	66131	2	1	
SEP 26,88	SEP 25,88	800	800	1	23140.0	66132	2	1	
SEP 27,88	SEP 26,88	800	800	1	24000.0	66133	2	1	
SEP 28,88	SEP 27,88	800	800	1	22420.0	66135	2	1	
SEP 29,88	SEP 28,88	800	800	1	21830.0	66136	2	1	
SEP 30,88	SEP 29,88	800	800	1	21580.0	66137	2	1	
OCT 1,88	SEP 30,88	800	800	1	22520.0	66138	2	1	
OCT 2,88	OCT 1,88	800	800	1	22310.0	66139	2	1	
OCT 3,88	OCT 2,88	800	800	1	22810.0	66140	2	1	
OCT 4,88	OCT 3,88	800	800	1	23880.0	66141	2	1	
OCT 5,88	OCT 4,88	800	800	1	23140.0	66142	2	1	
OCT 6,88	OCT 5,88	800	800	1	*****	66144	2	1	F
OCT 7,88	OCT 6,88	800	800	1	*****	66145	2	1	F
OCT 8,88	OCT 7,88	800	800	1	*****	66146	2	1	F
OCT 9,88	OCT 8,88	800	800	1	*****	66147	2	1	F
OCT 10,88	OCT 9,88	800	800	1	*****	66148	2	1	F
OCT 11,88	OCT 10,88	800	800	1	*****	66149	2	1	F
OCT 12,88	OCT 11,88	800	800	1	*****	66151	2	1	F
OCT 13,88	OCT 12,88	800	800	1	*****	66152	2	1	F
OCT 14,88	OCT 13,88	800	800	1	*****	66153	2	1	F
OCT 15,88	OCT 14,88	800	800	1	*****	66154	2	1	F
OCT 16,88	OCT 15,88	800	800	1	*****	66155	2	1	F
OCT 17,88	OCT 16,88	800	800	1	*****	66156	2	1	F
OCT 18,88	OCT 17,88	800	800	1	*****	66157	2	1	F
OCT 19,88	OCT 18,88	800	800	1	22490.0	66159	2	1	
OCT 20,88	OCT 19,88	800	800	1	22240.0	66160	2	1	
OCT 21,88	OCT 20,88	800	800	1	22050.0	66161	2	1	
OCT 22,88	OCT 21,88	800	800	1	23570.0	66162	2	1	
OCT 23,88	OCT 22,88	800	800	1	22870.0	66163	2	1	
OCT 24,88	OCT 23,88	800	800	1	23850.0	66164	2	1	
OCT 25,88	OCT 24,88	800	800	1	23510.0	66165	2	1	
OCT 26,88	OCT 25,88	800	800	1	22482.0	66167	2	1	
OCT 27,88	OCT 26,88	800	800	1	23248.0	66168	2	1	
OCT 28,88	OCT 27,88	800	800	1	23036.0	66169	2	1	
OCT 29,88	OCT 28,88	800	800	1	22955.0	66170	2	1	
OCT 30,88	OCT 29,88	800	800	1	22552.0	66171	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 21,88	SEP 20,88	2.90	4.61	0.26	0.717	0.01	1.11	0.27
SEP 22,88	SEP 21,88	0.64	0.09	0.04	0.016	0.02	0.64	0.05
SEP 23,88	SEP 22,88	3.61	2.38	0.12	0.441	<T	2.15	0.12
SEP 24,88	SEP 23,88	1.97	2.77	0.21	0.504	<T	1.98	0.22
SEP 25,88	SEP 24,88	1.31	1.19	0.10	0.161	0.04	0.92	0.14
SEP 26,88	SEP 25,88	2.21	2.16	0.14	0.452	0.04	1.25	0.18
SEP 27,88	SEP 26,88	1.71	0.75	0.05	0.131	<T	0.58	0.05
SEP 28,88	SEP 27,88	5.56	6.87	0.52	1.431	0.03	0.95	0.55
SEP 29,88	SEP 28,88	0.41	0.33	0.03	0.000	0.08	0.58	0.10
SEP 30,88	SEP 29,88	0.09	0.88	0.44	0.209	0.09	UG	5.69
OCT 1,88	SEP 30,88	13.30	19.36	0.99	4.618	<T	1.81	0.99
OCT 2,88	OCT 1,88	12.19	18.07	1.51	4.796	0.09	>	8.77
OCT 3,88	OCT 2,88	1.27	1.63	0.08	0.298	0.03	0.56	0.11
OCT 4,88	OCT 3,88	0.37	0.72	<T	0.142	<T	0.41	<T
OCT 5,88	OCT 4,88	1.12	1.65	0.18	0.285	0.05	0.55	0.24
OCT 6,88	OCT 5,88	1P	1P	1P	1P	1P	1P	1P
OCT 7,88	OCT 6,88	P	P	P	P	P	P	P
OCT 8,88	OCT 7,88	P	P	P	P	P	P	P
OCT 9,88	OCT 8,88	P	P	P	P	P	P	P
OCT 10,88	OCT 9,88	P	P	P	P	P	P	P
OCT 11,88	OCT 10,88	P	P	P	P	P	P	P
OCT 12,88	OCT 11,88	*****	*****	*****	*****	*****	*****	*****
OCT 13,88	OCT 12,88	1P	1P	1P	1P	1P	1P	1P
OCT 14,88	OCT 13,88	P	P	P	P	P	P	P
OCT 15,88	OCT 14,88	P	P	P	P	P	P	P
OCT 16,88	OCT 15,88	P	P	P	P	P	P	P
OCT 17,88	OCT 16,88	P	P	P	P	P	P	P
OCT 18,88	OCT 17,88	P	P	P	P	P	P	P
OCT 19,88	OCT 18,88	P	P	P	P	P	P	P
OCT 20,88	OCT 19,88	0.94	0.76	0.09	0.160	0.04	0.47	0.14
OCT 21,88	OCT 20,88	2.56	1.22	0.14	0.286	0.08	0.84	0.22
OCT 22,88	OCT 21,88	4.37	1.74	0.33	0.431	0.11	0.19	0.44
OCT 23,88	OCT 22,88	0.42	0.61	0.04	0.158	<T	0.24	0.05
OCT 24,88	OCT 23,88	2.40	2.47	0.19	0.690	<T	0.27	0.22
OCT 25,88	OCT 24,88	3.49	2.68	0.21	0.687	<T	0.19	0.25
OCT 26,88	OCT 25,88	1.05	1.33	0.06	0.310	<T	0.00	0.08
OCT 27,88	OCT 26,88	0.64	1.29	0.15	0.313	<T	0.14	0.18
OCT 28,88	OCT 27,88	5.73	3.91	0.45	0.863	0.07	0.01	0.52
OCT 29,88	OCT 28,88	3.47	3.22	0.27	0.687	0.06	0.05	0.33
OCT 30,88	OCT 29,88	0.53	1.20	0.10	0.269	0.04	0.14	0.14

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
OCT 31,88	OCT 30,88	800	800	1	22633.0	66172	2	1		
NOV 1,88	OCT 31,88	800	800	1	22129.0	66173	2	1		
NOV 2,88	NOV 1,88	800	800	1	22965.0	66174	2	1		
NOV 24,88	NOV 23,88	1520	800	1	22965.0	66176	2	1		
NOV 25,88	NOV 24,88	800	800	1	32599.0	66177	2	1		
NOV 26,88	NOV 25,88	800	800	1	64563.0	66178	2	1	C	F
NOV 27,88	NOV 26,88	800	800	1	32428.0	66179	2	1		
NOV 28,88	NOV 27,88	800	800	1	32730.0	66180	2	1		
NOV 29,88	NOV 28,88	800	800	1	32922.0	66181	2	1		
NOV 30,88	NOV 29,88	800	800	1	32297.0	66182	2	1		
DEC 1,88	NOV 30,88	800	800	1	7768.0	66184	2	1	Q	F
DEC 2,88	DEC 1,88	800	800	1	23783.0	66185	2	1		
DEC 3,88	DEC 2,88	800	800	1	31980.0	66186	2	1		
DEC 4,88	DEC 3,88	800	800	1	33226.0	66187	2	1		
DEC 5,88	DEC 4,88	800	800	1	33361.0	66188	2	1		
DEC 6,88	DEC 5,88	800	800	1	33320.0	66189	2	1		
DEC 7,88	DEC 6,88	800	800	1	32568.0	66190	2	1		
DEC 8,88	DEC 7,88	800	800	1	27690.0	66192	2	1		
DEC 9,88	DEC 8,88	800	800	1	33110.0	66193	2	1		
DEC 10,88	DEC 9,88	800	800	1	33173.0	66194	2	1		
DEC 11,88	DEC 10,88	800	800	1	33351.0	66195	2	1		
DEC 12,88	DEC 11,88	800	800	1	33403.0	66196	2	1		
DEC 13,88	DEC 12,88	800	800	1	33371.0	66197	2	1		
DEC 14,88	DEC 13,88	800	800	1	28734.0	66199	2	1		
DEC 15,88	DEC 14,88	800	800	1	32494.0	66200	2	1		
DEC 16,88	DEC 15,88	800	800	1	32369.0	66201	2	1		
DEC 17,88	DEC 16,88	800	800	1	32505.0	66202	2	1		
DEC 18,88	DEC 17,88	800	800	1	32050.0	66203	2	1		
DEC 19,88	DEC 18,88	800	800	1	32463.0	66204	2	1		
DEC 20,88	DEC 19,88	800	800	1	31826.0	66205	2	1		
DEC 21,88	DEC 20,88	800	800	1	32254.0	66207	2	1		
DEC 22,88	DEC 21,88	800	800	1	32348.0	66208	2	1		
DEC 23,88	DEC 22,88	800	800	1	32077.0	66209	2	1		
DEC 24,88	DEC 23,88	800	800	1	32171.0	66210	2	1		
DEC 25,88	DEC 24,88	800	800	1	32369.0	66211	2	1		
DEC 26,88	DEC 25,88	800	800	1	32557.0	66212	2	1		
DEC 27,88	DEC 26,88	800	800	1	31847.0	66213	2	1		
DEC 28,88	DEC 27,88	800	800	1	34016.0	66215	2	1		
DEC 29,88	DEC 28,88	800	800	1	34782.0	66216	2	1		
DEC 30,88	DEC 29,88	800	800	1	34312.0	66217	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 31,88	OCT 30,88	1.99	1.10	0.10	0.237	<T	0.03	0.13
NOV 1,88	OCT 31,88	11.92	2.67	0.54	0.536		0.08	0.62
NOV 2,88	NOV 1,88	9.14	3.92	0.67	0.896		0.24	0.90
NOV 24,88	NOV 23,88	0.69	1.48	0.13	0.353	1P	0.05	0.18
NOV 25,88	NOV 24,88	2.49	1.90	0.25	0.502	<T	0.02	0.26
NOV 26,88	NOV 25,88	3.26	2.37	0.15	0.707		0.09	0.24
NOV 27,88	NOV 26,88	1.69	1.11	0.21	0.384		0.15	0.36
NOV 28,88	NOV 27,88	0.49	0.73	0.07	0.232		0.07	0.14
NOV 29,88	NOV 28,88	1.70	0.76	0.09	0.239		0.09	0.18
NOV 30,88	NOV 29,88	8.47	3.90	0.32	1.290		0.24	0.55
DEC 1,88	NOV 30,88	0.84	0.51	0.18	0.112	1P	0.06	0.24
DEC 2,88	DEC 1,88	0.10	0.46	0.00	0.119	1P	0.04	0.04
DEC 3,88	DEC 2,88	2.21	1.03	0.05	0.570		0.46	0.50
DEC 4,88	DEC 3,88	3.12	0.66	0.07	0.272		0.16	0.23
DEC 5,88	DEC 4,88	0.74	0.30	0.01	0.083		0.03	0.04
DEC 6,88	DEC 5,88	2.99	0.63	0.07	0.244		0.15	0.22
DEC 7,88	DEC 6,88	13.83	2.89	0.21	1.582		1.16	1.37
DEC 8,88	DEC 7,88	1.14	0.51	0.09	0.123		0.04	0.12
DEC 9,88	DEC 8,88	0.62	0.36	0.03	0.085		0.04	0.07
DEC 10,88	DEC 9,88	1.61	0.42	0.05	0.089		0.05	0.10
DEC 11,88	DEC 10,88	1.42	0.60	0.03	0.112		0.07	0.10
DEC 12,88	DEC 11,88	1.10	0.66	0.02	0.114		0.07	0.09
DEC 13,88	DEC 12,88	2.32	0.66	0.06	0.138		0.10	0.16
DEC 14,88	DEC 13,88	5.90	1.74	0.11	0.608		0.21	0.33
DEC 15,88	DEC 14,88	0.78	0.46	0.09	0.146		0.10	0.18
DEC 16,88	DEC 15,88	0.77	0.43	0.05	0.080		0.10	0.15
DEC 17,88	DEC 16,88	5.89	1.35	0.18	0.492		0.23	0.41
DEC 18,88	DEC 17,88	2.81	1.59	0.28	0.433		0.07	0.34
DEC 19,88	DEC 18,88	12.14	1.45	0.24	0.514		0.22	0.46
DEC 20,88	DEC 19,88	19.59	3.96	0.36	1.385		0.61	0.97
DEC 21,88	DEC 20,88	0.91	0.62	0.07	0.148		0.02	0.10
DEC 22,88	DEC 21,88	1.45	0.46	0.05	0.077		0.08	0.13
DEC 23,88	DEC 22,88	1.32	0.59	0.07	0.213		0.12	0.20
DEC 24,88	DEC 23,88	1.10	0.47	0.05	0.194		0.11	0.16
DEC 25,88	DEC 24,88	<W	0.23	0.05	0.097	<T	0.03	0.08
DEC 26,88	DEC 25,88	<T	0.10	0.03	0.073		0.05	0.08
DEC 27,88	DEC 26,88	9.02	2.39	0.25	0.855		0.53	0.78
DEC 28,88	DEC 27,88	P	0.81	P	0.59	P	0.05	P
DEC 29,88	DEC 28,88	P	0.85	P	0.40	P	0.07	P
DEC 30,88	DEC 29,88	P	7.02	P	1.60	P	0.15	P

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 31,88	DEC 30,88	800	800	1	34615.0	66218	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : CHARLESTON LAKE/DAILY/AIR

#11

PAGE : 16

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
DEC 31,88	DEC 30,88	P	4.47	P	0.55	P	0.13	P	0.267	P	0.07	P	1.07	P	0.20

PART VII

SOUTHWESTERN REGION DAILY AMBIENT AIR CONCENTRATION RESULTS

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : EGBERT/DAILY/AIR

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
SEP 30,88	SEP 29,88	1240	800	1	21410.0	84861	2	1	Q	
OCT 1,88	SEP 30,88	800	800	1	7870.0	84862	2	1	AB	F
OCT 2,88	OCT 1,88	800	800	1	*****	84863	2	1	AF	
OCT 3,88	OCT 2,88	800	1630	1	*****	84864	2	1	QFA	
OCT 4,88	OCT 3,88	1630	800	1	17420.0	84865	2	1	A	
OCT 5,88	OCT 4,88	800	800	1	31430.0	84866	2	1		
OCT 6,88	OCT 5,88	800	800	1	31780.0	84867	2	1		
OCT 7,88	OCT 6,88	800	800	1	27230.0	84853	2	1	Q	
OCT 8,88	OCT 7,88	800	800	1	29030.0	84854	2	1		
OCT 9,88	OCT 8,88	800	800	1	29390.0	84855	2	1		
OCT 10,88	OCT 9,88	800	800	1	28640.0	84856	2	1		
OCT 11,88	OCT 10,88	800	800	1	29120.0	84857	2	1		
OCT 12,88	OCT 11,88	800	800	1	29870.0	84858	2	1		
OCT 13,88	OCT 12,88	800	800	1	29720.0	84859	2	1		
OCT 14,88	OCT 13,88	800	800	1	24360.0	84916	2	1		
OCT 15,88	OCT 14,88	800	800	1	30210.0	84917	2	1		
OCT 16,88	OCT 15,88	800	800	1	27300.0	84918	2	1		
OCT 17,88	OCT 16,88	800	800	1	28310.0	84919	2	1		
OCT 18,88	OCT 17,88	800	800	1	28340.0	84920	2	1		
OCT 19,88	OCT 18,88	800	800	1	28750.0	84921	2	1		
OCT 20,88	OCT 19,88	800	800	1	28840.0	84922	2	1		
OCT 21,88	OCT 20,88	800	800	1	60460.0	84891	2	1		F
OCT 22,88	OCT 21,88	800	800	1	28340.0	84892	2	1		
OCT 23,88	OCT 22,88	800	800	1	28140.0	84893	2	1		
OCT 24,88	OCT 23,88	800	800	1	27930.0	84894	2	1		
OCT 25,88	OCT 24,88	800	800	1	28620.0	84895	2	1		
OCT 26,88	OCT 25,88	800	800	1	28170.0	84896	2	1		
OCT 27,88	OCT 26,88	800	800	1	28430.0	84897	2	1		
OCT 28,88	OCT 27,88	800	800	1	27990.0	84926	2	1		
OCT 29,88	OCT 28,88	800	800	1	29090.0	84927	2	1		
OCT 30,88	OCT 29,88	800	800	1	28790.0	84928	2	1		
OCT 31,88	OCT 30,88	800	800	1	28740.0	84929	2	1		
NOV 1,88	OCT 31,88	800	800	1	28420.0	84930	2	1		
NOV 2,88	NOV 1,88	800	800	1	26750.0	84931	2	1		
NOV 3,88	NOV 2,88	800	800	1	26960.0	84932	2	1		
NOV 4,88	NOV 3,88	800	800	1	28920.0	84944	2	1		
NOV 5,88	NOV 4,88	800	800	1	27840.0	84945	2	1		
NOV 6,88	NOV 5,88	800	800	1	28950.0	84946	2	1		
NOV 7,88	NOV 6,88	800	800	1	29280.0	84947	2	1		
NOV 8,88	NOV 7,88	800	800	1	29050.0	84948	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : EGBERT/DAILY/AIR

PAGE : 2 ^{2/3}

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
SEP 30,88	SEP 29,88	1P	6.14	1P	3.05	1P	0.01	1P	0.915	1P	1.30	1P	0.25	1P	1.31
OCT 1,88	SEP 30,88		18.56		12.83		1.24		3.684		0.40		0.96		1.64
OCT 2,88	OCT 1,88		*****		*****		*****		*****		*****		*****		*****
OCT 3,88	OCT 2,88		*****		*****		*****		*****		*****		*****		*****
OCT 4,88	OCT 3,88		1.29		0.80		0.02		0.288		0.03		0.25		0.05
OCT 5,88	OCT 4,88		0.44		0.35		0.03		0.100		0.11		0.08		0.14
OCT 6,88	OCT 5,88	<W	0.00	<T	0.00	<T	0.00	<W	0.000		0.01	<T	0.00		0.01
OCT 7,88	OCT 6,88		1.31		0.66		0.06		0.209		0.06		0.30		0.12
OCT 8,88	OCT 7,88	<W	0.09		1.31		0.06		0.319		0.23	<T	0.14		0.29
OCT 9,88	OCT 8,88		0.43		1.91		0.12		0.540		0.37	<T	0.14		0.49
OCT 10,88	OCT 9,88		1.97		2.65		0.13		0.837		0.68		0.28		0.82
OCT 11,88	OCT 10,88		1.82		2.03		0.10		0.916		0.41		0.31		0.52
OCT 12,88	OCT 11,88		3.37	<T	0.13	<W	0.00		0.035	<T	0.01		0.54		0.01
OCT 13,88	OCT 12,88		5.68		0.57		0.05		0.130		0.04		0.44		0.09
OCT 14,88	OCT 13,88		1.55		1.13		0.07		0.231		0.29		0.41		0.37
OCT 15,88	OCT 14,88		7.21		2.30		0.16		0.876		1.03		0.43		1.18
OCT 16,88	OCT 15,88		12.37		6.72		0.36		3.091		2.05		0.70		2.41
OCT 17,88	OCT 16,88		29.95		7.76		0.56		2.574		0.45		0.95		1.01
OCT 18,88	OCT 17,88		9.80		7.04		0.33		2.766		0.52		0.46		0.85
OCT 19,88	OCT 18,88		0.89		0.30		0.03		0.029	<T	0.00		0.24		0.03
OCT 20,88	OCT 19,88		0.97		0.26		0.04		0.030		0.01		0.21		0.05
OCT 21,88	OCT 20,88		3.29		0.78		0.03		0.221		0.16		0.25		0.19
OCT 22,88	OCT 21,88		13.68		2.96		0.13		1.128		0.59		0.67		0.72
OCT 23,88	OCT 22,88		0.90		1.81		0.11		0.560		0.08		0.50		0.19
OCT 24,88	OCT 23,88		5.68		2.76		0.18		1.076		0.39		0.57		0.57
OCT 25,88	OCT 24,88		1.79		1.40		0.08		0.386		0.15		0.38		0.23
OCT 26,88	OCT 25,88	<W	0.12		0.92		0.06		0.286	<T	0.02	<T	0.18		0.07
OCT 27,88	OCT 26,88		0.48		1.51		0.06		0.589		0.19	<T	0.14		0.26
OCT 28,88	OCT 27,88		16.16		4.04		0.25		1.587		0.78		0.58		1.03
OCT 29,88	OCT 28,88		0.28		2.20		0.04		0.660		0.04		0.18		0.08
OCT 30,88	OCT 29,88	<T	0.08		0.83	<T	0.01		0.212		0.03	<T	0.11		0.04
OCT 31,88	OCT 30,88		0.24		0.84		0.02		0.271		0.07		0.22		0.09
NOV 1,88	OCT 31,88		13.27		2.81		0.11		1.443		0.96		0.50		1.07
NOV 2,88	NOV 1,88		22.11		5.98		0.09		3.308		1.87		0.72		1.95
NOV 3,88	NOV 2,88		12.76		4.90		0.45		0.968		0.03		0.53		0.48
NOV 4,88	NOV 3,88		30.20		6.59		0.12		0.001		1.12		0.59		1.23
NOV 5,88	NOV 4,88		14.70		7.71		0.24		4.041		1.64		0.93		1.88
NOV 6,88	NOV 5,88		2.59		2.89		0.12		1.077		0.25		0.41		0.37
NOV 7,88	NOV 6,88		2.04		0.63		0.03		0.351		0.14		0.34		0.17
NOV 8,88	NOV 7,88		4.35		1.81		0.12		1.187		0.64		0.38		0.76

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : EGBERT/DAILY/AIR

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 9,88	NOV 8,88	800	800	1	29370.0	84949	2	1	
NOV 10,88	NOV 9,88	800	800	1	29090.0	84950	2	1	
NOV 11,88	NOV 10,88	800	800	1	29020.0	84967	2	1	
NOV 12,88	NOV 11,88	800	800	1	29620.0	84968	2	1	
NOV 13,88	NOV 12,88	800	800	1	28390.0	84969	2	1	
NOV 14,88	NOV 13,88	800	800	1	28810.0	84970	2	1	
NOV 15,88	NOV 14,88	800	800	1	29140.0	84971	2	1	
NOV 16,88	NOV 15,88	800	800	1	29350.0	84972	2	1	
NOV 17,88	NOV 16,88	800	800	1	28790.0	84973	2	1	
NOV 18,88	NOV 17,88	800	800	1	29300.0	41001	2	1	Q
NOV 19,88	NOV 18,88	800	800	1	29830.0	41002	2	1	
NOV 20,88	NOV 19,88	800	800	1	29370.0	41003	2	1	
NOV 21,88	NOV 20,88	800	800	1	28770.0	41004	2	1	
NOV 22,88	NOV 21,88	800	800	1	29900.0	41005	2	1	
NOV 23,88	NOV 22,88	800	800	1	29950.0	41006	2	1	
NOV 24,88	NOV 23,88	800	800	1	29320.0	41007	2	1	
NOV 25,88	NOV 24,88	800	800	1	29540.0	42485	2	1	
NOV 26,88	NOV 25,88	800	800	1	30750.0	42486	2	1	
NOV 27,88	NOV 26,88	800	800	1	29230.0	42487	2	1	
NOV 28,88	NOV 27,88	800	800	1	31480.0	42488	2	1	
NOV 29,88	NOV 28,88	800	800	1	30050.0	42489	2	1	
NOV 30,88	NOV 29,88	800	800	1	30550.0	42490	2	1	
DEC 1,88	NOV 30,88	800	800	1	29800.0	42491	2	1	
DEC 2,88	DEC 1,88	800	800	1	28570.0	42477	2	1	
DEC 3,88	DEC 2,88	800	800	1	27810.0	42478	2	1	
DEC 4,88	DEC 3,88	800	800	1	28400.0	42479	2	1	
DEC 5,88	DEC 4,88	800	800	1	28560.0	42480	2	1	
DEC 6,88	DEC 5,88	800	800	1	28240.0	42481	2	1	
DEC 7,88	DEC 6,88	800	800	1	28540.0	42482	2	1	
DEC 8,88	DEC 7,88	800	800	1	28220.0	42483	2	1	
DEC 9,88	DEC 8,88	800	800	1	20340.0	42542	2	1	
DEC 10,88	DEC 9,88	800	800	1	25350.0	42543	2	1	
DEC 11,88	DEC 10,88	800	800	1	25620.0	42544	2	1	
DEC 12,88	DEC 11,88	800	800	1	25690.0	42545	2	1	
DEC 13,88	DEC 12,88	800	800	1	25970.0	42546	2	1	
DEC 14,88	DEC 13,88	800	800	1	*****	42547	2	1	Q
DEC 15,88	DEC 14,88	800	800	1	*****	42548	2	1	Q
DEC 16,88	DEC 15,88	800	800	1	25980.0	42550	2	1	
DEC 17,88	DEC 16,88	800	800	1	26330.0	42551	2	1	
DEC 18,88	DEC 17,88	800	800	1	26350.0	42552	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : EGBERT/DAILY/AIR

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 9,88	NOV 8,88	2.28	1.18	0.09	0.980	0.22	0.41	0.30
NOV 10,88	NOV 9,88	5.69	2.25	0.07	1.364	0.44	0.34	0.52
NOV 11,88	NOV 10,88	7.52	1.38	0.03	0.398	0.03	0.48	0.06
NOV 12,88	NOV 11,88	3.20	0.91	0.02	0.291	<T	1.45	0.02
NOV 13,88	NOV 12,88	6.39	2.29	0.18	0.900	0.35	0.49	0.53
NOV 14,88	NOV 13,88	5.47	2.57	0.17	1.408	0.64	0.97	0.81
NOV 15,88	NOV 14,88	1.29	1.61	0.10	0.702	0.25	0.24	0.35
NOV 16,88	NOV 15,88	9.78	1.67	0.18	0.922	0.42	1.84	0.60
NOV 17,88	NOV 16,88	17.56	4.62	0.22	1.523	0.41	0.56	0.63
NOV 18,88	NOV 17,88	1.14	1.95	0.06	0.515	0.12	0.69	0.18
NOV 19,88	NOV 18,88	<T	1.14	0.07	0.345	0.19	<T	0.26
NOV 20,88	NOV 19,88	5.42	2.15	0.07	1.045	0.91	0.52	0.98
NOV 21,88	NOV 20,88	4.44	2.64	0.19	0.803	0.06	0.57	0.25
NOV 22,88	NOV 21,88	12.11	2.11	0.04	0.435	<T	0.61	0.05
NOV 23,88	NOV 22,88	4.52	3.07	<W	1.259	0.62	<T	0.62
NOV 24,88	NOV 23,88	5.83	5.22	0.46	2.497	1.22	0.45	1.67
NOV 25,88	NOV 24,88	24.55	6.31	0.33	2.629	1.84	0.51	2.17
NOV 26,88	NOV 25,88	30.26	7.73	0.13	3.042	1.83	0.96	1.96
NOV 27,88	NOV 26,88	29.10	8.33	0.39	3.644	1.81	1.11	2.20
NOV 28,88	NOV 27,88	2.55	2.34	0.19	0.900	0.24	0.49	0.43
NOV 29,88	NOV 28,88	6.13	1.98	0.04	0.653	0.11	0.21	0.15
NOV 30,88	NOV 29,88	14.10	<T	0.07	1.654	<W	0.47	0.07
DEC 1,88	NOV 30,88	4.24	1.86	0.08	0.729	0.26	0.42	0.33
DEC 2,88	DEC 1,88	3.50	1.45	0.00	0.435	0.11	0.06	0.11
DEC 3,88	DEC 2,88	10.75	3.46	0.10	2.351	1.79	0.70	1.89
DEC 4,88	DEC 3,88	10.32	1.77	0.11	0.767	0.50	0.68	0.61
DEC 5,88	DEC 4,88	8.36	0.89	0.03	0.225	0.06	0.40	0.09
DEC 6,88	DEC 5,88	6.21	3.37	0.10	2.191	1.77	0.87	1.87
DEC 7,88	DEC 6,88	11.05	3.09	0.12	2.361	1.96	0.86	2.08
DEC 8,88	DEC 7,88	9.60	1.00	0.06	0.304	0.06	0.58	0.12
DEC 9,88	DEC 8,88	P	P	P	P	P	P	P
DEC 10,88	DEC 9,88	P	P	P	P	P	P	P
DEC 11,88	DEC 10,88	P	P	P	P	P	P	P
DEC 12,88	DEC 11,88	P	P	P	P	P	P	P
DEC 13,88	DEC 12,88	P	P	P	P	P	P	P
DEC 14,88	DEC 13,88	*****	*****	*****	*****	*****	*****	*****
DEC 15,88	DEC 14,88	*****	*****	*****	*****	*****	*****	*****
DEC 16,88	DEC 15,88	1P	1P	1P	1P	1P	1P	1P
DEC 17,88	DEC 16,88	9.08	2.56	0.19	1.312	1.02	0.74	1.21
DEC 18,88	DEC 17,88	6.20	3.08	0.18	2.134	1.72	1.04	1.90

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : EGBERT/DAILY/AIR

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 19,88	DEC 18,88	800	800	1	26390.0	42553	2	1	
DEC 20,88	DEC 19,88	800	800	1	26400.0	42554	2	1	
DEC 21,88	DEC 20,88	800	800	1	25950.0	42555	2	1	
DEC 22,88	DEC 21,88	800	800	1	26010.0	42556	2	1	
DEC 23,88	DEC 22,88	800	800	1	27570.0	42558	2	1	
DEC 24,88	DEC 23,88	800	800	1	28190.0	42559	2	1	
DEC 25,88	DEC 24,88	800	800	1	27810.0	42560	2	1	
DEC 26,88	DEC 25,88	800	800	1	28070.0	42561	2	1	
DEC 27,88	DEC 26,88	800	800	1	29290.0	42562	2	1	
DEC 28,88	DEC 27,88	800	800	1	28190.0	42563	2	1	
DEC 29,88	DEC 28,88	800	800	1	28230.0	42564	2	1	
DEC 30,88	DEC 29,88	800	800	1	28870.0	42566	2	1	
DEC 31,88	DEC 30,88	800	800	1	*****	42567	2	1	F

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3	NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
DEC 19,88	DEC 18,88	8.75		2.59	0.13		1.301		0.77		1.08	0.90
DEC 20,88	DEC 19,88	27.22		4.14	0.29		2.244		1.34		1.00	1.63
DEC 21,88	DEC 20,88	6.37		3.48	0.14		1.520		0.73		0.48	0.87
DEC 22,88	DEC 21,88	7.38		0.47	0.10		0.674		0.04		0.52	0.14
DEC 23,88	DEC 22,88	4.88		2.92	0.10		0.441		0.48		0.85	0.58
DEC 24,88	DEC 23,88	3.92		1.69	0.13		1.195		0.90		1.15	1.03
DEC 25,88	DEC 24,88	2.57		1.64	0.08		1.611		1.33		0.95	1.41
DEC 26,88	DEC 25,88	0.59		0.81	0.06		0.312		0.05		0.40	0.11
DEC 27,88	DEC 26,88	1.50		0.81	0.05		0.341		0.18		0.56	0.24
DEC 28,88	DEC 27,88	10.39		2.22	0.17		0.869		0.33		1.32	0.50
DEC 29,88	DEC 28,88	0.88		1.37	0.11		0.411		0.07		0.68	0.18
DEC 30,88	DEC 29,88 P	P 2.32	P	1.77	P 0.09	P	1.095	P	0.62	P	0.94	P 0.71
DEC 31,88	DEC 30,88	*****		*****	*****		*****		*****		*****	*****

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
JAN 1,88	DEC 31,88	800	800	1	24803.0	73782	2	1		
JAN 2,88	JAN 1,88	800	800	1	26986.0	73783	2	1		
JAN 3,88	JAN 2,88	800	800	1	24864.0	73784	2	1		
JAN 4,88	JAN 3,88	800	800	1	23217.0	73785	2	1		
JAN 5,88	JAN 4,88	800	800	1	26645.0	73786	2	1		
JAN 6,88	JAN 5,88	800	800	1	26535.0	73788	2	1		
JAN 7,88	JAN 6,88	800	800	1	24058.0	73789	2	1		
JAN 8,88	JAN 7,88	800	800	1	24644.0	73790	2	1		
JAN 9,88	JAN 8,88	800	800	1	23997.0	73791	2	1		
JAN 10,88	JAN 9,88	800	800	1	23936.0	73792	2	1		
JAN 11,88	JAN 10,88	800	800	1	21740.0	73793	2	1		
JAN 12,88	JAN 11,88	800	800	1	24766.0	73794	2	1		
JAN 13,88	JAN 12,88	800	800	1	24875.0	73796	2	1		
JAN 14,88	JAN 13,88	800	800	1	21948.0	73797	2	1		
JAN 15,88	JAN 14,88	800	800	1	22607.0	73798	2	1		
JAN 17,88	JAN 15,88	800	800	1	49203.0	73799	2	1	A	Z
JAN 19,88	JAN 17,88	800	920	1	41589.0	73800	2	1	A	Z
JAN 20,88	JAN 19,88	930	800	1	20008.0	73804	2	1		
JAN 21,88	JAN 20,88	800	800	1	48336.0	73805	2	1	A	F
JAN 22,88	JAN 21,88	930	1250	1	*****	73806	2	1	A	
JAN 23,88	JAN 22,88	1250	800	1	43249.0	73807	2	1	A	F
JAN 24,88	JAN 23,88	800	800	1	22277.0	73808	2	1		
JAN 25,88	JAN 24,88	800	800	1	26779.0	73809	2	1		
JAN 26,88	JAN 25,88	930	1250	1	*****	73810	2	1	A	
JAN 27,88	JAN 26,88	1250	800	1	25742.0	73812	2	1		
JAN 28,88	JAN 27,88	800	800	1	14884.0	73813	2	1		
JAN 29,88	JAN 28,88	800	800	1	15311.0	73814	2	1		
JAN 30,88	JAN 29,88	800	800	1	15201.0	73815	2	1		
JAN 31,88	JAN 30,88	800	800	1	14030.0	73816	2	1		F
FEB 1,88	JAN 31,88	800	800	1	13444.0	73817	2	1		F
FEB 2,88	FEB 1,88	800	800	1	13762.0	73818	2	1		F
FEB 3,88	FEB 2,88	800	800	1	19679.0	73820	2	1		F
FEB 4,88	FEB 3,88	800	800	1	12212.0	73821	2	1	C	F
FEB 5,88	FEB 4,88	800	800	1	13798.0	73822	2	1	C	F
FEB 6,88	FEB 5,88	800	800	1	14969.0	73823	2	1	C	
FEB 7,88	FEB 6,88	800	800	1	14628.0	73824	2	1	C	
FEB 8,88	FEB 7,88	800	800	1	13737.0	73825	2	1	C	F
FEB 9,88	FEB 8,88	800	800	1	12322.0	73826	2	1	C	F
FEB 10,88	FEB 9,88	800	800	1	15469.0	73828	2	1		
FEB 11,88	FEB 10,88	800	800	1	21204.0	73829	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JAN 1,88	DEC 31,87	10.59	2.95	0.27	1.040	0.36	0.20	0.63
JAN 2,88	JAN 1,88	16.04	2.13	0.08	0.808	0.48	0.21	0.56
JAN 3,88	JAN 2,88	7.62	1.55	0.15	0.804	0.74	0.31	0.89
JAN 4,88	JAN 3,88	22.83	2.06	0.27	0.939	0.77	0.31	1.03
JAN 5,88	JAN 4,88	8.31	1.39	0.07	0.443	0.35	0.24	0.42
JAN 6,88	JAN 5,88	43.42	3.31	0.09	0.961	0.79	0.00	0.88
JAN 7,88	JAN 6,88	15.66	3.43	0.12	1.322	1.25	0.39	1.37
JAN 8,88	JAN 7,88	13.57	4.18	0.16	1.380	1.64	0.41	1.80
JAN 9,88	JAN 8,88	34.90	6.25	0.36	2.167	2.58	1.06	2.95
JAN 10,88	JAN 9,88	17.14	3.69	0.22	1.308	1.14	0.36	1.36
JAN 11,88	JAN 10,88	15.16	3.52	0.25	1.440	1.31	0.34	1.56
JAN 12,88	JAN 11,88	43.93	8.36	0.65	2.726	1.55	0.45	2.19
JAN 13,88	JAN 12,88	16.56	5.71	0.24	0.695	0.80	0.00	1.03
JAN 14,88	JAN 13,88	0.72	1.63	0.01	<W 0.000	<W 0.00	0.35	0.01
JAN 15,88	JAN 14,88	7.86	2.19	0.15	0.597	0.74	0.18	0.90
JAN 17,88	JAN 15,88	U 35.75	U 4.19	U 0.51	U 1.473	U 1.01	U 0.33	U 1.52
JAN 19,88	JAN 17,88	7.64	2.34	0.22	1.118	0.58	0.32	0.79
JAN 20,88	JAN 19,88	1P 0.13	1P 0.00	1P 0.01	1P 0.000	1P 0.00	1P 0.19	1P 0.01
JAN 21,88	JAN 20,88	19.33	3.03	0.15	0.792	0.37	0.38	0.52
JAN 22,88	JAN 21,88	*****	*****	*****	*****	*****	*****	*****
JAN 23,88	JAN 22,88	13.16	4.33	0.51	1.140	<W 0.00	0.56	0.51
JAN 24,88	JAN 23,88	10.02	3.90	0.37	1.167	0.41	0.61	0.77
JAN 25,88	JAN 24,88	11.11	4.61	0.44	1.494	0.90	0.42	1.34
JAN 26,88	JAN 25,88	*****	*****	*****	*****	*****	*****	*****
JAN 27,88	JAN 26,88	15.38	3.15	0.36	0.622	0.23	0.00	0.58
JAN 28,88	JAN 27,88	20.36	4.18	0.72	0.941	0.76	1.22	1.48
JAN 29,88	JAN 28,88	6.88	3.20	0.31	0.967	0.87	0.95	1.18
JAN 30,88	JAN 29,88	UG 60.92	5.21	1.48	0.941	0.35	1.39	1.83
JAN 31,88	JAN 30,88	8.51	2.97	0.64	0.770	0.40	1.32	1.04
FEB 1,88	JAN 31,88	4.07	4.36	0.46	1.473	0.58	1.38	1.04
FEB 2,88	FEB 1,88	10.37	2.55	0.18	0.654	0.10	0.73	0.28
FEB 3,88	FEB 2,88	6.50	1.74	0.15	0.343	0.12	0.00	0.27
FEB 4,88	FEB 3,88	11.33	1.39	0.74	1.024	0.45	0.90	1.19
FEB 5,88	FEB 4,88	8.78	1.18	0.27	0.489	0.20	0.89	0.47
FEB 6,88	FEB 5,88	19.28	3.24	0.70	0.688	0.28	0.97	0.99
FEB 7,88	FEB 6,88	13.26	3.04	0.32	0.820	0.74	0.00	1.06
FEB 8,88	FEB 7,88	19.50	3.02	0.51	0.750	0.42	0.86	0.93
FEB 9,88	FEB 8,88	23.59	3.72	0.28	1.120	0.75	0.93	1.03
FEB 10,88	FEB 9,88	25.11	5.55	0.00	1.352	0.15	0.00	0.15
FEB 11,88	FEB 10,88	4.22	1.98	0.08	0.538	0.40	0.23	0.49

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 12,88	FEB 11,88	800	800	1	21265.0	73830	2	1	
FEB 13,88	FEB 12,88	800	800	1	22436.0	73831	2	1	
FEB 14,88	FEB 13,88	800	800	1	22045.0	73832	2	1	
FEB 15,88	FEB 14,88	800	800	1	19947.0	73833	2	1	
FEB 16,88	FEB 15,88	800	800	1	22497.0	73834	2	1	
FEB 17,88	FEB 16,88	800	800	1	22363.0	73836	2	1	
FEB 18,88	FEB 17,88	800	800	1	20301.0	73837	2	1	
FEB 19,88	FEB 18,88	800	800	1	21252.0	73838	2	1	
FEB 20,88	FEB 19,88	800	800	1	20886.0	73839	2	1	
FEB 21,88	FEB 20,88	800	800	1	21801.0	73840	2	1	
FEB 22,88	FEB 21,88	800	800	1	20777.0	73841	2	1	
FEB 23,88	FEB 22,88	800	800	1	23656.0	73842	2	1	
FEB 24,88	FEB 23,88	800	800	1	23180.0	73844	2	1	
FEB 25,88	FEB 24,88	800	800	1	22558.0	73845	2	1	
FEB 26,88	FEB 25,88	800	800	1	22106.0	73846	2	1	
FEB 27,88	FEB 26,88	800	800	1	22875.0	73847	2	1	
FEB 28,88	FEB 27,88	800	800	1	22741.0	73848	2	1	
FEB 29,88	FEB 28,88	800	800	1	21557.0	73849	2	1	
MAR 1,88	FEB 29,88	800	800	1	24009.0	73850	2	1	
MAR 2,88	MAR 1,88	800	800	1	23509.0	73852	2	1	
MAR 3,88	MAR 2,88	800	800	1	21570.0	73853	2	1	
MAR 4,88	MAR 3,88	800	800	1	21155.0	73854	2	1	
MAR 5,88	MAR 4,88	800	800	1	20850.0	73855	2	1	
MAR 6,88	MAR 5,88	800	800	1	19826.0	73856	2	1	
MAR 7,88	MAR 6,88	800	800	1	19679.0	73857	2	1	
MAR 8,88	MAR 7,88	800	800	1	21740.0	73858	2	1	
MAR 9,88	MAR 8,88	800	800	1	22192.0	73860	2	1	
MAR 10,88	MAR 9,88	800	800	1	20801.0	73861	2	1	
MAR 11,88	MAR 10,88	800	800	1	21228.0	73862	2	1	
MAR 12,88	MAR 11,88	800	800	1	21448.0	73863	2	1	
MAR 13,88	MAR 12,88	800	800	1	19569.0	73864	2	1	
MAR 14,88	MAR 13,88	800	800	1	19032.0	73865	2	1	
MAR 15,88	MAR 14,88	800	800	1	21118.0	73866	2	1	
MAR 16,88	MAR 15,88	800	800	1	20496.0	73868	2	1	
MAR 17,88	MAR 16,88	800	800	1	20337.0	73869	2	1	
MAR 18,88	MAR 17,88	800	800	1	19764.0	73870	2	1	
MAR 19,88	MAR 18,88	800	800	1	22216.0	73871	2	1	
MAR 20,88	MAR 19,88	800	800	1	21350.0	73872	2	1	
MAR 21,88	MAR 20,88	800	800	1	19276.0	73873	2	1	
MAR 22,88	MAR 21,88	800	800	1	21801.0	73874	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 12,88	FEB 11,88	20.63	4.89	1.24	1.407	0.30	0.79	1.53
FEB 13,88	FEB 12,88	10.61	3.94	0.78	1.244	0.62	0.50	1.40
FEB 14,88	FEB 13,88	10.83	2.51	0.31	0.509	0.08	0.42	0.39
FEB 15,88	FEB 14,88	46.10	6.02	1.30	1.389	0.20	0.76	1.51
FEB 16,88	FEB 15,88	14.25	5.51	0.35	1.187	0.03	0.14	0.37
FEB 17,88	FEB 16,88	23.61	7.47	0.86	1.825	0.35	0.00	1.21
FEB 18,88	FEB 17,88	9.91	5.87	0.59	3.631	2.54	0.39	3.13
FEB 19,88	FEB 18,88	27.61	7.44	0.96	4.057	2.29	0.41	3.25
FEB 20,88	FEB 19,88	25.57	6.04	1.12	2.452	1.05	0.94	2.16
FEB 21,88	FEB 20,88	4.02	1.51	0.28	0.432	0.12	1.20	0.39
FEB 22,88	FEB 21,88	12.81	2.28	0.47	0.636	0.39	0.51	0.86
FEB 23,88	FEB 22,88	8.39	1.90	0.29	1.011	0.71	0.35	1.00
FEB 24,88	FEB 23,88	11.30	2.54	0.16	0.699	0.64	0.00	0.81
FEB 25,88	FEB 24,88	9.92	2.78	0.19	0.754	0.58	1.12	0.77
FEB 26,88	FEB 25,88	9.91	3.19	0.09	0.579	0.79	0.41	0.88
FEB 27,88	FEB 26,88	11.02	4.27	0.15	1.683	2.22	0.47	2.38
FEB 28,88	FEB 27,88	4.10	6.15	0.44	2.080	1.04	0.35	1.48
FEB 29,88	FEB 28,88	5.60	4.91	0.71	1.452	0.41	0.27	1.12
MAR 1,88	FEB 29,88	1.51	1.45	0.05	0.364	0.12	0.33	0.17
MAR 2,88	MAR 1,88	13.90	3.74	0.61	0.972	0.44	0.00	1.06
MAR 3,88	MAR 2,88	5.42	3.76	0.17	1.560	0.84	0.00	1.01
MAR 4,88	MAR 3,88	8.22	4.71	0.06	1.142	0.38	0.00	0.44
MAR 5,88	MAR 4,88	3.33	2.94	0.06	0.736	0.56	0.60	0.62
MAR 6,88	MAR 5,88	9.93	3.36	0.22	1.874	1.51	0.54	1.74
MAR 7,88	MAR 6,88	15.53	7.66	1.08	3.590	1.93	0.68	3.01
MAR 8,88	MAR 7,88	1.79	2.68	0.14	1.419	0.87	0.58	1.01
MAR 9,88	MAR 8,88	26.07	11.42	1.58	3.347	0.83	0.00	2.41
MAR 10,88	MAR 9,88	4.40	4.29	0.14	1.442	0.33	0.19	0.47
MAR 11,88	MAR 10,88	1.64	2.66	0.05	0.791	0.22	0.18	0.26
MAR 12,88	MAR 11,88	11.78	4.80	0.28	2.448	1.58	0.26	1.86
MAR 13,88	MAR 12,88	5.78	3.22	0.06	1.661	0.82	0.31	0.89
MAR 14,88	MAR 13,88	6.14	3.78	0.22	1.287	0.29	0.54	0.52
MAR 15,88	MAR 14,88	4.19	1.77	0.08	0.639	0.22	0.31	0.30
MAR 16,88	MAR 15,88	4.60	2.40	0.08	0.675	0.18	0.00	0.27
MAR 17,88	MAR 16,88	0.29	1.56	0.06	0.460	0.14	0.44	0.19
MAR 18,88	MAR 17,88	4.52	2.43	0.20	1.637	1.42	0.66	1.62
MAR 19,88	MAR 18,88	5.09	2.93	0.27	1.380	0.63	0.48	0.90
MAR 20,88	MAR 19,88	2.86	1.46	0.14	0.555	0.23	0.36	0.37
MAR 21,88	MAR 20,88	2.34	1.48	0.09	0.511	0.21	0.32	0.29
MAR 22,88	MAR 21,88	6.36	3.72	0.08	1.085	0.33	0.46	0.41

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAR 23,88	MAR 22,88	800	800	1	22838.0	73876	2	1	
MAR 24,88	MAR 23,88	800	800	1	20789.0	73877	2	1	
MAR 25,88	MAR 24,88	800	800	1	20533.0	73878	2	1	
MAR 26,88	MAR 25,88	800	800	1	21045.0	73879	2	1	
MAR 27,88	MAR 26,88	800	800	1	21082.0	73880	2	1	
MAR 28,88	MAR 27,88	800	800	1	20264.0	73881	2	1	
MAR 29,88	MAR 28,88	800	800	1	21423.0	73882	2	1	
MAR 30,88	MAR 29,88	800	800	1	22936.0	73884	2	1	
MAR 31,88	MAR 30,88	800	800	1	21704.0	73885	2	1	
APR 1,88	MAR 31,88	800	800	1	21838.0	73886	2	1	
APR 2,88	APR 1,88	800	800	1	21862.0	73887	2	1	
APR 3,88	APR 2,88	800	800	1	20398.0	73888	2	1	
APR 4,88	APR 3,88	800	800	1	20484.0	73889	2	1	
APR 5,88	APR 4,88	800	800	1	20630.0	73890	2	1	
APR 6,88	APR 5,88	800	800	1	22302.0	73892	2	1	
APR 7,88	APR 6,88	800	800	1	19727.0	73893	2	1	
APR 8,88	APR 7,88	800	800	1	20618.0	73894	2	1	
APR 9,88	APR 8,88	800	800	1	22668.0	73895	2	1	
APR 10,88	APR 9,88	800	800	1	20728.0	73896	2	1	
APR 11,88	APR 10,88	800	800	1	20606.0	73897	2	1	
APR 12,88	APR 11,88	800	800	1	22936.0	73898	2	1	
APR 13,88	APR 12,88	800	800	1	22547.0	73900	2	1	
APR 14,88	APR 13,88	800	800	1	22204.0	73901	2	1	
APR 15,88	APR 14,88	800	800	1	21826.0	73902	2	1	
APR 16,88	APR 15,88	800	800	1	22692.0	73903	2	1	
APR 17,88	APR 16,88	800	800	1	20740.0	73904	2	1	
APR 18,88	APR 17,88	800	800	1	20496.0	73905	2	1	
APR 19,88	APR 18,88	800	800	1	23107.0	73906	2	1	
APR 20,88	APR 19,88	800	800	1	23522.0	73908	2	1	
APR 21,88	APR 20,88	800	800	1	20569.0	73909	2	1	
APR 22,88	APR 21,88	800	800	1	26889.0	73910	2	1	
APR 23,88	APR 22,88	800	800	1	23302.0	73911	2	1	
APR 24,88	APR 23,88	800	800	1	20118.0	73912	2	1	
APR 25,88	APR 24,88	800	800	1	20545.0	73913	2	1	
APR 26,88	APR 25,88	800	800	1	23387.0	73914	2	1	
APR 27,88	APR 26,88	800	800	1	19349.0	73916	2	1	
APR 28,88	APR 27,88	800	800	1	21533.0	73917	2	1	
APR 29,88	APR 28,88	800	800	1	22777.0	73918	2	1	
APR 30,88	APR 29,88	800	800	1	23375.0	73919	2	1	
MAY 1,88	APR 30,88	800	800	1	21265.0	73920	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAR 23,88	MAR 22,88	21.28	3.47	0.38	0.945	0.83	0.00	1.22
MAR 24,88	MAR 23,88	6.43	6.78	0.52	3.006	2.01	0.05	2.53
MAR 25,88	MAR 24,88	13.85	9.35	0.51	UG 5.649	3.38	0.46	3.90
MAR 26,88	MAR 25,88	4.90	2.73	0.25	1.440	0.82	0.61	1.07
MAR 27,88	MAR 26,88	6.78	2.91	0.33	1.020	0.30	0.85	0.63
MAR 28,88	MAR 27,88	1.44	2.04	0.08	0.617	0.06	0.66	0.15
MAR 29,88	MAR 28,88	7.89	4.12	0.05	1.890	0.81	0.00	0.85
MAR 30,88	MAR 29,88	19.88	5.44	0.78	1.347	0.44	0.00	1.22
MAR 31,88	MAR 30,88	1.05	2.72	0.08	0.757	0.41	0.26	0.50
APR 1,88	MAR 31,88	6.75	4.27	0.27	1.109	0.88	0.16	1.16
APR 2,88	APR 1,88	10.86	6.54	0.41	2.924	3.16	0.24	3.57
APR 3,88	APR 2,88	10.75	UG 11.37	0.34	UG 5.830	3.21	0.39	3.55
APR 4,88	APR 3,88	3.97	3.02	0.17	1.232	0.71	0.51	0.88
APR 5,88	APR 4,88	3.95	6.93	0.27	AIS 2.372	1.90	0.52	2.17
APR 6,88	APR 5,88	23.33	UG 10.85	UG 2.67	1.306	1.19	0.09	3.86
APR 7,88	APR 6,88	11.36	5.98	1.51	0.601	0.56	0.32	2.07
APR 8,88	APR 7,88	2.28	2.04	0.07	0.575	0.02	0.34	0.09
APR 9,88	APR 8,88	7.18	3.46	0.08	0.955	0.05	0.32	0.13
APR 10,88	APR 9,88	2.58	3.15	0.09	0.886	0.10	0.37	0.20
APR 11,88	APR 10,88	15.38	4.90	0.12	1.376	0.08	0.37	0.20
APR 12,88	APR 11,88	10.42	2.89	0.30	1.280	1.09	0.46	1.39
APR 13,88	APR 12,88	7.36	3.06	0.37	0.602	1.57	0.07	1.94
APR 14,88	APR 13,88	23.14	8.83	0.48	2.423	2.21	0.72	2.70
APR 15,88	APR 14,88	1.31	3.50	0.11	1.031	0.21	0.50	0.32
APR 16,88	APR 15,88	1.95	2.75	0.10	0.983	0.38	0.43	0.48
APR 17,88	APR 16,88	2.24	2.17	0.11	0.892	0.56	0.38	0.67
APR 18,88	APR 17,88	6.64	4.43	0.31	1.220	0.91	0.29	1.22
APR 19,88	APR 18,88	0.97	2.16	0.06	0.606	0.19	0.26	0.25
APR 20,88	APR 19,88	2.05	2.04	0.53	0.587	0.29	0.00	0.82
APR 21,88	APR 20,88	6.89	3.13	0.09	0.705	0.75	0.41	0.84
APR 22,88	APR 21,88	<W 0.12	0.26	0.03	0.056	0.03	0.17	0.07
APR 23,88	APR 22,88	4.88	2.97	0.29	0.472	0.44	0.30	0.73
APR 24,88	APR 23,88	8.68	4.04	0.45	1.665	0.76	1.17	1.22
APR 25,88	APR 24,88	1.11	1.45	0.07	0.426	0.09	0.32	0.16
APR 26,88	APR 25,88	5.44	2.42	0.25	0.932	0.51	0.28	0.76
APR 27,88	APR 26,88	2.83	2.98	0.22	0.739	0.50	0.07	0.71
APR 28,88	APR 27,88	4.34	2.89	0.10	1.115	0.57	0.39	0.68
APR 29,88	APR 28,88	6.27	3.39	0.13	1.207	0.37	0.61	0.50
APR 30,88	APR 29,88	4.73	4.48	0.07	1.283	0.11	0.51	0.18
MAY 1,88	APR 30,88	17.23	8.50	0.14	2.412	0.21	0.55	0.35

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
MAY 2,88	MAY 1,88	800	800	1	20411.0	73921	2	1		
MAY 3,88	MAY 2,88	800	800	1	23339.0	73922	2	1		
MAY 4,88	MAY 3,88	800	800	1	22997.0	73924	2	1		
MAY 5,88	MAY 4,88	800	800	1	21289.0	73925	2	1		
MAY 6,88	MAY 5,88	800	800	1	22643.0	73926	2	1		
MAY 7,88	MAY 6,88	800	800	1	23217.0	73927	2	1		
MAY 8,88	MAY 7,88	800	800	1	20972.0	73928	2	1		
MAY 9,88	MAY 8,88	800	800	1	19557.0	73929	2	1		
MAY 10,88	MAY 9,88	800	800	1	23753.0	73930	2	1		
MAY 11,88	MAY 10,88	800	800	1	23668.0	73932	2	1		
MAY 12,88	MAY 11,88	800	800	1	21472.0	73933	2	1		
MAY 13,88	MAY 12,88	800	800	1	21899.0	73934	2	1		
MAY 14,88	MAY 13,88	800	800	1	23192.0	73935	2	1		
MAY 15,88	MAY 14,88	800	800	1	20862.0	73936	2	1		
MAY 16,88	MAY 15,88	800	800	1	20545.0	73937	2	1		
MAY 17,88	MAY 16,88	800	800	1	23485.0	73938	2	1		
MAY 18,88	MAY 17,88	800	800	1	26340.0	73940	2	1		
MAY 19,88	MAY 18,88	800	800	1	20984.0	73941	2	1		
MAY 20,88	MAY 19,88	800	800	1	23645.0	73942	2	1		
MAY 21,88	MAY 20,88	800	800	1	26320.0	73943	2	1		
MAY 22,88	MAY 21,88	800	800	1	24428.0	73944	2	1		
MAY 23,88	MAY 22,88	800	800	1	23716.0	73945	2	1		
MAY 24,88	MAY 23,88	800	800	1	26493.0	73946	2	1		
MAY 25,88	MAY 24,88	800	800	1	26432.0	73948	2	1		
MAY 26,88	MAY 25,88	800	800	1	25130.0	73949	2	1		
MAY 27,88	MAY 26,88	800	800	1	26676.0	73950	2	1		
MAY 28,88	MAY 27,88	800	800	1	26747.0	73951	2	1		
MAY 29,88	MAY 28,88	800	800	1	24724.0	73952	2	1		
MAY 30,88	MAY 29,88	800	800	1	23666.0	73953	2	1		
MAY 31,88	MAY 30,88	800	800	1	26147.0	73954	2	1		
JUN 1,88	MAY 31,88	800	800	1	26086.0	73956	2	1		
JUN 2,88	JUN 1,88	800	800	1	24286.0	73957	2	1		
JUN 3,88	JUN 2,88	800	800	1	26259.0	73958	2	1		
JUN 4,88	JUN 3,88	800	800	1	26462.0	73959	2	1		
JUN 5,88	JUN 4,88	800	800	1	24540.0	73960	2	1		
JUN 6,88	JUN 5,88	800	800	1	23483.0	73961	2	1		
JUN 7,88	JUN 6,88	800	800	1	26808.0	73962	2	1		
JUN 8,88	JUN 7,88	800	800	1	26666.0	73964	2	1		
JUN 9,88	JUN 8,88	800	800	1	24479.0	73965	2	1		
JUN 10,88	JUN 9,88	800	800	1	26350.0	73966	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 2,88	MAY 1,88	13.36	6.50	0.22	1.813	0.22	0.52	0.44
MAY 3,88	MAY 2,88	16.06	3.67	0.32	1.607	1.04	0.47	1.36
MAY 4,88	MAY 3,88	11.54	0.57	0.56	0.103	0.00	0.00	0.56
MAY 5,88	MAY 4,88	11.89	1.08	0.60	0.170	0.09	0.00	0.69
MAY 6,88	MAY 5,88	12.53	9.22	0.45	2.260	2.38	0.24	2.83
MAY 7,88	MAY 6,88	7.44	6.10	0.38	1.502	0.42	0.23	0.80
MAY 8,88	MAY 7,88	9.75	3.54	0.38	0.828	0.66	0.17	1.04
MAY 9,88	MAY 8,88	32.92	29.08	1.34	3.256	0.46	0.20	1.80
MAY 10,88	MAY 9,88	5.27	4.41	0.26	1.628	0.69	0.38	0.95
MAY 11,88	MAY 10,88	2.99	3.33	0.13	1.150	0.58	0.00	0.71
MAY 12,88	MAY 11,88	4.42	2.67	0.19	0.753	0.63	0.00	0.81
MAY 13,88	MAY 12,88	19.49	7.30	1.02	1.766	1.22	0.13	2.24
MAY 14,88	MAY 13,88	1.36	1.27	0.13	0.318	0.26	0.00	0.39
MAY 15,88	MAY 14,88	4.17	2.06	0.43	0.535	0.71	0.00	1.14
MAY 16,88	MAY 15,88	14.67	9.68	0.92	3.221	0.92	0.48	1.84
MAY 17,88	MAY 16,88	1.86	4.19	0.34	1.485	0.46	0.04	0.80
MAY 18,88	MAY 17,88	0.00	0.64	0.01	0.096	0.10	0.00	0.11
MAY 19,88	MAY 18,88	2.79	3.01	0.36	0.571	0.68	0.43	1.04
MAY 20,88	MAY 19,88	5.08	4.38	0.24	1.652	1.07	0.58	1.32
MAY 21,88	MAY 20,88	4.87	12.26	0.97	4.782	2.07	0.64	3.04
MAY 22,88	MAY 21,88	10.68	37.16	1.57	6.913	0.81	0.42	2.38
MAY 23,88	MAY 22,88	16.47	24.57	1.51	7.289	0.98	1.11	2.49
MAY 24,88	MAY 23,88	2.52	4.03	0.57	0.973	0.22	0.56	0.79
MAY 25,88	MAY 24,88	8.21	1.22	0.12	0.111	0.20	0.00	0.32
MAY 26,88	MAY 25,88	2.72	1.49	0.06	0.149	0.18	0.30	0.24
MAY 27,88	MAY 26,88	8.62	2.47	0.82	0.427	0.62	0.22	1.44
MAY 28,88	MAY 27,88	17.71	12.12	1.42	2.377	0.72	0.20	2.14
MAY 29,88	MAY 28,88	15.16	15.29	1.46	2.839	0.48	0.30	1.94
MAY 30,88	MAY 29,88	14.94	19.06	1.76	4.216	0.47	0.48	2.23
MAY 31,88	MAY 30,88	7.87	14.46	0.99	3.082	0.56	0.34	1.54
JUN 1,88	MAY 31,88	3.50	12.58	0.50	1.550	0.60	0.00	1.10
JUN 2,88	JUN 1,88	1.59	4.62	0.24	0.822	0.22	0.49	0.45
JUN 3,88	JUN 2,88	4.02	0.63	0.24	0.022	0.15	0.15	0.39
JUN 4,88	JUN 3,88	1.07	1.22	0.15	0.197	0.14	0.16	0.29
JUN 5,88	JUN 4,88	2.58	1.78	0.24	0.380	0.13	0.19	0.38
JUN 6,88	JUN 5,88	2.05	2.37	0.24	0.488	0.10	0.09	0.34
JUN 7,88	JUN 6,88	3.45	2.13	0.31	0.547	0.26	0.54	0.57
JUN 8,88	JUN 7,88	4.05	3.61	0.44	0.685	0.36	0.00	0.80
JUN 9,88	JUN 8,88	4.85	1.59	0.06	0.319	0.06	0.34	0.11
JUN 10,88	JUN 9,88	3.41	1.33	0.02	0.154	0.06	0.14	0.09

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 11,88	JUN 10,88	800	800	1	26808.0	73967	2	1	
JUN 12,88	JUN 11,88	800	800	1	24835.0	73968	2	1	
JUN 13,88	JUN 12,88	800	800	1	23971.0	73969	2	1	
JUN 14,88	JUN 13,88	800	800	1	25689.0	73970	2	1	
JUN 15,88	JUN 14,88	800	800	1	25140.0	73972	2	1	
JUN 16,88	JUN 15,88	800	800	1	23320.0	73973	2	1	
JUN 17,88	JUN 16,88	800	800	1	25415.0	73974	2	1	
JUN 18,88	JUN 17,88	800	800	1	26769.0	73975	2	1	
JUN 19,88	JUN 18,88	800	800	1	24327.0	73976	2	1	
JUN 20,88	JUN 19,88	800	800	1	23472.0	73977	2	1	
JUN 21,88	JUN 20,88	800	800	1	26096.0	73978	2	1	
JUN 22,88	JUN 21,88	800	800	1	25761.0	73980	2	1	
JUN 23,88	JUN 22,88	800	800	1	24164.0	73981	2	1	
JUN 24,88	JUN 23,88	800	800	1	26503.0	73982	2	1	
JUN 25,88	JUN 24,88	800	800	1	26432.0	73983	2	1	
JUN 26,88	JUN 25,88	800	800	1	24144.0	73984	2	1	
JUN 27,88	JUN 26,88	800	800	1	23422.0	73985	2	1	
JUN 28,88	JUN 27,88	800	800	1	26259.0	73986	2	1	
JUN 29,88	JUN 28,88	800	800	1	25730.0	73988	2	1	
JUN 30,88	JUN 29,88	800	800	1	24560.0	73989	2	1	
JUL 1,88	JUN 30,88	800	800	1	26594.0	73990	2	1	
JUL 2,88	JUL 1,88	800	800	1	26869.0	73991	2	1	
JUL 3,88	JUL 2,88	800	800	1	24703.0	73992	2	1	
JUL 4,88	JUL 3,88	800	800	1	23269.0	73993	2	1	
JUL 5,88	JUL 4,88	800	800	1	26595.0	73994	2	1	
JUL 6,88	JUL 5,88	800	800	1	26462.0	73996	2	1	
JUL 7,88	JUL 6,88	800	800	1	24489.0	73997	2	1	
JUL 8,88	JUL 7,88	800	800	1	26015.0	73998	2	1	
JUL 9,88	JUL 8,88	800	800	1	26188.0	73999	2	1	
JUL 10,88	JUL 9,88	800	800	1	24296.0	74000	2	1	
JUL 11,88	JUL 10,88	800	800	1	23127.0	71001	2	1	
JUL 12,88	JUL 11,88	800	800	1	25984.0	71002	2	1	
JUL 13,88	JUL 12,88	800	800	1	25628.0	71004	2	1	
JUL 14,88	JUL 13,88	800	800	1	23554.0	71005	2	1	
JUL 15,88	JUL 14,88	800	800	1	25903.0	71006	2	1	
JUL 16,88	JUL 15,88	800	800	1	26798.0	71007	2	1	
JUL 17,88	JUL 16,88	800	800	1	23991.0	71008	2	1	
JUL 18,88	JUL 17,88	800	800	1	22883.0	71009	2	1	
JUL 19,88	JUL 18,88	800	800	1	25496.0	71010	2	1	
JUL 20,88	JUL 19,88	800	800	1	25944.0	71012	2	1	

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 11,88	JUN 10,88	2.70	0.63	0.07	0.079	<T	0.00	0.07
JUN 12,88	JUN 11,88	8.22	2.09	0.43	0.289		0.14	0.00
JUN 13,88	JUN 12,88	9.42	6.97	0.79	1.507		0.27	0.05
JUN 14,88	JUN 13,88	17.90	20.05	1.46	4.929		0.43	0.15
JUN 15,88	JUN 14,88	13.37	15.51	1.15	3.330		0.24	0.00
JUN 16,88	JUN 15,88	6.58	8.96	0.71	1.405		0.32	0.08
JUN 17,88	JUN 16,88	3.82	1.87	0.09	0.329		0.12	0.18
JUN 18,88	JUN 17,88	2.21	1.94	0.15	0.368		0.12	0.09
JUN 19,88	JUN 18,88	4.24	3.59	0.41	0.763		0.30	0.12
JUN 20,88	JUN 19,88	17.25	16.62	1.01	3.939		0.36	1.06
JUN 21,88	JUN 20,88	11.51	12.42	0.20	3.026		0.31	0.19
JUN 22,88	JUN 21,88	5.38	2.93	0.45	0.172		0.21	0.05
JUN 23,88	JUN 22,88	5.92	7.70	0.51	0.427		0.40	0.51
JUN 24,88	JUN 23,88	1.11	0.51	0.07	0.009		0.10	0.23
JUN 25,88	JUN 24,88	12.52	6.70	0.73	1.321		0.20	0.30
JUN 26,88	JUN 25,88	7.20	6.26	0.53	0.012		0.48	0.49
JUN 27,88	JUN 26,88	0.54	1.13	0.06	0.008		0.09	0.21
JUN 28,88	JUN 27,88	1.99	0.59	0.09	0.005		0.07	0.15
JUN 29,88	JUN 28,88	4.38	1.07	0.22	<T		0.17	0.00
JUN 30,88	JUN 29,88	0.94	0.51	0.03	<T		0.13	0.18
JUL 1,88	JUN 30,88	0.94	0.36	0.04	<W		0.08	0.18
JUL 2,88	JUL 1,88	1.83	1.28	0.13	<W		0.18	0.41
JUL 3,88	JUL 2,88	1.02	0.34	0.02	<W		0.11	0.20
JUL 4,88	JUL 3,88	0.17	5.27	0.69	0.000		0.48	0.26
JUL 5,88	JUL 4,88	8.96	7.43	0.86	1.681		0.46	0.24
JUL 6,88	JUL 5,88	8.92	9.46	0.91	1.651		0.14	0.00
JUL 7,88	JUL 6,88	21.68	22.63	1.28	4.696		0.17	0.00
JUL 8,88	JUL 7,88	9.80	30.34	1.12	5.881		0.16	0.00
JUL 9,88	JUL 8,88	5.88	24.91	0.93	4.926		0.20	0.00
JUL 10,88	JUL 9,88	2.99	14.75	0.67	2.704		0.24	0.00
JUL 11,88	JUL 10,88	9.95	19.86	0.84	4.627		0.11	0.00
JUL 12,88	JUL 11,88	2.55	4.94	0.57	1.436		0.38	0.00
JUL 13,88	JUL 12,88	0.22	0.62	0.06	<W		0.06	0.00
JUL 14,88	JUL 13,88	13.07	9.94	0.88	1.868		0.20	0.50
JUL 15,88	JUL 14,88	5.27	6.38	0.60	0.726		0.26	0.49
JUL 16,88	JUL 15,88	10.62	3.74	0.64	0.399		0.27	0.48
JUL 17,88	JUL 16,88	5.68	7.01	0.62	1.267		0.24	0.40
JUL 18,88	JUL 17,88	0.40	1.91	0.20	0.336		0.11	0.36
JUL 19,88	JUL 18,88	9.81	11.15	0.88	3.173		0.71	0.65
JUL 20,88	JUL 19,88	2.66	4.80	0.58	0.435		0.18	0.32

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUL 21,88	JUL 20,88	800	800	1	24245.0	71013	2	1	
JUL 22,88	JUL 21,88	800	800	1	25659.0	71014	2	1	
JUL 23,88	JUL 22,88	800	800	1	25913.0	71015	2	1	
JUL 24,88	JUL 23,88	800	800	1	24123.0	71016	2	1	
JUL 25,88	JUL 24,88	800	800	1	23055.0	71017	2	1	
JUL 26,88	JUL 25,88	800	800	1	25954.0	71018	2	1	
JUL 27,88	JUL 26,88	800	800	1	25466.0	71020	2	1	
JUL 28,88	JUL 27,88	800	800	1	23472.0	71021	2	1	
JUL 29,88	JUL 28,88	800	800	1	25222.0	71022	2	1	
JUL 30,88	JUL 29,88	800	800	1	25934.0	71023	2	1	
JUL 31,88	JUL 30,88	800	800	1	24113.0	71024	2	1	
AUG 1,88	JUL 31,88	800	800	1	23305.0	71025	2	1	
AUG 2,88	AUG 1,88	800	800	1	23289.0	71026	2	1	
AUG 3,88	AUG 2,88	800	800	1	25374.0	71028	2	1	
AUG 4,88	AUG 3,88	800	800	1	24154.0	71029	2	1	
AUG 5,88	AUG 4,88	800	800	1	26015.0	71030	2	1	
AUG 6,88	AUG 5,88	800	800	1	26635.0	71031	2	1	
AUG 7,88	AUG 6,88	800	800	1	24825.0	71032	2	1	
AUG 8,88	AUG 7,88	800	800	1	24072.0	71033	2	1	
AUG 9,88	AUG 8,88	800	800	1	26991.0	71034	2	1	
AUG 10,88	AUG 9,88	800	800	1	26381.0	71036	2	1	
AUG 11,88	AUG 10,88	800	800	1	24530.0	71037	2	1	
AUG 12,88	AUG 11,88	800	800	1	25557.0	71038	2	1	
AUG 13,88	AUG 12,88	800	800	1	25883.0	71039	2	1	
AUG 14,88	AUG 13,88	800	800	1	24866.0	71040	2	1	
AUG 15,88	AUG 14,88	800	800	1	23615.0	71041	2	1	
AUG 16,88	AUG 15,88	800	800	1	26269.0	71042	2	1	
AUG 17,88	AUG 16,88	800	800	1	27103.0	71044	2	1	
AUG 18,88	AUG 17,88	800	800	1	25049.0	71045	2	1	
AUG 19,88	AUG 18,88	800	800	1	26798.0	71046	2	1	
AUG 20,88	AUG 19,88	800	800	1	27459.0	71047	2	1	
AUG 21,88	AUG 20,88	800	800	1	23340.0	71048	2	1	
AUG 22,88	AUG 21,88	800	800	1	26411.0	71049	2	1	
AUG 23,88	AUG 22,88	800	800	1	28090.0	71050	2	1	
AUG 24,88	AUG 23,88	800	800	1	26564.0	71052	2	1	
AUG 25,88	AUG 24,88	800	800	1	24327.0	71053	2	1	
AUG 26,88	AUG 25,88	800	800	1	26452.0	71054	2	1	
AUG 27,88	AUG 26,88	800	800	1	27296.0	71055	2	1	
AUG 28,88	AUG 27,88	800	800	1	24489.0	71056	2	1	
AUG 29,88	AUG 28,88	800	800	1	26706.0	71057	2	1	

QE

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUL 21,88	JUL 20,88	5.02	1.98	0.22	<T 0.006	0.60	0.53	0.83
JUL 22,88	JUL 21,88	2.34	5.83	0.78	0.561	0.52	0.36	1.30
JUL 23,88	JUL 22,88	2.02	4.74	0.55	0.722	0.78	0.29	1.32
JUL 24,88	JUL 23,88	1.71	5.71	0.00	1.712	0.77	0.00	0.77
JUL 25,88	JUL 24,88	2.18	7.23	0.55	1.935	0.83	0.42	1.38
JUL 26,88	JUL 25,88	3.70	7.27	0.47	1.907	0.76	0.54	1.23
JUL 27,88	JUL 26,88	3.50	4.52	0.56	0.201	0.09	0.00	0.66
JUL 28,88	JUL 27,88	12.94	8.37	0.16	1.654	0.10	UG 17.81	0.26
JUL 29,88	JUL 28,88	9.36	7.95	1.19	0.976	0.69	0.00	1.88
JUL 30,88	JUL 29,88	12.88	20.84	1.34	4.304	0.85	0.00	2.20
JUL 31,88	JUL 30,88	4.69	9.64	0.58	2.381	0.19	0.00	0.78
AUG 1,88	JUL 31,88	0.47	0.94	0.13	0.031	0.13	0.00	0.27
AUG 2,88	AUG 1,88	6.31	10.80	0.80	3.285	0.73	0.00	1.52
AUG 3,88	AUG 2,88	6.25	11.28	1.00	2.631	0.08	0.00	1.08
AUG 4,88	AUG 3,88	29.70	UG 41.19	1.26	8.197	0.06	1.44	1.32
AUG 5,88	AUG 4,88	10.91	UG 37.98	1.02	8.956	0.12	0.62	1.14
AUG 6,88	AUG 5,88	11.24	17.76	1.01	4.205	0.13	0.76	1.14
AUG 7,88	AUG 6,88	4.69	2.69	0.51	0.665	0.10	0.27	0.61
AUG 8,88	AUG 7,88	0.59	0.61	0.12	0.166	0.07	0.19	0.19
AUG 9,88	AUG 8,88	7.74	9.23	0.79	2.579	0.46	0.43	1.25
AUG 10,88	AUG 9,88	14.62	24.56	0.79	5.828	0.00	0.00	0.79
AUG 11,88	AUG 10,88	1.30	2.25	0.19	0.230	0.21	0.14	0.41
AUG 12,88	AUG 11,88	6.98	12.36	1.01	2.928	0.11	0.41	1.11
AUG 13,88	AUG 12,88	7.51	30.91	1.36	5.863	0.39	0.30	1.75
AUG 14,88	AUG 13,88	10.74	26.54	1.05	6.263	0.25	0.46	1.31
AUG 15,88	AUG 14,88	8.77	10.54	0.55	2.877	0.22	0.37	0.77
AUG 16,88	AUG 15,88	0.51	1.00	0.06	0.222	0.11	0.03	0.17
AUG 17,88	AUG 16,88	2.38	2.46	0.18	0.399	0.29	0.03	0.47
AUG 18,88	AUG 17,88	4.79	4.15	0.26	0.834	0.18	2.68	0.44
AUG 19,88	AUG 18,88	3.27	1.75	0.19	0.272	0.26	0.29	0.45
AUG 20,88	AUG 19,88	5.63	1.85	0.39	0.310	0.43	0.20	0.81
AUG 21,88	AUG 20,88	5.44	3.77	0.43	0.853	0.42	0.84	0.85
AUG 22,88	AUG 21,88	3.09	0.83	0.06	0.242	0.07	0.48	0.13
AUG 23,88	AUG 22,88	7.35	2.86	0.32	0.783	0.00	0.41	0.32
AUG 24,88	AUG 23,88	7.14	7.99	0.68	2.044	0.19	0.00	0.86
AUG 25,88	AUG 24,88	9.89	4.40	0.43	0.855	0.12	0.40	0.55
AUG 26,88	AUG 25,88	5.89	1.99	0.23	0.117	0.12	0.27	0.36
AUG 27,88	AUG 26,88	1.75	1.32	0.08	0.161	0.15	0.01	0.23
AUG 28,88	AUG 27,88	9.15	5.23	0.57	1.270	0.43	0.98	1.00
AUG 29,88	AUG 28,88	1.92	3.32	0.43	0.652	0.18	0.45	0.60

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 30,88	AUG 29,88	800	800	1	27042.0	71058	2	1	
AUG 31,88	AUG 30,88	800	800	1	26656.0	71060	2	1	
SEP 1,88	AUG 31,88	800	800	1	24794.0	71061	2	1	
SEP 2,88	SEP 1,88	800	800	1	25669.0	71062	2	1	
SEP 3,88	SEP 2,88	800	800	1	26228.0	71063	2	1	
SEP 4,88	SEP 3,88	800	800	1	23340.0	71064	2	1	
SEP 5,88	SEP 4,88	800	800	1	25903.0	71065	2	1	
SEP 6,88	SEP 5,88	800	800	1	26025.0	71066	2	1	
SEP 7,88	SEP 6,88	800	800	1	26828.0	71068	2	1	
SEP 8,88	SEP 7,88	800	800	1	22852.0	71069	2	1	
SEP 9,88	SEP 8,88	800	800	1	25649.0	71070	2	1	
SEP 10,88	SEP 9,88	800	800	1	26178.0	71071	2	1	
SEP 11,88	SEP 10,88	800	800	1	23798.0	71072	2	1	
SEP 12,88	SEP 11,88	800	800	1	25618.0	71073	2	1	
SEP 13,88	SEP 12,88	800	800	1	24835.0	71074	2	1	
SEP 14,88	SEP 13,88	800	800	1	25425.0	71076	2	1	
SEP 15,88	SEP 14,88	800	800	1	24408.0	71077	2	1	
SEP 16,88	SEP 15,88	800	800	1	26381.0	71078	2	1	
SEP 17,88	SEP 16,88	800	800	1	27418.0	71079	2	1	
SEP 18,88	SEP 17,88	800	800	1	23899.0	71080	2	1	
SEP 19,88	SEP 18,88	800	800	1	26106.0	71081	2	1	C
SEP 20,88	SEP 19,88	800	800	1	26706.0	71082	2	1	
SEP 21,88	SEP 20,88	800	800	1	26381.0	71084	2	1	
SEP 22,88	SEP 21,88	800	800	1	24311.0	71085	2	1	
SEP 23,88	SEP 22,88	800	800	1	26957.0	71086	2	1	
SEP 24,88	SEP 23,88	800	800	1	24583.0	71087	2	1	
SEP 25,88	SEP 24,88	800	800	1	26482.0	71088	2	1	
SEP 26,88	SEP 25,88	800	800	1	26927.0	71089	2	1	
SEP 27,88	SEP 26,88	800	800	1	26139.0	71090	2	1	
SEP 28,88	SEP 27,88	800	800	1	26816.0	71092	2	1	
SEP 29,88	SEP 28,88	800	800	1	25088.0	71093	2	1	
SEP 30,88	SEP 29,88	800	800	1	26270.0	71094	2	1	
OCT 1,88	SEP 30,88	800	800	1	26412.0	71095	2	1	
OCT 2,88	OCT 1,88	800	800	1	24220.0	71096	2	1	
OCT 3,88	OCT 2,88	800	800	1	26654.0	71097	2	1	
OCT 4,88	OCT 3,88	800	800	1	26654.0	71098	2	1	
OCT 5,88	OCT 4,88	800	800	1	26886.0	71100	2	1	
OCT 6,88	OCT 5,88	800	800	1	23563.0	71101	2	1	
OCT 7,88	OCT 6,88	800	800	1	27300.0	71102	2	1	
OCT 8,88	OCT 7,88	800	800	1	25735.0	71103	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 14

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 30,88	AUG 29,88	1.77	2.33	0.17		0.333	0.33	0.32	0.51
AUG 31,88	AUG 30,88	0.08	0.78	0.03	<W	0.000	0.09	0.00	0.12
SEP 1,88	AUG 31,88	4.24	5.65	0.60		0.678	0.67	0.88	1.27
SEP 2,88	SEP 1,88	5.44	9.66	0.82		1.719	0.60	0.64	1.42
SEP 3,88	SEP 2,88	7.55	7.70	0.83		3.085	0.22	1.04	1.05
SEP 4,88	SEP 3,88	4.88	10.33	0.40		2.601	0.31	1.03	0.71
SEP 5,88	SEP 4,88	1.24	2.51	0.13		0.668	0.04	0.30	0.18
SEP 6,88	SEP 5,88	2.50	0.66	0.04	<W	0.000	0.04	0.32	0.08
SEP 7,88	SEP 6,88	0.84	0.85	0.01	<T	0.004	0.33	0.24	0.34
SEP 8,88	SEP 7,88	2.82	2.29	0.30		0.241	0.34	0.22	0.64
SEP 9,88	SEP 8,88	31.54	12.28	1.21		2.530	0.14	0.35	1.34
SEP 10,88	SEP 9,88	1.16	1.39	0.09	<W	0.000	0.34	0.27	0.43
SEP 11,88	SEP 10,88	4.92	10.25	0.50		0.357	0.50	0.38	1.01
SEP 12,88	SEP 11,88	1.35	0.49	0.07	<W	0.000	0.12	0.20	0.19
SEP 13,88	SEP 12,88	7.58	6.44	0.38		1.772	0.76	0.45	1.14
SEP 14,88	SEP 13,88	1.20	1.16	0.00	<W	0.000	0.12	0.29	0.12
SEP 15,88	SEP 14,88	1.66	1.53	0.17		0.025	0.19	0.40	0.36
SEP 16,88	SEP 15,88	5.04	2.18	0.32		0.038	0.58	0.40	0.90
SEP 17,88	SEP 16,88	7.22	5.44	0.48		0.682	0.63	0.38	1.10
SEP 18,88	SEP 17,88	5.49	10.84	0.72		2.657	0.54	0.26	1.26
SEP 19,88	SEP 18,88	2.81	8.28	0.79		2.249	0.61	0.71	1.40
SEP 20,88	SEP 19,88	UG 47.04	11.24	1.40		2.894	0.00	0.68	1.40
SEP 21,88	SEP 20,88	7.39	3.00	0.10		0.653	0.06	0.00	0.16
SEP 22,88	SEP 21,88	1.00	1.52	0.08		0.297	0.12	0.52	0.19
SEP 23,88	SEP 22,88	16.65	7.86	0.40		2.108	0.37	0.54	0.77
SEP 24,88	SEP 23,88	0.84	1.67	0.14		0.274	0.09	0.47	0.23
SEP 25,88	SEP 24,88	0.85	1.32	0.14		0.243	0.15	0.81	0.29
SEP 26,88	SEP 25,88	4.84	2.97	0.30		0.844	0.36	0.47	0.66
SEP 27,88	SEP 26,88	7.65	3.94	0.19		1.290	0.65	0.86	0.84
SEP 28,88	SEP 27,88	18.97	8.65	0.80		1.874	0.44	0.94	1.24
SEP 29,88	SEP 28,88	4.18	1.55	0.16		0.317	0.15	0.89	0.32
SEP 30,88	SEP 29,88	9.94	5.14	0.37		0.474	0.63	0.58	1.00
OCT 1,88	SEP 30,88	10.75	16.51	0.84		4.193	1.20	0.62	2.04
OCT 2,88	OCT 1,88	5.24	6.69	0.54		1.781	0.28	0.55	0.83
OCT 3,88	OCT 2,88	0.69	0.90	0.02		0.234	<W 0.00	0.27	0.02
OCT 4,88	OCT 3,88	1.24	1.13	0.03		0.287	0.04	0.35	0.07
OCT 5,88	OCT 4,88	3.92	1.42	0.13		0.473	0.22	0.35	0.35
OCT 6,88	OCT 5,88	4.79	0.73	0.03		0.254	<T 0.03	1.19	0.07
OCT 7,88	OCT 6,88	0.74	0.41	0.06		0.124	0.07	0.55	0.13
OCT 8,88	OCT 7,88	0.77	1.37	0.11		0.263	0.23	0.16	0.34

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
OCT 9,88	OCT 8,88	800	800	1	24179.0	71104	2	1	
OCT 10,88	OCT 9,88	800	800	1	26331.0	71105	2	1	
OCT 11,88	OCT 10,88	800	800	1	27331.0	71106	2	1	
OCT 13,88	OCT 11,88	800	800	1	33600.0	71109	2	1	B Z
OCT 14,88	OCT 13,88	800	800	1	24020.0	71110	2	1	
OCT 15,88	OCT 14,88	800	800	1	25260.0	71111	2	1	
OCT 16,88	OCT 15,88	800	800	1	25730.0	71112	2	1	
OCT 17,88	OCT 16,88	800	800	1	22200.0	71113	2	1	
OCT 18,88	OCT 17,88	800	800	1	25960.0	71114	2	1	B
OCT 19,88	OCT 18,88	800	800	1	27103.0	71116	2	1	
OCT 20,88	OCT 19,88	800	800	1	24815.0	71117	2	1	
OCT 21,88	OCT 20,88	800	800	1	26849.0	71118	2	1	
OCT 22,88	OCT 21,88	800	800	1	26411.0	71119	2	1	
OCT 23,88	OCT 22,88	800	800	1	25099.0	71120	2	1	
OCT 24,88	OCT 23,88	800	800	1	25171.0	71121	2	1	
OCT 25,88	OCT 24,88	800	800	1	26005.0	71122	2	1	
OCT 26,88	OCT 25,88	800	800	1	24744.0	71124	2	1	
OCT 27,88	OCT 26,88	800	800	1	25120.0	71125	2	1	
OCT 28,88	OCT 27,88	800	800	1	27499.0	71126	2	1	
OCT 29,88	OCT 28,88	800	800	1	28313.0	71127	2	1	
OCT 30,88	OCT 29,88	800	800	1	25161.0	71128	2	1	
OCT 31,88	OCT 30,88	800	800	1	27083.0	71129	2	1	
NOV 1,88	OCT 31,88	800	800	1	28008.0	71130	2	1	
NOV 2,88	NOV 1,88	800	800	1	25181.0	71132	2	1	
NOV 3,88	NOV 2,88	800	800	1	24906.0	71133	2	1	Q
NOV 4,88	NOV 3,88	800	800	1	27317.0	71134	2	1	
NOV 5,88	NOV 4,88	800	800	1	27124.0	71135	2	1	
NOV 6,88	NOV 5,88	800	800	1	23889.0	71136	2	1	
NOV 7,88	NOV 6,88	800	800	1	26401.0	71137	2	1	
NOV 8,88	NOV 7,88	800	800	1	27632.0	71138	2	1	
NOV 9,88	NOV 8,88	800	800	1	27571.0	71140	2	1	
NOV 10,88	NOV 9,88	800	800	1	24947.0	71141	2	1	
NOV 11,88	NOV 10,88	800	800	1	27012.0	71142	2	1	
NOV 12,88	NOV 11,88	800	800	1	28364.0	71143	2	1	
NOV 13,88	NOV 12,88	800	800	1	24581.0	71144	2	1	
NOV 14,88	NOV 13,88	800	800	1	26584.0	71145	2	1	
NOV 15,88	NOV 14,88	800	800	1	27846.0	71146	2	1	
NOV 16,88	NOV 15,88	800	800	1	27347.0	71148	2	1	
NOV 17,88	NOV 16,88	800	800	1	25313.0	71149	2	1	
NOV 18,88	NOV 17,88	800	800	1	26686.0	71150	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 9,88	OCT 8,88	16.62	2.62	0.21	1.416	0.91	1.29	1.12
OCT 10,88	OCT 9,88	0.72	3.85	0.17	2.139	1.14	0.50	1.31
OCT 11,88	OCT 10,88	1.76	2.02	0.09	0.879	0.35	0.77	0.44
OCT 13,88	OCT 11,88	<W 0.00	<W 0.00	0.00	0.000	<T 0.01	0.00	0.01
OCT 14,88	OCT 13,88	2.30	1.71	0.17	0.480	0.50	0.27	0.68
OCT 15,88	OCT 14,88	15.52	4.47	0.38	0.856	0.88	0.30	1.26
OCT 16,88	OCT 15,88	12.75	6.80	0.18	1.606	0.91	0.17	1.09
OCT 17,88	OCT 16,88	11.61	7.61	0.42	2.515	0.68	0.38	1.10
OCT 18,88	OCT 17,88	8.73	5.59	0.43	1.627	0.15	0.21	0.58
OCT 19,88	OCT 18,88	0.41	0.77	0.02	0.142	0.03	0.00	0.04
OCT 20,88	OCT 19,88	0.68	0.93	0.08	0.159	0.11	0.66	0.19
OCT 21,88	OCT 20,88	6.13	2.23	0.20	0.679	0.35	0.54	0.55
OCT 22,88	OCT 21,88	13.83	1.44	0.39	0.588	0.20	UG 3.88	0.59
OCT 23,88	OCT 22,88	2.88	1.95	0.21	0.679	0.22	0.61	0.43
OCT 24,88	OCT 23,88	5.78	1.95	0.12	0.478	0.14	1.05	0.26
OCT 25,88	OCT 24,88	4.23	2.00	0.09	0.636	0.11	0.52	0.21
OCT 26,88	OCT 25,88	21.17	2.95	0.09	0.928	0.16	1.01	0.24
OCT 27,88	OCT 26,88	14.31	2.99	0.08	1.049	0.39	0.49	0.47
OCT 28,88	OCT 27,88	18.98	3.09	0.49	0.998	0.54	0.96	1.03
OCT 29,88	OCT 28,88	8.49	3.21	0.15	1.012	0.24	0.75	0.39
OCT 30,88	OCT 29,88	2.92	1.55	0.10	0.463	0.21	0.49	0.31
OCT 31,88	OCT 30,88	0.50	1.00	0.03	0.298	0.11	0.23	0.14
NOV 1,88	OCT 31,88	22.77	3.28	0.39	1.077	0.55	0.30	0.94
NOV 2,88	NOV 1,88	7.87	3.38	0.09	1.489	0.82	0.84	0.91
NOV 3,88	NOV 2,88	8.66	7.11	0.48	1.927	0.11	1.01	0.59
NOV 4,88	NOV 3,88	25.04	7.43	0.68	2.683	1.06	0.99	1.74
NOV 5,88	NOV 4,88	13.04	6.34	0.57	2.186	0.56	1.03	1.13
NOV 6,88	NOV 5,88	3.10	2.51	0.14	0.749	0.12	0.50	0.26
NOV 7,88	NOV 6,88	1.11	0.76	0.12	0.261	0.08	0.31	0.19
NOV 8,88	NOV 7,88	7.82	2.86	0.18	1.570	1.01	0.33	1.18
NOV 9,88	NOV 8,88	11.03	3.35	0.26	1.241	0.46	0.00	0.72
NOV 10,88	NOV 9,88	22.10	4.50	0.72	1.133	0.07	1.70	0.79
NOV 11,88	NOV 10,88	2.63	1.45	0.11	0.399	0.06	0.28	0.17
NOV 12,88	NOV 11,88	5.01	1.91	0.18	0.584	0.11	0.16	0.29
NOV 13,88	NOV 12,88	13.79	3.23	0.30	0.894	0.16	0.43	0.47
NOV 14,88	NOV 13,88	6.14	2.31	0.20	1.015	0.41	0.47	0.61
NOV 15,88	NOV 14,88	8.19	2.17	0.25	1.051	0.75	0.38	1.00
NOV 16,88	NOV 15,88	14.96	3.69	0.47	0.946	0.40	0.00	0.88
NOV 17,88	NOV 16,88	6.96	3.95	0.18	1.115	0.24	0.60	0.42
NOV 18,88	NOV 17,88	11.17	1.54	0.17	0.795	0.64	0.68	0.82

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
NOV 19,88	NOV 18,88	800	800	1	27602.0	71151	2	1	
NOV 20,88	NOV 19,88	800	800	1	24388.0	71152	2	1	
NOV 21,88	NOV 20,88	800	800	1	26005.0	71153	2	1	
NOV 22,88	NOV 21,88	800	800	1	27754.0	71154	2	1	
NOV 23,88	NOV 22,88	800	800	1	29329.0	71156	2	1	
NOV 24,88	NOV 23,88	800	800	1	27028.0	71157	2	1	
NOV 25,88	NOV 24,88	800	800	1	29660.0	71158	2	1	
NOV 26,88	NOV 25,88	800	800	1	29286.0	71159	2	1	
NOV 27,88	NOV 26,88	800	800	1	25434.0	71160	2	1	
NOV 28,88	NOV 27,88	800	800	1	27969.0	71161	2	1	
NOV 29,88	NOV 28,88	800	800	1	29618.0	71162	2	1	
NOV 30,88	NOV 29,88	800	800	1	28007.0	71164	2	1	
DEC 1,88	NOV 30,88	800	800	1	27452.0	71165	2	1	
DEC 2,88	DEC 1,88	800	800	1	27543.0	71166	2	1	
DEC 3,88	DEC 2,88	800	800	1	28815.0	71167	2	1	
DEC 4,88	DEC 3,88	800	800	1	25129.0	71168	2	1	
DEC 5,88	DEC 4,88	800	800	1	26462.0	71169	2	1	
DEC 6,88	DEC 5,88	800	800	1	28472.0	71170	2	1	
DEC 7,88	DEC 6,88	800	800	1	27613.0	71172	2	1	
DEC 8,88	DEC 7,88	800	800	1	24533.0	71173	2	1	
DEC 9,88	DEC 8,88	800	800	1	27846.0	71174	2	1	
DEC 10,88	DEC 9,88	800	800	1	27795.0	71175	2	1	
DEC 11,88	DEC 10,88	800	800	1	25664.0	71176	2	1	
DEC 12,88	DEC 11,88	800	800	1	27149.0	71177	2	1	
DEC 13,88	DEC 12,88	800	800	1	28674.0	71178	2	1	
DEC 14,88	DEC 13,88	800	800	1	27411.0	71180	2	1	
DEC 15,88	DEC 14,88	800	800	1	23957.0	71181	2	1	
DEC 16,88	DEC 15,88	800	800	1	28179.0	71182	2	1	
DEC 17,88	DEC 16,88	800	800	1	29906.0	71183	2	1	
DEC 18,88	DEC 17,88	800	800	1	25664.0	71184	2	1	
DEC 19,88	DEC 18,88	800	800	1	26755.0	71185	2	1	
DEC 20,88	DEC 19,88	800	800	1	28573.0	71186	2	1	
DEC 21,88	DEC 20,88	800	800	1	26735.0	71188	2	1	
DEC 22,88	DEC 21,88	800	800	1	24503.0	71189	2	1	
DEC 23,88	DEC 22,88	800	800	1	27290.0	71190	2	1	
DEC 24,88	DEC 23,88	800	800	1	28411.0	71191	2	1	
DEC 25,88	DEC 24,88	800	800	1	24119.0	71192	2	1	
DEC 26,88	DEC 25,88	800	800	1	26442.0	71193	2	1	
DEC 27,88	DEC 26,88	800	800	1	25412.0	71194	2	1	
DEC 28,88	DEC 27,88	800	800	1	26513.0	71196	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 18

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
NOV 19,88	NOV 18,88	8.44	2.50	0.17	1.005	1.15	0.66	1.32
NOV 20,88	NOV 19,88	24.89	3.40	0.12	1.531	0.18	0.62	0.30
NOV 21,88	NOV 20,88	6.98	1.73	0.13	0.616	0.11	0.31	0.24
NOV 22,88	NOV 21,88	1.70	2.05	0.11	0.668	0.12	1.08	0.22
NOV 23,88	NOV 22,88	4.43	3.76	0.22	1.062	0.62	0.00	0.84
NOV 24,88	NOV 23,88	8.82	5.30	0.84	1.752	0.73	0.25	1.56
NOV 25,88	NOV 24,88	10.97	5.37	0.95	1.529	0.22	0.43	1.18
NOV 26,88	NOV 25,88	29.40	6.36	0.45	2.652	1.08	1.59	1.53
NOV 27,88	NOV 26,88	32.20	5.67	0.66	1.563	0.24	0.54	0.90
NOV 28,88	NOV 27,88	2.79	1.51	0.15	0.528	0.13	0.38	0.27
NOV 29,88	NOV 28,88	3.92	1.73	0.10	0.664	0.26	0.46	0.35
NOV 30,88	NOV 29,88	19.87	2.43	0.37	1.067	0.64	0.35	1.01
DEC 1,88	NOV 30,88	4.28	4.74	<W 0.00	2.196	0.85	0.46	0.85
DEC 2,88	DEC 1,88	4.31	1.63	<T 0.01	0.740	0.34	1.18	0.36
DEC 3,88	DEC 2,88	13.24	3.64	0.04	2.509	1.58	2.62	1.62
DEC 4,88	DEC 3,88	5.77	1.55	0.06	0.803	0.50	0.66	0.56
DEC 5,88	DEC 4,88	9.95	0.91	0.08	0.476	0.32	2.06	0.39
DEC 6,88	DEC 5,88	13.06	3.09	0.30	2.574	1.91	1.99	2.21
DEC 7,88	DEC 6,88	20.75	3.95	0.25	2.479	2.11	UG 4.36	2.36
DEC 8,88	DEC 7,88	0.95	0.61	0.11	0.183	0.22	1.02	0.33
DEC 9,88	DEC 8,88	2.87	0.90	0.14	0.228	0.37	0.81	0.51
DEC 10,88	DEC 9,88	6.12	2.30	0.12	0.468	0.53	0.60	0.65
DEC 11,88	DEC 10,88	4.01	1.83	0.10	0.549	0.24	2.26	0.33
DEC 12,88	DEC 11,88	7.08	2.20	0.10	0.641	0.24	0.97	0.34
DEC 13,88	DEC 12,88	39.40	3.63	0.32	1.025	0.53	UG 2.89	0.86
DEC 14,88	DEC 13,88	13.25	4.32	0.30	0.000	1.21	UG 4.29	1.51
DEC 15,88	DEC 14,88	24.01	2.77	0.22	1.442	0.88	UG 26.28	1.10
DEC 16,88	DEC 15,88	3.19	1.51	0.06	0.371	0.24	1.51	0.30
DEC 17,88	DEC 16,88	12.49	2.82	0.11	1.162	1.08	2.36	1.19
DEC 18,88	DEC 17,88	11.90	2.71	0.12	1.050	0.82	2.40	0.95
DEC 19,88	DEC 18,88	15.15	2.15	0.15	1.067	0.66	UG 10.37	0.81
DEC 20,88	DEC 19,88	13.26	2.60	0.28	1.226	0.82	UG 3.27	1.10
DEC 21,88	DEC 20,88	5.70	3.60	0.20	1.359	0.77	UG 5.10	0.97
DEC 22,88	DEC 21,88	3.04	2.42	0.12	0.795	0.39	2.75	0.50
DEC 23,88	DEC 22,88	17.43	3.60	0.13	1.069	0.52	UG 9.36	0.66
DEC 24,88	DEC 23,88	6.72	1.03	0.14	0.531	0.47	UG 4.31	0.61
DEC 25,88	DEC 24,88	7.67	2.04	0.07	1.492	1.00	UG 6.57	1.07
DEC 26,88	DEC 25,88	3.12	1.94	0.05	0.673	0.27	UG 3.57	0.32
DEC 27,88	DEC 26,88	6.78	1.35	0.10	0.527	0.30	UG 6.90	0.41
DEC 28,88	DEC 27,88	P 14.06	P 2.72	P 0.17	P 1.384	P 0.69	P 7.05	P 0.86

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 19

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 29,88	DEC 28,88	800	800	1	24907.0	71197	2	1	
DEC 30,88	DEC 29,88	800	800	1	28230.0	71198	2	1	
DEC 31,88	DEC 30,88	800	800	1	27321.0	71199	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : LONGWOODS/DAILY/AIR

#02

PAGE : 20

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
DEC 29,88	DEC 28,88	P	4.68	P	2.49	P	0.13	P	0.731	P	0.43	P	1.73	P	0.55
DEC 30,88	DEC 29,88	P	10.88	P	3.58	P	0.30	P	1.683	P	1.35	P	3.19	P	1.65
DEC 31,88	DEC 30,88	P	41.23	P	4.72	P	0.37	P	2.233	P	1.34	P	2.27	P	1.71

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
JAN 13,88	JAN 12,88	1045	1330	1	15825.0	72001	2	1		
JAN 14,88	JAN 13,88	1330	800	1	*****	72002	2	1	F	
JAN 15,88	JAN 14,88	800	800	1	*****	72003	2	1	F	
JAN 16,88	JAN 15,88	800	800	1	*****	72004	2	1	F	
JAN 17,88	JAN 16,88	800	800	1	*****	72005	2	1	F	
JAN 18,88	JAN 17,88	800	800	1	*****	72006	2	1	F	
JAN 19,88	JAN 18,88	800	800	1	*****	72007	2	1	F	
JAN 22,88	JAN 19,88	1345	800	1	62867.0	72009	2	1	A	Z
JAN 23,88	JAN 22,88	800	800	1	22240.0	72010	2	1		
JAN 24,88	JAN 23,88	800	800	1	21002.0	72011	2	1		
JAN 25,88	JAN 24,88	800	800	1	22541.0	72012	2	1		
JAN 26,88	JAN 25,88	800	1330	1	25991.0	72013	2	1		
JAN 29,88	JAN 26,88	1330	800	1	63882.0	72017	2	1	A	Z
JAN 30,88	JAN 29,88	800	800	1	12840.0	72018	2	1		F
JAN 31,88	JAN 30,88	800	800	1	12869.0	72019	2	1		F
FEB 1,88	JAN 31,88	800	800	1	13724.0	72020	2	1		F
FEB 2,88	FEB 1,88	800	1200	1	16347.0	72021	2	1		
FEB 3,88	FEB 2,88	1245	800	1	13903.0	72025	2	1		F
FEB 4,88	FEB 3,88	800	800	1	13339.0	72026	2	1		F
FEB 5,88	FEB 4,88	800	800	1	13809.0	72027	2	1		F
FEB 6,88	FEB 5,88	800	800	1	13461.0	72028	2	1		F
FEB 7,88	FEB 6,88	800	800	1	14467.0	72029	2	1		
FEB 8,88	FEB 7,88	800	800	1	13348.0	72030	2	1		F
FEB 9,88	FEB 8,88	800	800	1	16224.0	72031	2	1		
FEB 10,88	FEB 9,88	800	800	1	13376.0	72033	2	1		F
FEB 11,88	FEB 10,88	800	800	1	12831.0	72034	2	1		F
FEB 12,88	FEB 11,88	800	800	1	13574.0	72035	2	1		F
FEB 13,88	FEB 12,88	800	800	1	12436.0	72036	2	1		F
FEB 14,88	FEB 13,88	800	800	1	17089.0	72037	2	1		
FEB 15,88	FEB 14,88	800	800	1	18179.0	72038	2	1		
FEB 16,88	FEB 15,88	800	800	1	13038.0	72039	2	1		F
FEB 17,88	FEB 16,88	800	800	1	13846.0	72041	2	1		F
FEB 19,88	FEB 17,88	800	800	1	27354.0	72042	2	1	A	FZ
FEB 20,88	FEB 19,88	800	800	1	13912.0	72043	2	1		F
FEB 21,88	FEB 20,88	800	800	1	12831.0	72044	2	1		F
FEB 22,88	FEB 21,88	800	800	1	16121.0	72045	2	1		
FEB 23,88	FEB 22,88	800	800	1	16262.0	72046	2	1		
FEB 24,88	FEB 23,88	1330	800	1	15510.0	72049	2	1		
FEB 25,88	FEB 24,88	800	800	1	21949.0	72050	2	1		
FEB 26,88	FEB 25,88	800	800	1	21893.0	72051	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 2

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
JAN 13,88	JAN 12,88	1P	70.10	1P	33.06	1P	1.45	1P	14.213	1P	8.59	1P	2.04	1P	10.05
JAN 14,88	JAN 13,88		*****		*****		*****		*****		*****		*****		*****
JAN 15,88	JAN 14,88		*****		*****		*****		*****		*****		*****		*****
JAN 16,88	JAN 15,88		*****		*****		*****		*****		*****		*****		*****
JAN 17,88	JAN 16,88		*****		*****		*****		*****		*****		*****		*****
JAN 18,88	JAN 17,88		*****		*****		*****		*****		*****		*****		*****
JAN 19,88	JAN 18,88		*****		*****		*****		*****		*****		*****		*****
JAN 22,88	JAN 19,88	1P	12.44	1P	4.27	1P	0.07	1P	1.566	1P	0.57	1P	0.55	1P	0.64
JAN 23,88	JAN 22,88		10.16		5.04		0.06		2.132		1.30		0.40		1.37
JAN 24,88	JAN 23,88		13.73		5.05		0.28		2.353		1.21		0.39		1.49
JAN 25,88	JAN 24,88		6.12		3.48		0.10		1.562		0.60		0.47		0.69
JAN 26,88	JAN 25,88		7.64		4.05		0.13		1.901		0.91		0.43		1.04
JAN 29,88	JAN 26,88		12.41		4.17		0.05		1.176		0.96		0.32		1.01
JAN 30,88	JAN 29,88		10.65		4.27		0.33		2.197		1.10		1.37		1.43
JAN 31,88	JAN 30,88	UG	45.77		6.42		0.51		3.412		1.95		1.17		2.46
FEB 1,88	JAN 31,88		3.57		4.44	<T	0.05		2.143		0.85		0.52		0.90
FEB 2,88	FEB 1,88		26.36		3.51	<T	0.02		1.053		0.19		0.73		0.21
FEB 3,88	FEB 2,88	1P	12.38	1P	3.59	1P	0.03	1P	1.177	1P	0.42	1P	2.18	1P	0.45
FEB 4,88	FEB 3,88		11.69		4.61	<W	0.00		2.277		1.10		0.00		1.10
FEB 5,88	FEB 4,88		18.18		3.84	<W	0.00		1.236		0.32		0.00		0.32
FEB 6,88	FEB 5,88		6.51		2.70	<W	0.00		1.179		0.60		0.00		0.60
FEB 7,88	FEB 6,88		7.88		2.38	<T	0.00		1.042		0.61		0.00		0.61
FEB 8,88	FEB 7,88		15.35		2.76		0.16		1.092		0.46		1.22		0.62
FEB 9,88	FEB 8,88		2.65		2.37		0.07		1.515		0.97		0.65		1.04
FEB 10,88	FEB 9,88		13.38		6.55		1.11		1.975		0.45		0.00		1.56
FEB 11,88	FEB 10,88		7.26		2.75		0.04		0.874		0.38		0.77		0.42
FEB 12,88	FEB 11,88		21.95		4.90		0.71		1.578		0.36		0.00		1.06
FEB 13,88	FEB 12,88		4.89		2.41		0.26		0.636		0.09		0.59		0.35
FEB 14,88	FEB 13,88		5.28		3.77		0.24		1.370		0.75		0.53		0.99
FEB 15,88	FEB 14,88		28.47		5.78		1.13		1.673		0.64		0.62		1.77
FEB 16,88	FEB 15,88		19.01		3.64		0.39		1.167		0.06		0.68		0.45
FEB 17,88	FEB 16,88		19.07		6.67		0.67		2.015		0.69		0.00		1.36
FEB 19,88	FEB 17,88		9.19		6.62		0.16	UG	5.411		2.44		0.89		2.61
FEB 20,88	FEB 19,88		31.01		6.36		0.38		3.235		1.80		0.91		2.17
FEB 21,88	FEB 20,88		4.18		2.48		0.18		0.857		0.31		0.70		0.49
FEB 22,88	FEB 21,88		10.70		2.44		0.33		0.980		0.64		0.70		0.96
FEB 23,88	FEB 22,88		8.54		2.09		0.20		1.322		1.00		0.72		1.20
FEB 24,88	FEB 23,88		4.65		2.54		0.08		0.755		0.57		0.08		0.65
FEB 25,88	FEB 24,88		1.66		2.58		0.04		0.976		0.57		0.56		0.61
FEB 26,88	FEB 25,88		2.64		2.79		0.06		1.024		0.76		0.56		0.82

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
FEB 27,88	FEB 26,88	800	800	1	22165.0	72052	2	1	
FEB 28,88	FEB 27,88	800	800	1	22569.0	72053	2	1	
FEB 29,88	FEB 28,88	800	800	1	22833.0	72054	2	1	
MAR 1,88	FEB 29,88	800	800	1	22015.0	72055	2	1	
MAR 2,88	MAR 1,88	800	800	1	22983.0	72057	2	1	
MAR 3,88	MAR 2,88	800	800	1	21770.0	72058	2	1	
MAR 4,88	MAR 3,88	800	800	1	22428.0	72059	2	1	
MAR 5,88	MAR 4,88	800	800	1	22513.0	72060	2	1	
MAR 6,88	MAR 5,88	800	800	1	23434.0	72061	2	1	
MAR 7,88	MAR 6,88	800	800	1	23086.0	72062	2	1	
MAR 8,88	MAR 7,88	800	800	1	21930.0	72063	2	1	
MAR 9,88	MAR 8,88	800	800	1	22184.0	72065	2	1	
MAR 10,88	MAR 9,88	800	800	1	20868.0	72066	2	1	
MAR 11,88	MAR 10,88	800	800	1	20191.0	72067	2	1	
MAR 12,88	MAR 11,88	800	800	1	20708.0	72068	2	1	
MAR 13,88	MAR 12,88	800	800	1	19655.0	72069	2	1	
MAR 14,88	MAR 13,88	800	800	1	19881.0	72070	2	1	
MAR 15,88	MAR 14,88	800	800	1	20661.0	72071	2	1	
MAR 16,88	MAR 15,88	800	800	1	22234.0	72073	2	1	
MAR 17,88	MAR 16,88	800	800	1	21904.0	72074	2	1	F
MAR 18,88	MAR 17,88	800	800	1	21691.0	72075	2	1	
MAR 19,88	MAR 18,88	800	800	1	23968.0	72076	2	1	
MAR 20,88	MAR 19,88	800	800	1	22659.0	72077	2	1	
MAR 21,88	MAR 20,88	800	800	1	23734.0	72078	2	1	
MAR 22,88	MAR 21,88	800	800	1	24095.0	72079	2	1	
MAR 23,88	MAR 22,88	800	800	1	22541.0	72081	2	1	
MAR 24,88	MAR 23,88	800	800	1	21272.0	72082	2	1	
MAR 25,88	MAR 24,88	800	800	1	19232.0	72083	2	1	
MAR 26,88	MAR 25,88	800	800	1	20379.0	72084	2	1	
MAR 27,88	MAR 26,88	800	800	1	22297.0	72085	2	1	
MAR 28,88	MAR 27,88	800	800	1	20727.0	72086	2	1	
MAR 29,88	MAR 28,88	800	800	1	21977.0	72087	2	1	
MAR 30,88	MAR 29,88	800	800	1	22457.0	72089	2	1	
MAR 31,88	MAR 30,88	800	800	1	21780.0	72090	2	1	
APR 1,88	MAR 31,88	800	800	1	21695.0	72091	2	1	
APR 2,88	APR 1,88	800	800	1	22955.0	72092	2	1	
APR 3,88	APR 2,88	800	800	1	19148.0	72093	2	1	
APR 4,88	APR 3,88	800	800	1	21216.0	72094	2	1	
APR 5,88	APR 4,88	800	800	1	19383.0	72095	2	1	
APR 6,88	APR 5,88	800	800	1	20680.0	72097	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
FEB 27,88	FEB 26,88	18.00	6.14	<T	0.01	2.423	0.68	2.39
FEB 28,88	FEB 27,88	4.84	8.16	0.21	2.712	1.38	0.62	1.59
FEB 29,88	FEB 28,88	4.57	5.88	0.18	2.077	1.23	0.66	1.41
MAR 1,88	FEB 29,88	1.61	1.82	0.04	0.439	0.15	0.55	0.19
MAR 2,88	MAR 1,88	18.67	4.57	0.08	2.341	1.67	0.20	1.76
MAR 3,88	MAR 2,88	11.77	5.47	0.06	2.592	1.20	0.63	1.27
MAR 4,88	MAR 3,88	20.93	5.84	0.04	1.424	0.23	0.62	0.27
MAR 5,88	MAR 4,88	2.79	3.02	0.03	0.186	0.34	0.41	0.37
MAR 6,88	MAR 5,88	12.25	3.93	0.10	2.621	2.19	0.51	2.29
MAR 7,88	MAR 6,88	19.50	6.84	0.17	UG 5.065	3.39	0.46	3.56
MAR 8,88	MAR 7,88	3.63	3.83	0.05	1.798	0.74	0.40	0.79
MAR 9,88	MAR 8,88	14.24	UG 10.58	0.14	UG 6.136	2.81	0.00	2.96
MAR 10,88	MAR 9,88	5.69	4.54	0.13	1.565	0.34	0.55	0.47
MAR 11,88	MAR 10,88	7.76	3.55	0.03	0.983	0.12	0.64	0.15
MAR 12,88	MAR 11,88	11.69	5.01	0.10	1.997	1.44	0.50	1.54
MAR 13,88	MAR 12,88	5.36	4.10	0.05	1.977	1.06	0.54	1.11
MAR 14,88	MAR 13,88	5.33	3.36	0.03	1.225	0.37	0.45	0.41
MAR 15,88	MAR 14,88	10.63	3.03	0.03	0.913	0.15	0.69	0.18
MAR 16,88	MAR 15,88	10.67	3.08	0.03	0.908	0.16	0.00	0.19
MAR 17,88	MAR 16,88	<T 0.38	0.96	0.03	0.281	0.07	0.46	0.10
MAR 18,88	MAR 17,88	2.45	2.31	0.53	1.725	1.35	2.11	1.88
MAR 19,88	MAR 18,88	3.50	2.53	0.15	1.344	0.60	0.45	0.75
MAR 20,88	MAR 19,88	1.84	1.27	0.04	0.504	0.15	0.35	0.19
MAR 21,88	MAR 20,88	1.79	1.82	0.03	0.494	0.10	0.37	0.12
MAR 22,88	MAR 21,88	6.52	4.39	0.05	1.378	0.26	0.75	0.31
MAR 23,88	MAR 22,88	14.58	3.47	0.08	1.912	1.44	0.11	1.53
MAR 24,88	MAR 23,88	7.52	7.48	0.05	4.242	3.04	0.00	3.09
MAR 25,88	MAR 24,88	12.71	UG 10.92	0.20	UG 5.976	3.70	0.58	3.90
MAR 26,88	MAR 25,88	2.90	2.68	0.12	2.205	1.37	0.80	1.49
MAR 27,88	MAR 26,88	4.67	2.48	0.13	1.365	0.45	0.57	0.58
MAR 28,88	MAR 27,88	<W 0.31	2.03	0.06	0.793	<W 0.00	0.46	0.06
MAR 29,88	MAR 28,88	11.71	4.51	0.12	2.158	0.81	0.64	0.93
MAR 30,88	MAR 29,88	<W 0.08	7.03	0.55	2.902	2.23	0.12	2.79
MAR 31,88	MAR 30,88	0.93	2.86	0.05	0.814	0.32	0.59	0.37
APR 1,88	MAR 31,88	9.24	4.42	0.25	1.449	1.08	0.51	1.33
APR 2,88	APR 1,88	6.64	4.87	0.25	2.406	1.73	0.42	1.97
APR 3,88	APR 2,88	10.84	UG 13.00	0.53	UG 7.308	3.40	0.44	3.94
APR 4,88	APR 3,88	4.11	4.06	0.13	2.542	1.23	0.61	1.36
APR 5,88	APR 4,88	<W 0.37	5.46	0.09	AIS 2.524	1.08	0.55	1.17
APR 6,88	APR 5,88	9.18	8.86	0.43	3.805	2.11	0.21	2.54

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
APR 7,88	APR 6,88	800	800	1	41623.0	72098	2	1	
APR 8,88	APR 7,88	800	800	1	42272.0	72099	2	1	
APR 9,88	APR 8,88	800	500	1	45233.0	72100	2	1	F
APR 10,88	APR 9,88	800	800	1	41416.0	72101	2	1	
APR 11,88	APR 10,88	800	800	1	43390.0	72102	2	1	F
APR 12,88	APR 11,88	800	800	1	41388.0	72103	2	1	
APR 13,88	APR 12,88	800	800	1	21855.0	72105	2	1	
APR 14,88	APR 13,88	800	800	1	20802.0	72106	2	1	
APR 15,88	APR 14,88	800	800	1	21864.0	72107	2	1	
APR 16,88	APR 15,88	800	800	1	20652.0	72108	2	1	
APR 17,88	APR 16,88	800	800	1	21028.0	72109	2	1	
APR 18,88	APR 17,88	800	800	1	21413.0	72110	2	1	
APR 19,88	APR 18,88	800	800	1	22485.0	72111	2	1	
APR 20,88	APR 19,88	800	800	1	20849.0	72113	2	1	
APR 21,88	APR 20,88	800	800	1	20915.0	72114	2	1	
APR 22,88	APR 21,88	800	800	1	22052.0	72115	2	1	
APR 23,88	APR 22,88	800	800	1	21648.0	72116	2	1	
APR 24,88	APR 23,88	800	800	1	20530.0	72117	2	1	
APR 25,88	APR 24,88	800	800	1	24280.0	72118	2	1	
APR 26,88	APR 25,88	800	800	1	22645.0	72119	2	1	
APR 27,88	APR 26,88	800	800	1	22720.0	72121	2	1	
APR 28,88	APR 27,88	800	800	1	23453.0	72122	2	1	
APR 29,88	APR 28,88	800	800	1	22889.0	72123	2	1	
APR 30,88	APR 29,88	800	800	1	22983.0	72124	2	1	
MAY 1,88	APR 30,88	800	800	1	22964.0	72125	2	1	
MAY 2,88	MAY 1,88	800	800	1	23227.0	72126	2	1	
MAY 3,88	MAY 2,88	800	800	1	23011.0	72127	2	1	
MAY 4,88	MAY 3,88	800	800	1	22663.0	72129	2	1	
MAY 5,88	MAY 4,88	800	800	1	22936.0	72130	2	1	
MAY 6,88	MAY 5,88	800	800	1	22945.0	72131	2	1	
MAY 7,88	MAY 6,88	800	800	1	22804.0	72132	2	1	
MAY 8,88	MAY 7,88	800	800	1	22579.0	72133	2	1	
MAY 9,88	MAY 8,88	800	800	1	22485.0	72134	2	1	
MAY 10,88	MAY 9,88	800	800	1	22363.0	72135	2	1	
MAY 11,88	MAY 10,88	800	800	1	23002.0	72137	2	1	
MAY 12,88	MAY 11,88	800	800	1	23124.0	72138	2	1	
MAY 13,88	MAY 12,88	800	800	1	22616.0	72139	2	1	
MAY 14,88	MAY 13,88	800	800	1	22400.0	72140	2	1	
MAY 15,88	MAY 14,88	800	800	1	22804.0	72141	2	1	
MAY 16,88	MAY 15,88	800	800	1	21582.0	72142	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 6

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
APR 7,88	APR 6,88		6.37	4.88	0.14	1.711	1.06	0.25	1.19
APR 8,88	APR 7,88		0.32	1.11	0.03	0.360	0.04	0.14	0.07
APR 9,88	APR 8,88		0.60	0.76	0.04	0.197	0.02	0.13	0.05
APR 10,88	APR 9,88		2.70	1.69	0.05	0.476	0.06	0.17	0.11
APR 11,88	APR 10,88		3.71	1.51	0.06	0.424	0.04	0.04	0.10
APR 12,88	APR 11,88	UG	44.85	1.34	0.15	0.645	0.50	0.23	0.65
APR 13,88	APR 12,88		6.53	3.27	0.36	1.460	1.64	0.07	2.00
APR 14,88	APR 13,88		9.47	7.64	0.26	3.307	2.55	0.65	2.81
APR 15,88	APR 14,88		0.57	3.18	0.05	0.960	0.16	0.27	0.22
APR 16,88	APR 15,88	<W	0.09	2.30	0.03	0.654	0.12	0.14	0.16
APR 17,88	APR 16,88		1.72	2.38	0.06	0.904	0.50	0.37	0.56
APR 18,88	APR 17,88		5.92	4.32	0.21	1.331	1.11	0.26	1.32
APR 19,88	APR 18,88	<T	0.16	1.90	0.02	0.511	0.08	0.17	0.10
APR 20,88	APR 19,88		1.52	2.61	0.00	0.815	0.29	0.00	0.29
APR 21,88	APR 20,88		10.10	4.57	0.07	1.640	0.94	0.31	1.01
APR 22,88	APR 21,88		6.61	1.27	0.05	0.739	0.16	0.46	0.22
APR 23,88	APR 22,88		8.10	2.99	0.16	0.984	0.46	0.37	0.61
APR 24,88	APR 23,88		6.32	5.16	0.08	2.679	1.30	0.35	1.38
APR 25,88	APR 24,88	<W	0.14	0.30	0.01	0.113	0.01	0.21	0.02
APR 26,88	APR 25,88	<W	0.18	3.21	0.20	1.559	0.89	0.27	1.09
APR 27,88	APR 26,88		1.98	2.60	0.06	0.710	0.26	0.17	0.32
APR 28,88	APR 27,88		4.27	3.86	0.06	1.584	0.92	0.62	0.98
APR 29,88	APR 28,88		5.97	4.81	0.09	1.899	0.70	0.51	0.79
APR 30,88	APR 29,88		2.06	3.40	0.02	1.021	0.11	0.57	0.13
MAY 1,88	APR 30,88		2.49	4.23	0.11	1.239	0.16	0.49	0.27
MAY 2,88	MAY 1,88		6.49	4.87	0.14	1.600	0.43	0.38	0.57
MAY 3,88	MAY 2,88		5.37	3.00	0.23	1.215	1.15	0.50	1.39
MAY 4,88	MAY 3,88		2.32	2.99	0.31	0.639	0.45	0.52	0.76
MAY 5,88	MAY 4,88		5.74	2.57	0.47	0.596	0.38	0.14	0.85
MAY 6,88	MAY 5,88		6.62	9.33	0.41	3.102	2.07	0.41	2.48
MAY 7,88	MAY 6,88		4.27	3.81	0.30	0.819	0.24	UG 3.65	0.54
MAY 8,88	MAY 7,88		4.22	2.64	0.39	0.659	0.53	0.17	0.92
MAY 9,88	MAY 8,88		25.04	10.67	1.21	3.276	1.00	0.43	2.21
MAY 10,88	MAY 9,88		5.62	5.32	0.23	2.288	1.11	0.55	1.34
MAY 11,88	MAY 10,88		1.63	3.59	0.15	1.349	0.10	0.00	0.25
MAY 12,88	MAY 11,88		8.38	3.36	0.11	0.807	0.31	0.35	0.42
MAY 13,88	MAY 12,88		18.36	7.14	0.70	2.594	1.42	0.38	2.12
MAY 14,88	MAY 13,88		0.51	1.00	0.07	0.273	0.00	0.00	0.07
MAY 15,88	MAY 14,88		9.27	1.99	0.29	0.928	0.54	0.06	0.83
MAY 16,88	MAY 15,88		12.29	10.45	0.69	3.993	1.10	1.10	1.79

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAY 17,88	MAY 16,88	800	800	1	22222.0	72143	2	1	
MAY 18,88	MAY 17,88	800	800	1	22598.0	72145	2	1	
MAY 19,88	MAY 18,88	800	800	1	22391.0	72146	2	1	
MAY 20,88	MAY 19,88	800	800	1	*****	72147	2	1	Q
MAY 21,88	MAY 20,88	800	800	1	21991.0	72148	2	1	
MAY 22,88	MAY 21,88	800	800	1	21699.0	72149	2	1	
MAY 23,88	MAY 22,88	800	800	1	21952.0	72150	2	1	
MAY 24,88	MAY 23,88	800	800	1	21416.0	72151	2	1	
MAY 25,88	MAY 24,88	800	800	1	21800.0	72153	2	1	
MAY 26,88	MAY 25,88	800	800	1	22275.0	72154	2	1	
MAY 27,88	MAY 26,88	800	800	1	23265.0	72155	2	1	
MAY 28,88	MAY 27,88	800	800	1	*****	72156	2	1	Q
MAY 29,88	MAY 28,88	800	800	1	22770.0	72157	2	1	
MAY 30,88	MAY 29,88	800	800	1	22527.0	72158	2	1	
MAY 31,88	MAY 30,88	800	800	1	22457.0	72159	2	1	
JUN 1,88	MAY 31,88	800	800	1	22032.0	72161	2	1	
JUN 2,88	JUN 1,88	800	800	1	22497.0	72162	2	1	
JUN 3,88	JUN 2,88	800	800	1	22860.0	72163	2	1	
JUN 4,88	JUN 3,88	800	800	1	22113.0	72164	2	1	
JUN 5,88	JUN 4,88	800	800	1	22649.0	72165	2	1	
JUN 6,88	JUN 5,88	800	800	1	22517.0	72166	2	1	
JUN 7,88	JUN 6,88	800	800	1	21871.0	72167	2	1	
JUN 8,88	JUN 7,88	800	800	1	22498.0	72169	2	1	
JUN 9,88	JUN 8,88	800	800	1	22639.0	72170	2	1	
JUN 10,88	JUN 9,88	800	800	1	22912.0	72171	2	1	
JUN 11,88	JUN 10,88	800	800	1	22387.0	72172	2	1	
JUN 12,88	JUN 11,88	800	800	1	21811.0	72173	2	1	
JUN 13,88	JUN 12,88	800	800	1	21730.0	72174	2	1	
JUN 14,88	JUN 13,88	800	800	1	21690.0	72175	2	1	
JUN 15,88	JUN 14,88	800	800	1	22205.0	72177	2	1	
JUN 16,88	JUN 15,88	800	800	1	21841.0	72178	2	1	
JUN 17,88	JUN 16,88	800	800	1	21851.0	72179	2	1	
JUN 18,88	JUN 17,88	800	800	1	21720.0	72180	2	1	
JUN 19,88	JUN 18,88	800	800	1	21982.0	72181	2	1	
JUN 20,88	JUN 19,88	800	800	1	21629.0	72182	2	1	
JUN 21,88	JUN 20,88	800	800	1	20518.0	72183	2	1	
JUN 22,88	JUN 21,88	800	800	1	21760.0	72185	2	1	
JUN 23,88	JUN 22,88	800	800	1	21528.0	72186	2	1	
JUN 24,88	JUN 23,88	800	800	1	21781.0	72187	2	1	
JUN 25,88	JUN 24,88	800	800	1	22094.0	72188	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 17,88	MAY 16,88	1.43	3.89	0.12	1.232	0.00	0.22	0.12
MAY 18,88	MAY 17,88	0.79	3.45	0.07	0.697	0.00	0.00	0.07
MAY 19,88	MAY 18,88	1.06	2.48	0.28	0.902	0.81	0.64	1.09
MAY 20,88	MAY 19,88	*****	*****	*****	*****	*****	*****	*****
MAY 21,88	MAY 20,88	3.42	5.89	0.22	2.665	1.13	0.84	1.35
MAY 22,88	MAY 21,88	2.06	3.35	0.20	1.415	0.50	0.84	0.70
MAY 23,88	MAY 22,88	4.67	15.78	0.82	5.772	1.91	1.13	2.73
MAY 24,88	MAY 23,88	2.66	7.77	0.42	2.414	0.32	1.05	0.74
MAY 25,88	MAY 24,88	1.06	0.52	0.16	0.080	0.02	0.48	0.17
MAY 26,88	MAY 25,88	4.86	1.67	0.03	0.366	0.01	0.41	0.04
MAY 27,88	MAY 26,88	3.88	1.21	0.24	0.140	0.20	0.15	0.44
MAY 28,88	MAY 27,88	*****	*****	*****	*****	*****	*****	*****
MAY 29,88	MAY 28,88	4.94	8.97	1.25	1.524	0.24	0.23	1.49
MAY 30,88	MAY 29,88	11.11	14.26	1.48	3.587	0.69	0.54	2.16
MAY 31,88	MAY 30,88	4.56	10.17	0.84	2.837	0.52	0.44	1.36
JUN 1,88	MAY 31,88	2.05	10.13	0.54	1.592	0.42	0.13	0.95
JUN 2,88	JUN 1,88	4.29	4.63	0.22	0.859	0.18	0.77	0.39
JUN 3,88	JUN 2,88	1.72	0.43	0.30	0.006	0.16	0.11	0.46
JUN 4,88	JUN 3,88	0.61	1.02	0.16	0.060	0.07	0.12	0.23
JUN 5,88	JUN 4,88	1.09	1.04	0.09	0.176	0.04	0.09	0.12
JUN 6,88	JUN 5,88	1.66	2.27	0.20	0.503	0.07	0.26	0.27
JUN 7,88	JUN 6,88	3.20	2.96	0.17	0.751	0.26	0.35	0.43
JUN 8,88	JUN 7,88	3.99	1.74	0.16	0.176	0.12	0.34	0.28
JUN 9,88	JUN 8,88	2.52	1.46	0.06	0.153	0.11	0.32	0.17
JUN 10,88	JUN 9,88	2.08	1.72	0.02	0.247	0.07	0.41	0.09
JUN 11,88	JUN 10,88	7.15	0.96	0.06	0.041	0.07	0.34	0.12
JUN 12,88	JUN 11,88	3.19	1.81	0.26	0.136	0.17	0.20	0.44
JUN 13,88	JUN 12,88	2.64	4.74	0.54	0.742	0.25	0.12	0.80
JUN 14,88	JUN 13,88	14.34	17.98	1.36	4.915	0.66	0.22	2.02
JUN 15,88	JUN 14,88	13.36	15.37	1.34	2.158	0.29	0.62	1.64
JUN 16,88	JUN 15,88	6.06	8.36	0.82	1.281	0.16	0.80	0.98
JUN 17,88	JUN 16,88	7.52	3.13	0.25	0.562	0.05	1.14	0.29
JUN 18,88	JUN 17,88	1.19	1.19	0.26	*****	0.06	0.77	0.32
JUN 19,88	JUN 18,88	8.52	2.93	0.48	0.390	0.30	0.86	0.78
JUN 20,88	JUN 19,88	17.27	17.08	1.56	4.058	0.35	0.95	1.90
JUN 21,88	JUN 20,88	8.63	9.82	0.01	2.192	0.30	0.17	0.31
JUN 22,88	JUN 21,88	7.65	2.85	0.67	0.107	0.39	0.62	1.06
JUN 23,88	JUN 22,88	5.76	5.47	0.37	0.981	0.20	0.82	0.57
JUN 24,88	JUN 23,88	6.67	1.20	0.07	0.006	0.07	0.42	0.14
JUN 25,88	JUN 24,88	18.18	5.42	0.84	0.916	0.37	0.71	1.21

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 26,88	JUN 25,88	800	800	1	21306.0	72189	2	1	
JUN 27,88	JUN 26,88	800	800	1	21488.0	72190	2	1	
JUN 28,88	JUN 27,88	800	800	1	21033.0	72191	2	1	
JUN 29,88	JUN 28,88	800	800	1	21781.0	72193	2	1	
JUN 30,88	JUN 29,88	800	800	1	22528.0	72194	2	1	
JUL 1,88	JUN 30,88	800	800	1	22144.0	72195	2	1	
JUL 2,88	JUL 1,88	800	800	1	21751.0	72196	2	1	
JUL 3,88	JUL 2,88	800	800	1	21346.0	72197	2	1	
JUL 4,88	JUL 3,88	800	800	1	21467.0	72198	2	1	
JUL 5,88	JUL 4,88	800	800	1	21568.0	72199	2	1	
JUL 6,88	JUL 5,88	800	800	1	21659.0	72201	2	1	
JUL 7,88	JUL 6,88	800	800	1	22164.0	72202	2	1	
JUL 8,88	JUL 7,88	800	800	1	22094.0	72203	2	1	
JUL 9,88	JUL 8,88	800	800	1	21942.0	72204	2	1	
JUL 10,88	JUL 9,88	800	800	1	21528.0	72205	2	1	
JUL 11,88	JUL 10,88	800	800	1	21417.0	72206	2	1	
JUL 12,88	JUL 11,88	800	800	1	21275.0	72207	2	1	
JUL 12,88	JUL 12,88	800	1136	1	3324.0	72208	2	1	QA
JUL 20,88	JUL 19,88	800	800	1	22286.0	72210	2	1	QA
JUL 21,88	JUL 20,88	800	800	1	24932.0	72211	2	1	QA
JUL 22,88	JUL 21,88	800	800	1	24902.0	72212	2	1	
JUL 23,88	JUL 22,88	800	800	1	24619.0	72213	2	1	
JUL 24,88	JUL 23,88	800	800	1	24629.0	72214	2	1	
JUL 25,88	JUL 24,88	800	800	1	24044.0	72215	2	1	
JUL 26,88	JUL 25,88	800	800	1	23660.0	72216	2	1	
JUL 27,88	JUL 26,88	1034	800	1	21973.0	72218	2	1	
JUL 28,88	JUL 27,88	800	800	1	24741.0	72219	2	1	
JUL 29,88	JUL 28,88	800	800	1	24286.0	72220	2	1	
JUL 30,88	JUL 29,88	800	800	1	24619.0	72221	2	1	
JUL 31,88	JUL 30,88	800	800	1	23862.0	72222	2	1	
AUG 1,88	JUL 31,88	800	800	1	24377.0	72223	2	1	
AUG 2,88	AUG 1,88	800	800	1	24902.0	72224	2	1	
AUG 3,88	AUG 2,88	800	800	1	23195.0	72226	2	1	
AUG 4,88	AUG 3,88	800	800	1	25579.0	72227	2	1	
AUG 5,88	AUG 4,88	800	800	1	25003.0	72228	2	1	
AUG 6,88	AUG 5,88	800	800	1	25326.0	72229	2	1	
AUG 7,88	AUG 6,88	800	800	1	25225.0	72230	2	1	
AUG 8,88	AUG 7,88	800	800	1	25498.0	72231	2	1	
AUG 9,88	AUG 8,88	800	800	1	25256.0	72232	2	1	
AUG 10,88	AUG 9,88	800	800	1	25266.0	72234	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 10

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 26,88	JUN 25,88	5.59	5.58	0.61	0.907	0.25	0.28	0.86
JUN 27,88	JUN 26,88	1.63	1.12	0.06	0.022	0.06	1.30	0.12
JUN 28,88	JUN 27,88	0.77	0.39	0.10	0.006	0.07	0.20	0.17
JUN 29,88	JUN 28,88	0.04	0.95	0.18	<T 0.000	0.14	0.06	0.33
JUN 30,88	JUN 29,88	1.14	0.55	0.05	<T 0.009	0.04	0.25	0.09
JUL 1,88	JUN 30,88	0.84	0.34	0.05	<T 0.007	0.04	0.22	0.09
JUL 2,88	JUL 1,88	1.56	0.83	0.05	0.044	0.04	0.32	0.09
JUL 3,88	JUL 2,88	1.54	1.16	0.10	<T 0.007	0.14	0.17	0.23
JUL 4,88	JUL 3,88	6.99	4.34	0.57	0.783	0.25	0.12	0.83
JUL 5,88	JUL 4,88	4.70	6.07	0.47	1.437	0.57	0.35	1.03
JUL 6,88	JUL 5,88	5.18	11.43	1.04	1.591	0.09	0.00	1.13
JUL 7,88	JUL 6,88	16.86	22.38	1.28	4.268	0.16	0.19	1.44
JUL 8,88	JUL 7,88	8.48	19.91	1.14	5.296	0.10	0.30	1.24
JUL 9,88	JUL 8,88	3.77	20.74	0.87	3.582	0.13	0.21	1.00
JUL 10,88	JUL 9,88	1.13	9.75	0.42	1.449	0.27	0.17	0.69
JUL 11,88	JUL 10,88	8.69	21.48	1.01	5.136	0.26	0.37	1.27
JUL 12,88	JUL 11,88	0.45	2.91	0.28	1.015	0.25	0.22	0.52
JUL 12,88	JUL 12,88	<T 0.71	1.68	0.41	<T 0.030	0.24	0.72	0.64
JUL 20,88	JUL 19,88	1P 1.92	1P 3.35	0.46	1P 0.152	1P 0.17	1P 0.62	1P 0.64
JUL 21,88	JUL 20,88	2.83	3.34	0.21	0.389	1.13	0.35	1.34
JUL 22,88	JUL 21,88	1.43	4.65	0.42	0.655	0.43	0.34	0.84
JUL 23,88	JUL 22,88	3.01	4.34	0.39	1.064	0.78	0.36	1.17
JUL 24,88	JUL 23,88	1.47	3.44	0.11	1.226	0.79	0.33	0.90
JUL 25,88	JUL 24,88	0.93	4.36	0.57	1.148	0.46	0.59	1.03
JUL 26,88	JUL 25,88	2.04	6.55	0.31	1.792	0.82	0.30	1.13
JUL 27,88	JUL 26,88	1P 0.17	1P 4.27	0.25	1P 0.396	1P 0.08	1P 0.12	1P 0.33
JUL 28,88	JUL 27,88	1.67	4.62	0.36	0.667	0.08	0.27	0.43
JUL 29,88	JUL 28,88	6.14	6.02	1.28	1.346	0.48	0.57	1.76
JUL 30,88	JUL 29,88	12.83	27.27	1.24	4.984	0.16	0.50	1.40
JUL 31,88	JUL 30,88	5.21	10.95	0.54	2.791	0.12	0.66	0.66
AUG 1,88	JUL 31,88	0.54	0.83	0.11	0.027	0.08	0.38	0.19
AUG 2,88	AUG 1,88	4.25	9.65	0.73	3.237	0.97	0.73	1.71
AUG 3,88	AUG 2,88	7.35	10.33	1.26	2.340	0.30	0.02	1.56
AUG 4,88	AUG 3,88	18.82	UG 51.28	1.54	10.396	0.24	0.49	1.77
AUG 5,88	AUG 4,88	13.06	UG 37.34	1.44	10.715	<T 0.00	0.70	1.44
AUG 6,88	AUG 5,88	10.99	22.38	1.05	5.722	0.07	0.55	1.12
AUG 7,88	AUG 6,88	0.94	1.77	0.30	0.512	0.07	0.34	0.37
AUG 8,88	AUG 7,88	1.40	1.56	0.14	0.373	0.03	0.45	0.17
AUG 9,88	AUG 8,88	11.30	8.98	0.91	2.891	1.20	0.91	2.11
AUG 10,88	AUG 9,88	8.92	17.83	1.07	5.959	0.18	0.18	1.24

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 11,88	AUG 10,88	800	800	1	25599.0	72235	2	1	
AUG 12,88	AUG 11,88	800	800	1	24937.0	72236	2	1	
AUG 13,88	AUG 12,88	800	800	1	26104.0	72237	2	1	
AUG 14,88	AUG 13,88	800	800	1	24983.0	72238	2	1	
AUG 15,88	AUG 14,88	800	800	1	25347.0	72239	2	1	
AUG 16,88	AUG 15,88	800	800	1	24882.0	72240	2	1	
AUG 17,88	AUG 16,88	800	800	1	25589.0	72242	2	1	
AUG 18,88	AUG 17,88	800	800	1	25165.0	72243	2	1	
AUG 19,88	AUG 18,88	800	800	1	25862.0	72244	2	1	
AUG 20,88	AUG 19,88	800	800	1	25700.0	72245	2	1	
AUG 21,88	AUG 20,88	800	800	1	24932.0	72246	2	1	
AUG 22,88	AUG 21,88	800	800	1	25155.0	72247	2	1	
AUG 23,88	AUG 22,88	800	800	1	24902.0	72248	2	1	
AUG 24,88	AUG 23,88	800	800	1	23932.0	72250	2	1	
AUG 25,88	AUG 24,88	800	800	1	22771.0	72251	2	1	
AUG 26,88	AUG 25,88	800	800	1	24023.0	72252	2	1	
AUG 27,88	AUG 26,88	800	800	1	23310.0	72253	2	1	
AUG 28,88	AUG 27,88	800	800	1	22973.0	72254	2	1	
AUG 29,88	AUG 28,88	800	800	1	22569.0	72255	2	1	
AUG 30,88	AUG 29,88	800	800	1	23326.0	72256	2	1	
AUG 31,88	AUG 30,88	800	800	1	23907.0	72258	2	1	
SEP 1,88	AUG 31,88	800	800	1	23837.0	72259	2	1	
SEP 2,88	SEP 1,88	800	800	1	24199.0	72260	2	1	
SEP 3,88	SEP 2,88	800	800	1	24381.0	72261	2	1	
SEP 4,88	SEP 3,88	800	800	1	22513.0	72262	2	1	
SEP 5,88	SEP 4,88	800	800	1	22927.0	72263	2	1	
SEP 6,88	SEP 5,88	800	800	1	23331.0	72264	2	1	
SEP 7,88	SEP 6,88	800	800	1	24634.0	72266	2	1	
SEP 8,88	SEP 7,88	800	800	1	23321.0	72267	2	1	
SEP 9,88	SEP 8,88	800	800	1	24684.0	72268	2	1	
SEP 10,88	SEP 9,88	800	800	1	23735.0	72269	2	1	
SEP 11,88	SEP 10,88	800	800	1	22937.0	72270	2	1	
SEP 12,88	SEP 11,88	800	800	1	23917.0	72271	2	1	
SEP 13,88	SEP 12,88	800	800	1	23937.0	72272	2	1	
SEP 14,88	SEP 13,88	800	800	1	24450.0	72274	2	1	
SEP 15,88	SEP 14,88	800	800	1	24719.0	72275	2	1	
SEP 16,88	SEP 15,88	800	800	1	24755.0	72276	2	1	
SEP 17,88	SEP 16,88	800	800	1	23190.0	72277	2	1	
SEP 18,88	SEP 17,88	800	800	1	23432.0	72278	2	1	
SEP 19,88	SEP 18,88	800	800	1	20614.0	72279	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 12

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 11,88	AUG 10,88	0.66	1.40	0.13	0.307	0.13	0.00	0.26
AUG 12,88	AUG 11,88	6.86	9.14	0.94	2.264	0.10	0.94	1.04
AUG 13,88	AUG 12,88	2.69	12.10	1.04	3.764	0.56	0.34	1.60
AUG 14,88	AUG 13,88	10.43	24.17	1.24	6.391	0.80	0.50	2.04
AUG 15,88	AUG 14,88	5.64	10.65	0.67	3.072	0.30	0.57	0.97
AUG 16,88	AUG 15,88	0.37	0.65	0.06	0.231	0.09	0.01	0.15
AUG 17,88	AUG 16,88	2.45	2.02	0.20	0.426	0.48	0.07	0.68
AUG 18,88	AUG 17,88	1.90	3.72	0.29	0.882	0.16	0.56	0.45
AUG 19,88	AUG 18,88	1.36	0.92	0.06	0.236	0.14	0.24	0.20
AUG 20,88	AUG 19,88	3.10	1.17	0.38	0.261	0.40	0.24	0.78
AUG 21,88	AUG 20,88	2.38	1.84	0.51	0.493	0.49	0.12	1.00
AUG 22,88	AUG 21,88	2.05	1.11	0.05	0.342	0.07	0.31	0.12
AUG 23,88	AUG 22,88	11.45	2.51	0.33	0.759	0.47	0.34	0.80
AUG 24,88	AUG 23,88	9.54	5.82	0.30	<T 0.009	1.05	0.01	1.34
AUG 25,88	AUG 24,88	1.48	4.79	0.37	1.068	0.15	0.73	0.52
AUG 26,88	AUG 25,88	1.17	1.82	0.18	0.234	0.07	0.34	0.25
AUG 27,88	AUG 26,88	0.24	0.98	0.08	0.108	0.05	0.21	0.13
AUG 28,88	AUG 27,88	7.03	5.18	0.53	1.721	1.05	1.05	1.57
AUG 29,88	AUG 28,88	0.72	2.86	0.38	0.582	0.14	0.23	0.52
AUG 30,88	AUG 29,88	2.58	2.31	0.25	0.186	0.17	0.71	0.42
AUG 31,88	AUG 30,88	0.07	0.61	0.02	0.042	0.02	0.07	0.04
SEP 1,88	AUG 31,88	2.99	5.16	0.37	1.821	1.54	0.38	1.91
SEP 2,88	SEP 1,88	3.69	10.04	0.83	1.587	0.89	0.86	1.72
SEP 3,88	SEP 2,88	10.62	6.40	0.93	4.594	1.07	1.19	2.00
SEP 4,88	SEP 3,88	6.20	9.95	0.25	2.972	0.57	0.48	0.82
SEP 5,88	SEP 4,88	1.40	2.42	0.09	0.650	0.04	0.40	0.13
SEP 6,88	SEP 5,88	2.29	0.71	0.04	<W 0.000	0.03	0.24	0.06
SEP 7,88	SEP 6,88	0.28	0.45	0.04	<W 0.000	0.12	0.13	0.16
SEP 8,88	SEP 7,88	0.36	2.07	0.24	0.193	0.51	0.03	0.75
SEP 9,88	SEP 8,88	30.51	12.68	1.08	3.711	0.99	0.33	2.07
SEP 10,88	SEP 9,88	3.61	10.95	0.87	1.256	0.39	0.35	1.27
SEP 11,88	SEP 10,88	1.57	1.28	0.12	<W 0.000	0.26	0.18	0.37
SEP 12,88	SEP 11,88	0.58	0.67	0.08	<W 0.000	0.10	0.13	0.18
SEP 13,88	SEP 12,88	21.09	6.89	0.53	1.821	1.04	0.64	1.57
SEP 14,88	SEP 13,88	0.09	0.58	0.01	<W 0.000	0.00	0.09	0.01
SEP 15,88	SEP 14,88	0.54	0.94	0.07	<W 0.000	0.02	0.34	0.09
SEP 16,88	SEP 15,88	0.52	0.88	0.07	<W 0.000	0.10	0.38	0.17
SEP 17,88	SEP 16,88	<T 10.21	4.05	0.68	0.727	1.11	UG 15.08	1.79
SEP 18,88	SEP 17,88	4.36	10.63	0.31	3.391	1.01	0.58	1.33
SEP 19,88	SEP 18,88	<W 3.64	8.93	0.74	3.175	1.05	UG 5.46	1.79

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 13

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
SEP 20,88	SEP 19,88	800	800	1	23907.0	72280	2	1	
SEP 21,88	SEP 20,88	800	800	1	24149.0	72282	2	1	
SEP 22,88	SEP 21,88	800	800	1	24735.0	72283	2	1	
SEP 23,88	SEP 22,88	800	800	1	24381.0	72284	2	1	
SEP 24,88	SEP 23,88	800	800	1	24331.0	72285	2	1	
SEP 25,88	SEP 24,88	800	800	1	24311.0	72286	2	1	
SEP 26,88	SEP 25,88	800	800	1	24604.0	72287	2	1	
SEP 27,88	SEP 26,88	800	800	1	24311.0	72288	2	1	
SEP 28,88	SEP 27,88	800	800	1	24452.0	72290	2	1	
SEP 29,88	SEP 28,88	800	800	1	25654.0	72291	2	1	
SEP 30,88	SEP 29,88	800	800	1	25341.0	72292	2	1	
OCT 1,88	SEP 30,88	800	800	1	24179.0	72293	2	1	
OCT 2,88	OCT 1,88	800	800	1	24119.0	72294	2	1	
OCT 3,88	OCT 2,88	800	800	1	24462.0	72295	2	1	
OCT 4,88	OCT 3,88	800	800	1	24523.0	72296	2	1	
OCT 5,88	OCT 4,88	800	800	1	26351.0	72298	2	1	
OCT 6,88	OCT 5,88	800	800	1	24634.0	72299	2	1	
OCT 7,88	OCT 6,88	800	800	1	24301.0	72300	2	1	
OCT 8,88	OCT 7,88	800	800	1	23850.0	72301	2	1	
OCT 9,88	OCT 8,88	800	800	1	25230.0	72302	2	1	
OCT 10,88	OCT 9,88	800	800	1	24735.0	72303	2	1	
OCT 11,88	OCT 10,88	800	800	1	24573.0	72304	2	1	
OCT 12,88	OCT 11,88	1210	800	1	24560.0	72306	2	1	
OCT 13,88	OCT 12,88	800	800	1	24800.0	72307	2	1	
OCT 14,88	OCT 13,88	800	800	1	25450.0	72308	2	1	
OCT 15,88	OCT 14,88	800	800	1	24450.0	72309	2	1	
OCT 16,88	OCT 15,88	800	800	1	23670.0	72310	2	1	
OCT 17,88	OCT 16,88	800	800	1	23180.0	72311	2	1	
OCT 18,88	OCT 17,88	800	800	1	23850.0	72312	2	1	
OCT 19,88	OCT 18,88	800	800	1	25381.0	72314	2	1	
OCT 20,88	OCT 19,88	800	800	1	25422.0	72315	2	1	
OCT 21,88	OCT 20,88	800	800	1	25361.0	72316	2	1	
OCT 22,88	OCT 21,88	800	800	1	24291.0	72317	2	1	
OCT 23,88	OCT 22,88	800	800	1	23998.0	72318	2	1	
OCT 24,88	OCT 23,88	800	800	1	23705.0	72319	2	1	
OCT 25,88	OCT 24,88	800	800	1	23937.0	72320	2	1	
OCT 26,88	OCT 25,88	800	800	1	24139.0	72322	2	1	
OCT 27,88	OCT 26,88	800	800	1	26239.0	72323	2	1	
OCT 28,88	OCT 27,88	800	800	1	26038.0	72324	2	1	
OCT 29,88	OCT 28,88	800	800	1	26008.0	72325	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 14

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
SEP 20,88	SEP 19,88		30.27	21.21	1.35	5.938	0.31	1.49	1.66
SEP 21,88	SEP 20,88		2.79	1.92	0.19	0.445	0.01	1.24	0.20
SEP 22,88	SEP 21,88	<W	0.09	0.87	0.05	0.176	0.01	0.13	0.05
SEP 23,88	SEP 22,88		12.67	7.92	0.30	2.789	0.72	0.92	1.02
SEP 24,88	SEP 23,88	<W	0.53	1.29	0.15	0.290	0.01	0.79	0.16
SEP 25,88	SEP 24,88	<W	0.41	1.10	0.17	0.154	0.09	0.62	0.26
SEP 26,88	SEP 25,88		2.85	1.88	0.40	0.459	0.21	1.59	0.61
SEP 27,88	SEP 26,88		2.55	2.39	0.20	1.473	1.18	1.48	1.38
SEP 28,88	SEP 27,88		12.91	7.89	0.81	2.045	0.49	1.76	1.30
SEP 29,88	SEP 28,88		5.09	1.79	0.13	0.405	0.21	1.33	0.34
SEP 30,88	SEP 29,88		6.25	5.56	0.70	1.973	0.36	1.38	1.06
OCT 1,88	SEP 30,88		12.09	18.28	0.79	6.741	2.30	1.45	3.09
OCT 2,88	OCT 1,88		3.65	3.77	0.35	0.713	0.66	1.24	1.01
OCT 3,88	OCT 2,88		2.18	1.55	0.13	0.466	<T	2.04	0.14
OCT 4,88	OCT 3,88		3.10	1.88	0.16	0.542	0.03	2.08	0.19
OCT 5,88	OCT 4,88		2.79	1.44	0.10	0.533	0.22	0.82	0.32
OCT 6,88	OCT 5,88		2.42	1.66	0.02	0.461	<T	0.64	0.03
OCT 7,88	OCT 6,88		1.48	1.56	0.03	0.480	0.02	0.61	0.05
OCT 8,88	OCT 7,88		1.87	1.93	0.05	0.841	0.38	0.79	0.43
OCT 9,88	OCT 8,88		1.91	2.54	0.13	1.750	1.10	1.02	1.23
OCT 10,88	OCT 9,88		0.91	3.32	0.19	2.262	1.23	1.37	1.42
OCT 11,88	OCT 10,88		1.27	2.36	0.04	1.187	0.52	0.69	0.56
OCT 12,88	OCT 11,88	<W	0.00	0.33	0.00	0.061	<W	0.00	0.00
OCT 13,88	OCT 12,88	<W	0.00	0.36	0.00	0.063	0.04	0.00	0.05
OCT 14,88	OCT 13,88		2.25	1.38	0.09	0.454	0.46	0.20	0.55
OCT 15,88	OCT 14,88		17.06	4.46	0.25	1.377	1.46	0.25	1.71
OCT 16,88	OCT 15,88		16.52	7.10	0.32	2.258	1.58	0.51	1.90
OCT 17,88	OCT 16,88		15.71	8.02	0.43	2.858	1.01	0.26	1.44
OCT 18,88	OCT 17,88		11.09	7.80	0.31	3.122	1.08	0.21	1.38
OCT 19,88	OCT 18,88		0.43	0.59	0.00	0.124	0.03	0.00	0.03
OCT 20,88	OCT 19,88		1.19	0.87	0.05	0.257	0.07	0.61	0.12
OCT 21,88	OCT 20,88		7.80	1.73	0.14	0.613	0.40	0.76	0.54
OCT 22,88	OCT 21,88		12.38	3.33	0.11	1.673	0.81	0.84	0.92
OCT 23,88	OCT 22,88		6.41	2.50	0.16	1.019	0.50	0.81	0.66
OCT 24,88	OCT 23,88		2.89	1.98	0.05	0.588	0.11	0.48	0.16
OCT 25,88	OCT 24,88		2.59	2.88	0.08	1.209	0.45	0.69	0.53
OCT 26,88	OCT 25,88		0.62	1.41	0.01	0.466	0.06	0.00	0.07
OCT 27,88	OCT 26,88		3.31	2.29	0.04	0.902	0.32	0.56	0.36
OCT 28,88	OCT 27,88		17.36	3.65	0.23	1.600	1.00	0.41	1.23
OCT 29,88	OCT 28,88		0.86	3.00	0.05	0.910	0.13	0.03	0.17

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 15

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
OCT 30,88	OCT 29,88	800	800	1	25755.0	72326	2	1		
OCT 31,88	OCT 30,88	800	800	1	25694.0	72327	2	1		
NOV 1,88	OCT 31,88	800	800	1	24806.0	72328	2	1		
NOV 2,88	NOV 1,88	800	800	1	26230.0	72330	2	1		
NOV 3,88	NOV 2,88	800	800	1	28361.0	72331	2	1		
NOV 4,88	NOV 3,88	800	800	1	24927.0	72332	2	1		
NOV 5,88	NOV 4,88	800	800	1	24331.0	72333	2	1		
NOV 6,88	NOV 5,88	800	800	1	23604.0	72334	2	1		
NOV 7,88	NOV 6,88	800	800	1	24472.0	72335	2	1		
NOV 8,88	NOV 7,88	800	800	1	24826.0	72336	2	1		
NOV 9,88	NOV 8,88	800	800	1	24856.0	72354	2	1		
NOV 10,88	NOV 9,88	800	800	1	25169.0	72355	2	1		
NOV 11,88	NOV 10,88	800	800	1	25381.0	72356	2	1		
NOV 12,88	NOV 11,88	800	800	1	26058.0	72357	2	1		
NOV 13,88	NOV 12,88	800	800	1	25250.0	72358	2	1		
NOV 14,88	NOV 13,88	800	800	1	24856.0	72359	2	1		
NOV 15,88	NOV 14,88	800	800	1	24856.0	72360	2	1		
NOV 16,88	NOV 15,88	800	800	1	25038.0	72362	2	1		
NOV 17,88	NOV 16,88	800	800	1	25442.0	72363	2	1		
NOV 18,88	NOV 17,88	800	800	1	25270.0	72364	2	1		
NOV 19,88	NOV 18,88	800	800	1	25957.0	72365	2	1		
NOV 20,88	NOV 19,88	800	800	1	24553.0	72366	2	1		
NOV 21,88	NOV 20,88	800	800	1	24836.0	72367	2	1		
NOV 22,88	NOV 21,88	800	800	1	25371.0	72368	2	1		
NOV 23,88	NOV 22,88	800	800	1	25432.0	72370	2	1		
NOV 24,88	NOV 23,88	800	800	1	26048.0	72371	2	1		
NOV 25,88	NOV 24,88	800	800	1	25472.0	72372	2	1		
NOV 26,88	NOV 25,88	800	800	1	24654.0	72373	2	1		
NOV 27,88	NOV 26,88	800	800	1	25301.0	72374	2	1		
NOV 28,88	NOV 27,88	800	800	1	24785.0	72375	2	1		
NOV 29,88	NOV 28,88	800	800	1	24886.0	72376	2	1		
NOV 30,88	NOV 29,88	800	800	1	25099.0	72378	2	1		
DEC 1,88	NOV 30,88	800	800	1	26391.0	72379	2	1		
DEC 2,88	DEC 1,88	800	800	1	26008.0	72380	2	1		
DEC 3,88	DEC 2,88	800	800	1	26785.0	72381	2	1		
DEC 4,88	DEC 3,88	800	800	1	25896.0	72382	2	1		
DEC 5,88	DEC 4,88	800	800	1	26229.0	72383	2	1		
DEC 6,88	DEC 5,88	800	800	1	25604.0	72384	2	1		
DEC 7,88	DEC 6,88	800	800	1	26210.0	72386	2	1		
DEC 8,88	DEC 7,88	800	800	1	26472.0	72387	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 16

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
OCT 30,88	OCT 29,88	0.67	1.28	0.04	0.363	0.05	0.42	0.09
OCT 31,88	OCT 30,88	0.50	1.09	0.04	0.356	0.11	0.34	0.15
NOV 1,88	OCT 31,88	18.04	3.39	0.07	1.873	1.34	0.75	1.42
NOV 2,88	NOV 1,88	6.33	4.00	0.00	2.540	1.39	0.00	1.39
NOV 3,88	NOV 2,88	3.20	2.79	0.09	1.075	0.27	0.71	0.36
NOV 4,88	NOV 3,88	23.19	7.66	0.08	3.831	2.06	0.78	2.14
NOV 5,88	NOV 4,88	13.98	7.52	0.10	3.822	1.58	1.11	1.68
NOV 6,88	NOV 5,88	3.55	2.82	0.07	1.131	0.34	1.53	0.40
NOV 7,88	NOV 6,88	1.95	1.08	0.02	0.482	0.31	0.71	0.33
NOV 8,88	NOV 7,88	6.03	2.14	0.03	1.619	1.14	0.88	1.17
NOV 9,88	NOV 8,88	5.24	2.33	0.04	1.163	0.46	0.00	0.50
NOV 10,88	NOV 9,88	11.17	4.65	<T 0.00	2.142	1.10	0.48	1.10
NOV 11,88	NOV 10,88	2.29	1.22	0.05	0.410	0.09	0.35	0.14
NOV 12,88	NOV 11,88	0.11	1.23	0.02	0.403	0.12	0.04	0.14
NOV 13,88	NOV 12,88	12.19	3.09	0.11	1.426	0.79	0.39	0.90
NOV 14,88	NOV 13,88	7.46	2.74	0.11	1.513	0.88	0.20	0.99
NOV 15,88	NOV 14,88	3.38	1.81	0.08	1.147	0.80	0.12	0.88
NOV 16,88	NOV 15,88	13.90	3.39	0.09	1.409	0.88	0.00	0.97
NOV 17,88	NOV 16,88	10.14	4.48	0.13	1.469	0.41	0.46	0.53
NOV 18,88	NOV 17,88	3.41	1.86	0.10	0.723	0.34	0.30	0.44
NOV 19,88	NOV 18,88	2.20	2.12	0.06	0.712	0.49	1.10	0.55
NOV 20,88	NOV 19,88	9.36	3.38	0.10	1.946	1.24	1.57	1.34
NOV 21,88	NOV 20,88	28.74	3.06	0.08	1.263	0.38	1.31	0.46
NOV 22,88	NOV 21,88	1.06	1.50	0.03	0.484	0.06	0.46	0.09
NOV 23,88	NOV 22,88	6.13	3.93	0.03	1.735	0.99	0.00	1.02
NOV 24,88	NOV 23,88	5.50	6.22	0.15	3.911	2.65	0.35	2.80
NOV 25,88	NOV 24,88	7.09	5.50	0.12	3.430	1.92	0.21	2.04
NOV 26,88	NOV 25,88	36.08	8.96	0.07	4.659	2.57	0.58	2.64
NOV 27,88	NOV 26,88	25.06	7.15	0.36	3.671	1.52	0.84	1.87
NOV 28,88	NOV 27,88	5.33	2.26	0.12	1.088	0.44	0.49	0.56
NOV 29,88	NOV 28,88	4.10	1.73	0.06	0.855	0.38	0.37	0.43
NOV 30,88	NOV 29,88	24.02	3.08	0.16	1.847	1.04	1.07	1.20
DEC 1,88	NOV 30,88	4.21	2.44	<T 0.04	1.387	0.62	1.37	0.66
DEC 2,88	DEC 1,88	0.89	1.28	<T 0.02	0.531	0.18	0.59	0.20
DEC 3,88	DEC 2,88	19.61	3.52	<T 0.02	2.879	1.85	UG 3.37	1.87
DEC 4,88	DEC 3,88	5.14	1.63	<T 0.02	1.074	0.68	1.86	0.70
DEC 5,88	DEC 4,88	1.77	0.62	<T 0.04	0.285	0.26	0.89	0.30
DEC 6,88	DEC 5,88	13.30	3.92	<T 0.03	3.188	1.00	UG 2.90	1.03
DEC 7,88	DEC 6,88	17.52	3.83	0.09	2.712	2.54	2.46	2.63
DEC 8,88	DEC 7,88	0.68	0.01	0.04	0.186	0.08	0.77	0.12

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 17

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 9,88	DEC 8,88	800	800	1	26634.0	72388	2	1	
DEC 10,88	DEC 9,88	800	800	1	26715.0	72389	2	1	
DEC 11,88	DEC 10,88	800	800	1	26139.0	72390	2	1	
DEC 12,88	DEC 11,88	800	800	1	26270.0	72391	2	1	
DEC 13,88	DEC 12,88	800	800	1	25452.0	72392	2	1	
DEC 14,88	DEC 13,88	800	800	1	25684.0	72394	2	1	
DEC 15,88	DEC 14,88	800	800	1	26280.0	72395	2	1	
DEC 16,88	DEC 15,88	800	800	1	27018.0	72396	2	1	
DEC 17,88	DEC 16,88	800	800	1	27199.0	72397	2	1	
DEC 18,88	DEC 17,88	800	800	1	26290.0	72398	2	1	
DEC 19,88	DEC 18,88	800	800	1	26502.0	72399	2	1	
DEC 20,88	DEC 19,88	800	800	1	25684.0	72400	2	1	
DEC 21,88	DEC 20,88	800	800	1	25402.0	72402	2	1	
DEC 22,88	DEC 21,88	800	800	1	27189.0	72403	2	1	
DEC 23,88	DEC 22,88	800	800	1	26785.0	72404	2	1	
DEC 24,88	DEC 23,88	800	800	1	25644.0	72405	2	1	
DEC 25,88	DEC 24,88	800	800	1	23917.0	72406	2	1	
DEC 26,88	DEC 25,88	800	800	1	25240.0	72407	2	1	
DEC 27,88	DEC 26,88	800	800	1	25301.0	72408	2	1	
DEC 28,88	DEC 27,88	800	800	1	24341.0	72410	2	1	
DEC 29,88	DEC 28,88	800	800	1	26381.0	72411	2	1	
DEC 30,88	DEC 29,88	800	800	1	26280.0	72412	2	1	
DEC 31,88	DEC 30,88	800	800	1	25907.0	72413	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : WELLESLEY/DAILY/AIR

PAGE : 18

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
DEC 9,88	DEC 8,88	3.09	1.21	0.05	0.591	0.43	1.07	0.48
DEC 10,88	DEC 9,88	2.01	2.07	0.02	0.798	0.32	0.69	0.34
DEC 11,88	DEC 10,88	2.72	2.12	0.02	0.560	0.16	0.55	0.17
DEC 12,88	DEC 11,88	3.49	4.31	0.04	1.006	0.31	0.59	0.35
DEC 13,88	DEC 12,88	UG 48.45	3.74	0.09	1.545	0.77	1.51	0.86
DEC 14,88	DEC 13,88	23.25	5.06	0.09	2.415	1.35	UG 4.15	1.44
DEC 15,88	DEC 14,88	21.49	3.39	0.06	1.932	1.11	UG 22.48	1.16
DEC 16,88	DEC 15,88	<T 0.52	1.11	0.03	0.269	0.09	0.62	0.13
DEC 17,88	DEC 16,88	8.61	3.05	0.06	1.547	1.13	2.38	1.18
DEC 18,88	DEC 17,88	9.92	2.97	0.07	1.726	1.13	UG 3.64	1.20
DEC 19,88	DEC 18,88	17.06	2.79	0.04	1.644	1.01	UG 9.12	1.04
DEC 20,88	DEC 19,88	26.47	3.54	0.18	2.148	1.47	2.44	1.64
DEC 21,88	DEC 20,88	5.91	3.98	0.09	1.891	1.08	2.30	1.17
DEC 22,88	DEC 21,88	2.99	2.80	0.05	0.913	0.27	1.56	0.32
DEC 23,88	DEC 22,88	14.07	3.73	0.08	1.315	0.76	UG 6.47	0.84
DEC 24,88	DEC 23,88	5.58	1.56	0.12	0.952	0.80	2.51	0.91
DEC 25,88	DEC 24,88	7.22	2.30	0.09	2.171	1.56	UG 3.99	1.66
DEC 26,88	DEC 25,88	<T 1.01	2.06	0.08	0.730	0.28	1.32	0.36
DEC 27,88	DEC 26,88	3.06	1.74	0.08	0.910	0.57	1.56	0.65
DEC 28,88	DEC 27,88	P 12.82	P 2.71	P 0.16	P 1.487	P 0.78	P 8.87	P 0.94
DEC 29,88	DEC 28,88	P 1.68	P 2.24	P 0.08	P 0.895	P 0.42	P 2.01	P 0.49
DEC 30,88	DEC 29,88	P 11.53	P 4.00	P 0.11	P 2.249	P 1.37	P 1.37	P 1.48
DEC 31,88	DEC 30,88	P 31.07	P 4.79	P 0.16	P 2.964	P 1.84	P 3.01	P 2.00

PART VIII

OUT OF PROVINCE

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 1

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
MAY 12,88	MAY 11,88	1038	800	1	21057.0	59035	2	1	
MAY 13,88	MAY 12,88	800	800	1	24450.0	59036	2	1	
MAY 14,88	MAY 13,88	800	800	1	23416.0	59037	2	1	
MAY 15,88	MAY 14,88	800	800	1	23270.0	59038	2	1	
MAY 16,88	MAY 15,88	800	800	1	25317.0	59039	2	1	
MAY 17,88	MAY 16,88	800	800	1	21308.0	59040	2	1	
MAY 18,88	MAY 17,88	800	800	1	22174.0	59041	2	1	
MAY 19,88	MAY 18,88	800	800	1	20180.0	59061	2	1	
MAY 20,88	MAY 19,88	800	800	1	20860.0	59062	2	1	
MAY 21,88	MAY 20,88	800	800	1	21100.0	59063	2	1	
MAY 22,88	MAY 21,88	800	800	1	22050.0	59064	2	1	D
MAY 23,88	MAY 22,88	800	800	1	22520.0	59065	2	1	
MAY 24,88	MAY 23,88	800	800	1	18570.0	59066	2	1	Q
MAY 25,88	MAY 24,88	800	800	1	22280.0	59067	2	1	
MAY 26,88	MAY 25,88	800	800	1	23447.0	59082	2	1	
MAY 27,88	MAY 26,88	800	800	1	23805.0	59083	2	1	
MAY 28,88	MAY 27,88	800	800	1	23815.0	59084	2	1	
MAY 29,88	MAY 28,88	800	800	1	22874.0	59085	2	1	
MAY 30,88	MAY 29,88	800	800	1	24040.0	59086	2	1	
MAY 31,88	MAY 30,88	800	800	1	23293.0	59088	2	1	
JUN 1,88	MAY 31,88	800	800	1	22506.0	59087	2	1	
JUN 2,88	JUN 1,88	800	800	1	20750.0	59095	2	1	
JUN 3,88	JUN 2,88	800	800	1	24980.0	59096	2	1	
JUN 4,88	JUN 3,88	800	800	1	21870.0	59097	2	1	
JUN 5,88	JUN 4,88	800	800	1	23350.0	59098	2	1	
JUN 6,88	JUN 5,88	800	800	1	19720.0	59099	2	1	B
JUN 7,88	JUN 6,88	800	800	1	23160.0	59100	2	1	B
JUN 8,88	JUN 7,88	800	800	1	46040.0	59101	2	1	C F
JUN 9,88	JUN 8,88	800	800	1	23090.0	59042	2	1	
JUN 10,88	JUN 9,88	800	800	1	24570.0	59044	2	1	
JUN 11,88	JUN 10,88	800	800	1	23010.0	59045	2	1	
JUN 12,88	JUN 11,88	800	800	1	23430.0	59046	2	1	
JUN 13,88	JUN 12,88	800	800	1	24440.0	59047	2	1	
JUN 14,88	JUN 13,88	800	800	1	23220.0	59048	2	1	
JUN 15,88	JUN 14,88	800	800	1	22450.0	59049	2	1	
JUN 16,88	JUN 15,88	815	800	1	21810.0	59113	2	1	
JUN 17,88	JUN 16,88	800	800	1	24132.0	59114	2	1	
JUN 18,88	JUN 17,88	800	800	1	23590.0	59115	2	1	
JUN 19,88	JUN 18,88	800	800	1	25043.0	59116	2	1	
JUN 20,88	JUN 19,88	800	800	1	25349.0	59117	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 2

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
MAY 12,88	MAY 11,88	2.84	3.81	0.18	0.936	0.05	0.13	0.22
MAY 13,88	MAY 12,88	15.31	4.29	0.45	1.223	0.11	0.00	0.56
MAY 14,88	MAY 13,88	4.85	5.51	0.42	1.457	0.16	0.08	0.58
MAY 15,88	MAY 14,88	3.95	3.60	0.48	0.585	0.32	0.38	0.81
MAY 16,88	MAY 15,88	6.40	9.08	1.36	2.611	0.36	0.76	1.72
MAY 17,88	MAY 16,88	1.88	8.63	0.64	2.544	0.14	0.25	0.78
MAY 18,88	MAY 17,88	3.48	5.09	0.30	1.597	0.46	0.28	0.77
MAY 19,88	MAY 18,88	1.96	1.55	0.18	0.294	0.06	0.00	0.24
MAY 20,88	MAY 19,88	1P 3.48	1P 4.13	1P 0.39	1P 0.931	1P 0.11	1P 0.00	1P 0.50
MAY 21,88	MAY 20,88	1.29	7.43	0.47	1.640	0.06	0.00	0.53
MAY 22,88	MAY 21,88	*****	23.85	1.10	3.261	0.06	0.37	1.16
MAY 23,88	MAY 22,88	13.00	22.02	0.86	4.295	0.06	0.21	0.92
MAY 24,88	MAY 23,88	8.82	12.97	0.75	2.688	0.05	0.48	0.80
MAY 25,88	MAY 24,88	12.09	7.71	0.66	1.235	0.15	0.18	0.81
MAY 26,88	MAY 25,88	2.41	2.53	0.08	0.565	0.07	0.00	0.16
MAY 27,88	MAY 26,88	7.50	2.87	0.25	0.682	0.08	0.10	0.33
MAY 28,88	MAY 27,88	27.99	7.97	0.71	2.227	0.13	0.03	0.84
MAY 29,88	MAY 28,88	21.70	12.53	0.80	3.097	0.22	0.22	1.02
MAY 30,88	MAY 29,88	7.42	13.51	0.70	3.533	0.21	0.78	0.90
MAY 31,88	MAY 30,88	11.88	11.45	0.78	2.951	0.11	0.31	0.89
JUN 1,88	MAY 31,88	7.91	10.61	0.65	2.637	0.18	0.26	0.83
JUN 2,88	JUN 1,88	4.27	5.64	0.45	1.229	0.18	0.00	0.63
JUN 3,88	JUN 2,88	2.70	1.66	0.29	0.208	0.20	0.14	0.48
JUN 4,88	JUN 3,88	0.91	1.52	0.27	0.267	0.05	0.17	0.32
JUN 5,88	JUN 4,88	5.72	2.22	0.24	0.480	0.04	0.16	0.28
JUN 6,88	JUN 5,88	16.13	3.61	0.57	0.796	0.08	0.23	0.65
JUN 7,88	JUN 6,88	12.21	3.21	0.45	0.708	0.10	0.24	0.55
JUN 8,88	JUN 7,88	3.05	2.64	0.20	0.623	0.07	0.17	0.27
JUN 9,88	JUN 8,88	3.86	2.29	0.36	0.198	0.13	0.00	0.49
JUN 10,88	JUN 9,88	0.60	1.04	0.09	0.005	0.06	0.15	0.15
JUN 11,88	JUN 10,88	0.49	2.69	0.10	0.418	<T 0.03	0.12	0.13
JUN 12,88	JUN 11,88	11.33	2.20	0.23	0.362	0.05	0.44	0.28
JUN 13,88	JUN 12,88	8.59	5.75	0.58	1.118	0.16	0.27	0.75
JUN 14,88	JUN 13,88	9.39	14.54	0.83	3.128	0.08	0.29	0.91
JUN 15,88	JUN 14,88	28.04	28.54	0.79	5.133	0.31	0.59	1.10
JUN 16,88	JUN 15,88	1P 24.12	1P 30.80	1P 1.15	1P 4.890	1P 0.05	1P 1.58	1P 1.19
JUN 17,88	JUN 16,88	15.35	14.82	0.70	2.974	0.05	1.25	0.76
JUN 18,88	JUN 17,88	4.75	2.61	0.44	0.562	0.10	0.31	0.53
JUN 19,88	JUN 18,88	2.88	5.26	0.20	1.312	0.08	0.42	0.28
JUN 20,88	JUN 19,88	3.21	23.42	0.36	4.286	0.04	0.57	0.40

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 3

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
JUN 21,88	JUN 20,88	800	800	1	23743.0	59118	2	1	
JUN 22,88	JUN 21,88	815	800	1	12889.0	59119	2	1	
JUN 23,88	JUN 22,88	800	800	1	25104.0	59125	2	1	
JUN 24,88	JUN 23,88	800	800	1	24950.0	59126	2	1	
JUN 25,88	JUN 24,88	800	800	1	24101.0	59127	2	1	
JUN 26,88	JUN 25,88	800	800	1	24624.0	59128	2	1	
JUN 27,88	JUN 26,88	800	800	1	25411.0	59129	2	1	
JUN 28,88	JUN 27,88	800	800	1	24684.0	59130	2	1	
JUN 29,88	JUN 28,88	800	800	1	24091.0	59131	2	1	
JUN 30,88	JUN 29,88	800	800	1	21660.0	59143	2	1	
JUL 1,88	JUN 30,88	800	800	1	24950.0	59144	2	1	
JUL 2,88	JUL 1,88	800	800	1	24770.0	59145	2	1	
JUL 3,88	JUL 2,88	800	800	1	23800.0	59146	2	1	
JUL 4,88	JUL 3,88	800	800	1	25380.0	59147	2	1	
JUL 5,88	JUL 4,88	800	800	1	24190.0	59148	2	1	
JUL 6,88	JUL 5,88	800	800	1	23400.0	59149	2	1	
JUL 7,88	JUL 6,88	800	800	1	25350.0	59163	2	1	
JUL 8,88	JUL 7,88	800	800	1	24316.0	59164	2	1	
JUL 9,88	JUL 8,88	800	800	1	24347.0	59165	2	1	
JUL 10,88	JUL 9,88	800	800	1	24931.0	59166	2	1	
JUL 11,88	JUL 10,88	800	800	1	26475.0	59167	2	1	
JUL 12,88	JUL 11,88	800	800	1	25053.0	59168	2	1	
JUL 13,88	JUL 12,88	800	800	1	24552.0	59169	2	1	
JUL 21,88	JUL 20,88	800	800	1	22137.0	59188	2	1	
JUL 22,88	JUL 21,88	800	800	1	24429.0	59189	2	1	
JUL 23,88	JUL 22,88	800	800	1	24777.0	59190	2	1	
JUL 24,88	JUL 23,88	800	800	1	22894.0	59191	2	1	
JUL 25,88	JUL 24,88	800	800	1	26424.0	59192	2	1	
JUL 26,88	JUL 25,88	800	800	1	24899.0	59193	2	1	
JUL 27,88	JUL 26,88	800	800	1	22628.0	59194	2	1	
JUL 28,88	JUL 27,88	800	800	1	22168.0	59211	2	1	
JUL 29,88	JUL 28,88	800	800	1	23999.0	59212	2	1	
JUL 30,88	JUL 29,88	800	800	1	23549.0	59213	2	1	
JUL 31,88	JUL 30,88	800	800	1	23334.0	59214	2	1	
AUG 1,88	JUL 31,88	800	800	1	25155.0	59215	2	1	
AUG 2,88	AUG 1,88	800	800	1	24255.0	59216	2	1	
AUG 3,88	AUG 2,88	800	800	1	23344.0	59217	2	1	
AUG 4,88	AUG 3,88	800	800	1	21646.0	59231	2	1	
AUG 5,88	AUG 4,88	800	800	1	23979.0	59232	2	1	
AUG 6,88	AUG 5,88	800	800	1	24132.0	59233	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 4

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
JUN 21,88	JUN 20,88	27.57	30.06	0.93	5.124	0.05	2.17	0.98
JUN 22,88	JUN 21,88	10.41	8.82	0.25	2.417	0.19	1.27	0.45
JUN 23,88	JUN 22,88	UG 59.11	3.98	0.52	3.570	0.01	1.13	0.53
JUN 24,88	JUN 23,88	1.80	3.32	0.16	0.586	0.05	0.36	0.20
JUN 25,88	JUN 24,88	4.36	4.09	0.27	0.798	0.12	0.36	0.39
JUN 26,88	JUN 25,88	4.29	13.14	0.61	2.702	0.06	0.77	0.67
JUN 27,88	JUN 26,88	3.80	3.29	0.09	0.469	0.04	0.33	0.13
JUN 28,88	JUN 27,88	2.39	2.34	0.08	0.422	0.05	0.36	0.12
JUN 29,88	JUN 28,88	3.15	3.85	<T 0.00	0.420	0.75	<T 0.05	0.75
JUN 30,88	JUN 29,88	3.57	1.58	0.15	0.217	0.01	0.22	0.16
JUL 1,88	JUN 30,88	7.68	2.08	0.13	0.331	0.02	0.40	0.15
JUL 2,88	JUL 1,88	11.78	2.06	0.11	0.354	0.02	0.60	0.13
JUL 3,88	JUL 2,88	3.02	2.02	0.12	0.406	<T 0.00	0.25	0.12
JUL 4,88	JUL 3,88	8.74	6.86	0.39	1.535	0.05	0.23	0.45
JUL 5,88	JUL 4,88	3.83	11.16	0.41	2.276	0.01	0.28	0.42
JUL 6,88	JUL 5,88	5.20	14.53	0.48	3.079	<T 0.00	0.29	0.48
JUL 7,88	JUL 6,88	24.16	25.67	0.32	3.274	0.00	0.30	0.32
JUL 8,88	JUL 7,88	10.61	29.02	0.73	4.594	0.15	0.34	0.88
JUL 9,88	JUL 8,88	4.59	27.22	0.51	3.672	0.01	0.32	0.53
JUL 10,88	JUL 9,88	7.00	30.71	0.17	5.884	0.02	0.36	0.19
JUL 11,88	JUL 10,88	14.17	31.19	0.37	5.314	0.02	0.31	0.39
JUL 12,88	JUL 11,88	23.71	24.25	0.27	4.059	0.01	0.57	0.28
JUL 13,88	JUL 12,88	12.04	9.72	0.31	2.656	0.11	0.50	0.41
JUL 21,88	JUL 20,88	P 1.67	P 13.37	P 0.36	P 3.731	P 0.24	P 0.53	P 0.60
JUL 22,88	JUL 21,88	P 1.58	P 5.20	P 0.26	P 0.856	P 0.04	P 0.76	P 0.30
JUL 23,88	JUL 22,88	P 0.63	P 3.98	P 0.12	P 0.823	P 0.11	P 0.22	P 0.23
JUL 24,88	JUL 23,88	P 5.34	P 6.86	P 0.38	P 1.485	P 0.14	P 0.74	P 0.52
JUL 25,88	JUL 24,88	P 4.54	P 11.77	P 0.19	P 1.998	P 0.05	P 0.62	P 0.24
JUL 26,88	JUL 25,88	P 8.31	P 17.47	P 0.20	P 3.807	P 0.10	P 0.41	P 0.30
JUL 27,88	JUL 26,88	P 2.94	P 13.04	P 0.33	P 3.063	P 0.10	P 0.77	P 0.43
JUL 28,88	JUL 27,88	1P 8.53	1P 21.92	1P 0.58	1P 4.494	1P 0.06	1P 1.01	1P 0.64
JUL 29,88	JUL 28,88	10.50	16.83	0.63	3.826	0.11	0.75	0.75
JUL 30,88	JUL 29,88	9.89	9.93	0.47	2.306	0.27	0.95	0.74
JUL 31,88	JUL 30,88	38.08	29.39	1.02	3.935	0.21	1.06	1.24
AUG 1,88	JUL 31,88	8.10	6.12	0.79	1.010	0.05	UG 6.06	0.84
AUG 2,88	AUG 1,88	11.54	11.37	0.41	2.557	0.09	0.49	0.50
AUG 3,88	AUG 2,88	10.40	23.38	0.76	4.567	0.09	0.76	0.84
AUG 4,88	AUG 3,88	7.00	12.89	0.56	2.487	0.17	0.80	0.74
AUG 5,88	AUG 4,88	0.88	3.85	0.21	0.800	0.26	0.28	0.48
AUG 6,88	AUG 5,88	1.24	2.53	0.21	0.546	0.21	0.29	0.42

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 5

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
AUG 7,88	AUG 6,88	800	800	1	23426.0	59234	2	1	
AUG 8,88	AUG 7,88	800	800	1	26587.0	59235	2	1	
AUG 9,88	AUG 8,88	800	800	1	25728.0	59236	2	1	
AUG 10,88	AUG 9,88	800	800	1	24347.0	59237	2	1	
AUG 11,88	AUG 10,88	800	800	1	22465.0	59251	2	1	
AUG 12,88	AUG 11,88	800	800	1	24020.0	59252	2	1	
AUG 13,88	AUG 12,88	800	800	1	23651.0	59253	2	1	
AUG 14,88	AUG 13,88	800	800	1	23498.0	59254	2	1	
AUG 15,88	AUG 14,88	800	800	1	24470.0	59255	2	1	
AUG 16,88	AUG 15,88	800	800	1	25697.0	59256	2	1	
AUG 17,88	AUG 16,88	800	830	1	23989.0	59257	2	1	
AUG 18,88	AUG 17,88	845	845	1	22915.0	59269	2	1	E
AUG 19,88	AUG 18,88	845	800	1	24674.0	59270	2	1	
AUG 20,88	AUG 19,88	800	800	1	23835.0	59271	2	1	
AUG 21,88	AUG 20,88	800	800	1	23651.0	59272	2	1	
AUG 22,88	AUG 21,88	800	800	1	25073.0	59273	2	1	
AUG 23,88	AUG 22,88	800	800	1	24214.0	59274	2	1	
AUG 24,88	AUG 23,88	800	800	1	23907.0	59275	2	1	
AUG 25,88	AUG 24,88	900	800	1	22802.0	59293	2	1	
AUG 26,88	AUG 25,88	800	800	1	23856.0	59294	2	1	
AUG 27,88	AUG 26,88	800	800	1	23263.0	59295	2	1	
AUG 28,88	AUG 27,88	800	800	1	23119.0	59296	2	1	
AUG 29,88	AUG 28,88	800	800	1	23416.0	59297	2	1	
AUG 30,88	AUG 29,88	800	800	1	23692.0	59298	2	1	
AUG 31,88	AUG 30,88	800	900	1	22526.0	59299	2	1	
SEP 1,88	AUG 31,88	900	800	1	20521.0	59317	2	1	
SEP 2,88	SEP 1,88	800	800	1	24388.0	59318	2	1	
SEP 3,88	SEP 2,88	800	800	1	23969.0	59319	2	1	
SEP 4,88	SEP 3,88	800	800	1	24214.0	59320	2	1	
SEP 5,88	SEP 4,88	800	800	1	25145.0	59321	2	1	
SEP 6,88	SEP 5,88	800	800	1	23948.0	59322	2	1	
SEP 7,88	SEP 6,88	800	800	1	24296.0	59323	2	1	
SEP 8,88	SEP 7,88	830	800	1	23877.0	59347	2	1	
SEP 9,88	SEP 8,88	800	800	1	24081.0	59348	2	1	
SEP 10,88	SEP 9,88	800	800	1	23437.0	59349	2	1	
SEP 11,88	SEP 10,88	800	800	1	23099.0	59350	2	1	
SEP 12,88	SEP 11,88	800	800	1	24777.0	59351	2	1	
SEP 13,88	SEP 12,88	800	800	1	23478.0	59352	2	1	
SEP 14,88	SEP 13,88	800	800	1	27038.0	59353	2	1	
SEP 15,88	SEP 14,88	900	800	1	21329.0	59366	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 6

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3	SULPHATE UG/M**3	NITRIC AS N UG/M**3	AMMONIUM AS N UG/M**3	NITRATE AS N UG/M**3	SULPHATE NYLON F. UG/M**3	TOTL NO3 AS N UG/M**3
AUG 7,88	AUG 6,88	18.49	11.68	0.50	1.720	<T	0.03	0.53
AUG 8,88	AUG 7,88	3.83	5.13	0.12	1.139	0.07	0.34	0.18
AUG 9,88	AUG 8,88	2.41	1.79	0.18	0.435	0.06	0.26	0.24
AUG 10,88	AUG 9,88	7.01	17.19	0.29	3.643	0.07	0.59	0.37
AUG 11,88	AUG 10,88	14.43	29.01	0.78	4.373	0.02	0.50	0.80
AUG 12,88	AUG 11,88	25.32	31.49	1.00	4.954	0.02	0.77	1.02
AUG 13,88	AUG 12,88	7.81	32.70	0.74	5.708	0.10	0.75	0.84
AUG 14,88	AUG 13,88	13.46	36.11	0.83	5.064	0.00	0.54	0.83
AUG 15,88	AUG 14,88	47.55	40.72	1.10	5.844	0.04	1.08	1.14
AUG 16,88	AUG 15,88	9.24	4.07	0.11	1.008	0.04	0.45	0.15
AUG 17,88	AUG 16,88	6.96	1.60	0.18	0.454	0.06	0.50	0.24
AUG 18,88	AUG 17,88	1P 11.62	1P 8.23	1P 0.64	1P 1.855	1P 0.17	1P 1.00	1P 0.80
AUG 19,88	AUG 18,88	2.42	5.33	0.21	0.997	0.10	0.53	0.31
AUG 20,88	AUG 19,88	2.92	7.36	0.47	1.955	0.16	0.54	0.63
AUG 21,88	AUG 20,88	5.28	9.75	0.57	2.232	0.01	0.43	0.58
AUG 22,88	AUG 21,88	3.11	2.88	0.28	0.558	0.16	0.43	0.45
AUG 23,88	AUG 22,88	2.12	1.67	0.16	0.446	0.13	0.17	0.29
AUG 24,88	AUG 23,88	4.70	5.88	0.32	1.443	0.14	0.65	0.46
AUG 25,88	AUG 24,88	1P 8.89	1P 8.82	1P 0.50	1P 1.890	1P 0.01	1P 0.46	1P 0.52
AUG 26,88	AUG 25,88	17.30	6.96	0.56	1.429	0.03	1.05	0.59
AUG 27,88	AUG 26,88	13.73	3.99	0.37	0.860	0.09	0.93	0.45
AUG 28,88	AUG 27,88	12.85	13.41	0.67	3.361	0.06	1.10	0.73
AUG 29,88	AUG 28,88	3.23	11.10	0.25	2.511	<T	0.74	0.25
AUG 30,88	AUG 29,88	0.48	1.25	0.03	0.300	0.06	<T	0.09
AUG 31,88	AUG 30,88	2.25	4.39	0.16	0.999	<T	0.15	0.18
SEP 1,88	AUG 31,88	0.05	4.01	0.05	0.858	<T	0.07	0.05
SEP 2,88	SEP 1,88	0.32	5.45	0.19	1.247	0.11	0.48	0.29
SEP 3,88	SEP 2,88	1.03	8.68	0.45	1.998	0.11	0.40	0.56
SEP 4,88	SEP 3,88	1.53	9.62	0.40	2.284	0.05	0.58	0.45
SEP 5,88	SEP 4,88	10.25	3.75	0.21	0.823	0.03	0.53	0.24
SEP 6,88	SEP 5,88	4.63	2.46	0.05	0.514	<T	0.33	0.05
SEP 7,88	SEP 6,88	1.96	1.60	0.04	0.403	0.04	0.18	0.08
SEP 8,88	SEP 7,88	1P 6.77	1P 3.76	1P 0.21	1P 0.833	1P 0.06	1P 0.26	1P 0.27
SEP 9,88	SEP 8,88	3.64	4.24	0.47	1.794	0.13	0.28	0.60
SEP 10,88	SEP 9,88	6.26	10.58	0.43	2.342	0.14	0.47	0.57
SEP 11,88	SEP 10,88	5.87	4.85	0.29	0.913	0.23	0.47	0.52
SEP 12,88	SEP 11,88	7.03	1.17	0.10	<W 0.000	0.15	0.29	0.25
SEP 13,88	SEP 12,88	7.31	4.47	0.26	0.877	0.29	0.52	0.54
SEP 14,88	SEP 13,88	3.17	4.03	0.23	0.791	0.04	0.31	0.27
SEP 15,88	SEP 14,88	4.59	3.75	0.34	0.708	0.09	0.34	0.43

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 7

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
SEP 16,88	SEP 15,88	800	800	1	24572.0	59365	2	1	
SEP 17,88	SEP 16,88	800	800	1	23774.0	59364	2	1	
SEP 18,88	SEP 17,88	800	800	1	23160.0	59363	2	1	
SEP 19,88	SEP 18,88	800	800	1	24521.0	59362	2	1	E
SEP 20,88	SEP 19,88	800	800	1	23467.0	59361	2	1	
SEP 21,88	SEP 20,88	800	800	1	23344.0	59360	2	1	
SEP 22,88	SEP 21,88	900	800	1	21565.0	59385	2	1	
SEP 23,88	SEP 22,88	800	800	1	23979.0	59386	2	1	
SEP 24,88	SEP 23,88	800	800	1	23171.0	59387	2	1	
SEP 25,88	SEP 24,88	800	800	1	23355.0	59388	2	1	
SEP 26,88	SEP 25,88	800	800	1	24757.0	59389	2	1	
SEP 27,88	SEP 26,88	800	800	1	24071.0	59390	2	1	
SEP 28,88	SEP 27,88	800	800	1	23232.0	59391	2	1	
SEP 29,88	SEP 28,88	900	800	1	20992.0	59407	2	1	
SEP 30,88	SEP 29,88	800	800	1	22813.0	59408	2	1	
OCT 1,88	SEP 30,88	800	800	1	21964.0	59409	2	1	
OCT 2,88	OCT 1,88	800	800	1	22209.0	59410	2	1	
OCT 3,88	OCT 2,88	800	800	1	23161.0	59411	2	1	
OCT 4,88	OCT 3,88	800	800	1	22097.0	59412	2	1	
OCT 5,88	OCT 4,88	800	800	1	21964.0	59413	2	1	
OCT 6,88	OCT 5,88	900	800	1	21480.0	59443	2	1	
OCT 7,88	OCT 6,88	800	800	1	22730.0	59444	2	1	
OCT 8,88	OCT 7,88	800	800	1	22340.0	59445	2	1	
OCT 9,88	OCT 8,88	800	800	1	21680.0	59446	2	1	
OCT 10,88	OCT 9,88	800	800	1	22330.0	59447	2	1	
OCT 11,88	OCT 10,88	800	800	1	22280.0	59449	2	1	
OCT 12,88	OCT 11,88	800	800	1	21880.0	59450	2	1	
OCT 13,88	OCT 12,88	900	800	1	27713.0	59456	2	1	
OCT 14,88	OCT 13,88	900	800	1	23825.0	59457	2	1	
OCT 15,88	OCT 14,88	900	800	1	21994.0	59458	2	1	
OCT 16,88	OCT 15,88	900	800	1	21922.0	59459	2	1	
OCT 17,88	OCT 16,88	900	800	1	23099.0	59460	2	1	
OCT 18,88	OCT 17,88	900	800	1	22413.0	59461	2	1	
OCT 19,88	OCT 18,88	900	800	1	21902.0	59462	2	1	
OCT 20,88	OCT 19,88	900	800	1	20710.0	59484	2	1	
OCT 21,88	OCT 20,88	800	800	1	22110.0	59485	2	1	
OCT 22,88	OCT 21,88	800	800	1	21500.0	59486	2	1	
OCT 23,88	OCT 22,88	800	800	1	21530.0	59487	2	1	
OCT 24,88	OCT 23,88	800	800	1	22570.0	59488	2	1	
OCT 25,88	OCT 24,88	800	800	1	22150.0	59489	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 8

REMOVAL DATE	EXPOSURE DATE	SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
SEP 16,88	SEP 15,88	0.66	<T	0.08		0.09		0.114		0.08	<T	0.09		0.17
SEP 17,88	SEP 16,88	7.19		3.11		0.41		0.543		0.24		0.39		0.65
SEP 18,88	SEP 17,88	0.96		5.61		0.12		1.351		0.08	<T	0.10		0.21
SEP 19,88	SEP 18,88	10.69		13.01		0.35		2.055		0.03		0.34		0.38
SEP 20,88	SEP 19,88	5.27		7.41		0.46		1.457		0.09		0.44		0.55
SEP 21,88	SEP 20,88	11.75		5.40		0.36		1.131		0.12		0.35		0.48
SEP 22,88	SEP 21,88	7.08	1P	2.24	1P	0.14	1P	0.264	1P	0.04	1P	0.15	1P	0.18
SEP 23,88	SEP 22,88	6.59		6.14		0.19		1.476		0.06		0.21		0.25
SEP 24,88	SEP 23,88	13.13		2.17		0.28		0.488		0.08		0.31		0.37
SEP 25,88	SEP 24,88	1.54		0.95		0.08		0.158		0.12	<T	0.09		0.20
SEP 26,88	SEP 25,88	5.45		2.92		0.21		0.695		0.07		0.21		0.28
SEP 27,88	SEP 26,88	4.50		6.41		0.27		1.288		0.03		0.30		0.30
SEP 28,88	SEP 27,88	2.21		7.46		0.29		1.804		0.06		0.31		0.35
SEP 29,88	SEP 28,88	16.36	1P	7.57	1P	0.56	1P	1.591	1P	0.25	1P	0.62	1P	0.81
SEP 30,88	SEP 29,88	5.43		7.32		0.23		1.806		0.60		0.26		0.84
OCT 1,88	SEP 30,88	19.50		16.16		0.58		3.506	<T	0.05		0.64		0.63
OCT 2,88	OCT 1,88	3.91		13.91		0.36		3.332	<T	0.05		0.41		0.40
OCT 3,88	OCT 2,88	4.92		4.40	<T	0.01		1.036	<T	0.03	<W	0.00	<T	0.04
OCT 4,88	OCT 3,88	3.28		1.63		0.12		0.593		0.05	<T	0.18		0.18
OCT 5,88	OCT 4,88	8.34		2.64		0.18		0.610	<T	0.04	<T	0.23		0.22
OCT 6,88	OCT 5,88	11.83	1P	2.51	1P	0.14	1P	0.642	1P	0.01	1P	0.43	1P	0.16
OCT 7,88	OCT 6,88	5.42		2.55		0.03		0.585	<T	0.01		0.28		0.04
OCT 8,88	OCT 7,88	4.80		2.82		0.07		0.631		0.06		0.28		0.13
OCT 9,88	OCT 8,88	4.07		4.01		0.17		0.941		0.02		0.29		0.19
OCT 10,88	OCT 9,88	34.58		7.70		0.37		2.150		0.47		0.55		0.84
OCT 11,88	OCT 10,88	22.51		7.23		0.34		1.638		0.22		0.51		0.57
OCT 12,88	OCT 11,88	4.21		0.37		0.10		0.155	<T	0.01		0.42		0.10
OCT 13,88	OCT 12,88	2.95	1P	0.65	1P	0.07	1P	0.177	1P	0.01	1P	0.30	1P	0.08
OCT 14,88	OCT 13,88	7.66		1.80		0.08		0.483		0.04		0.39		0.11
OCT 15,88	OCT 14,88	48.05		4.05		0.26		1.050		0.11		0.51		0.37
OCT 16,88	OCT 15,88	45.09		6.98		0.36		1.720		0.19		0.56		0.54
OCT 17,88	OCT 16,88	16.21		5.41		0.65		1.485		0.19		0.66		0.84
OCT 18,88	OCT 17,88	10.56		5.76		0.70		1.611		0.31		0.64		1.01
OCT 19,88	OCT 18,88	2.21		2.69		0.13		0.708		0.02		0.29		0.15
OCT 20,88	OCT 19,88	3.24		1.79		0.11		0.504		0.07		0.43		0.18
OCT 21,88	OCT 20,88	8.29		3.03		0.31		0.897		0.09		0.50		0.40
OCT 22,88	OCT 21,88	11.21		2.23		0.26		0.676		0.13		0.70		0.38
OCT 23,88	OCT 22,88	6.29		2.04		0.12		0.541	<T	0.01		0.65		0.13
OCT 24,88	OCT 23,88	13.04		1.06		0.27		0.347		0.01		0.49		0.28
OCT 25,88	OCT 24,88	17.44		3.57		0.15		0.774		0.12		0.50		0.27

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 9

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	SAMPLING END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD	OFFICE
OCT 25,88	OCT 25,88	800	1530	1	2860.0	59490	2	1	Q	Z
OCT 27,88	OCT 26,88	900	800	1	26020.0	59504	2	1		
OCT 28,88	OCT 27,88	800	800	1	27537.0	59505	2	1		
OCT 29,88	OCT 28,88	800	800	1	27306.0	59506	2	1		
OCT 30,88	OCT 29,88	800	800	1	26743.0	59507	2	1		
OCT 31,88	OCT 30,88	800	800	1	30009.0	59508	2	1		
NOV 1,88	OCT 31,88	800	800	1	27869.0	59509	2	1		
NOV 2,88	NOV 1,88	800	800	1	25557.0	59510	2	1		
NOV 3,88	NOV 2,88	900	800	1	26140.0	59522	2	1		
NOV 4,88	NOV 3,88	800	800	1	28200.0	59523	2	1		
NOV 5,88	NOV 4,88	800	800	1	26823.0	59524	2	1		
NOV 6,88	NOV 5,88	800	800	1	25898.0	59525	2	1		
NOV 7,88	NOV 6,88	800	800	1	28903.0	59526	2	1		
NOV 8,88	NOV 7,88	800	800	1	27768.0	59527	2	1		
NOV 9,88	NOV 8,88	800	800	1	26220.0	59528	2	1		
NOV 10,88	NOV 9,88	900	800	1	22140.0	59558	2	1		
NOV 11,88	NOV 10,88	800	800	1	26492.0	59559	2	1		
NOV 12,88	NOV 11,88	800	800	1	27256.0	59560	2	1		
NOV 13,88	NOV 12,88	800	800	1	26532.0	59561	2	1		
NOV 14,88	NOV 13,88	800	800	1	28009.0	59562	2	1		
NOV 16,88	NOV 15,88	900	800	1	25839.0	59584	2	1		
NOV 17,88	NOV 16,88	800	800	1	26622.0	59585	2	1		
NOV 18,88	NOV 17,88	800	800	1	27164.0	59586	2	1		
NOV 19,88	NOV 18,88	800	800	1	26622.0	59587	2	1		
NOV 20,88	NOV 19,88	800	800	1	27497.0	59588	2	1		
NOV 21,88	NOV 20,88	800	800	1	26019.0	59589	2	1		
NOV 22,88	NOV 21,88	800	800	1	25296.0	59590	2	1		
NOV 23,88	NOV 22,88	900	800	1	26411.0	59604	2	1		
NOV 24,88	NOV 23,88	800	800	1	28140.0	59605	2	1		
NOV 25,88	NOV 24,88	800	800	1	26773.0	59606	2	1		
NOV 26,88	NOV 25,88	800	800	1	26512.0	59607	2	1		
NOV 27,88	NOV 26,88	800	800	1	28763.0	59608	2	1		
NOV 28,88	NOV 27,88	800	800	1	27286.0	59609	2	1		
NOV 29,88	NOV 28,88	800	800	1	26723.0	59610	2	1		
NOV 30,88	NOV 29,88	900	800	1	27314.0	59622	2	1		
DEC 1,88	NOV 30,88	800	800	1	29042.0	59623	2	1		
DEC 2,88	DEC 1,88	800	800	1	28357.0	59624	2	1		
DEC 3,88	DEC 2,88	800	800	1	27058.0	59625	2	1		
DEC 4,88	DEC 3,88	800	800	1	29616.0	59626	2	1		
DEC 5,88	DEC 4,88	800	800	1	28879.0	59627	2	1		

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 10

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
OCT 25,88	OCT 25,88	U	137.99	U	22.38	U	1.55	U	7.627	U	2.60	U	3.50	U	4.15
OCT 27,88	OCT 26,88	1P	16.27	1P	3.23	1P	0.20	1P	1.097	1P	0.23	1P	0.42	1P	0.43
OCT 28,88	OCT 27,88		32.48		3.78		0.56		1.226		0.36		0.51		0.92
OCT 29,88	OCT 28,88		10.07		2.23		0.27		0.954		0.25		0.44		0.53
OCT 30,88	OCT 29,88		13.81		3.29		0.35		1.098		0.34		0.41		0.69
OCT 31,88	OCT 30,88		6.51		1.47		0.12		0.405		0.02		0.27		0.14
NOV 1,88	OCT 31,88		13.28		0.93		0.19		0.576		0.28		0.22		0.47
NOV 2,88	NOV 1,88		10.02		5.28		0.28		1.595		0.43		0.35		0.70
NOV 3,88	NOV 2,88		11.36		6.58		0.49		1.050	<T	0.03		0.34		0.52
NOV 4,88	NOV 3,88		23.30		6.13		0.36		1.629		0.15		0.32		0.51
NOV 5,88	NOV 4,88		9.12		5.59		0.62		1.545		0.37		0.60		1.00
NOV 6,88	NOV 5,88		4.20		2.09		0.11		0.604		0.07		0.50		0.18
NOV 7,88	NOV 6,88		7.51		1.45		0.10		0.451	<W	0.00		0.42		0.10
NOV 8,88	NOV 7,88		26.76		4.03		0.19		1.078		0.07		0.54		0.26
NOV 9,88	NOV 8,88		12.33		4.96		0.57		1.134		0.07		0.42		0.64
NOV 10,88	NOV 9,88		11.98		5.25		1.07		1.299		0.26		0.96		1.32
NOV 11,88	NOV 10,88		10.44		4.92		0.73		1.305		0.11		0.77		0.85
NOV 12,88	NOV 11,88		6.51		0.89		0.16		0.202	<T	0.03		0.42		0.19
NOV 13,88	NOV 12,88		13.41		3.25		0.66		1.163		0.51		0.62		1.17
NOV 14,88	NOV 13,88		18.95		2.80		0.31		0.877		0.11		0.90		0.41
NOV 16,88	NOV 15,88	1P	27.55	1P	4.74	1P	1.02	1P	1.946	1P	1.29	1P	0.47	1P	2.30
NOV 17,88	NOV 16,88		12.58		7.90		0.97		2.283		0.50		1.58		1.47
NOV 18,88	NOV 17,88		34.74		1.75		0.58		0.386		0.13		1.15		0.71
NOV 19,88	NOV 18,88		12.64		2.08		0.35		0.589		0.38		1.17		0.73
NOV 20,88	NOV 19,88		18.05		2.96		0.42		1.385		0.71		1.28		1.13
NOV 21,88	NOV 20,88		8.29		1.40		0.21		0.276	<W	0.00	UG	2.35		0.21
NOV 22,88	NOV 21,88		7.77		3.02		0.20		0.454	<T	0.01		0.99		0.21
NOV 23,88	NOV 22,88	1P	3.11	1P	3.10	1P	0.25	1P	0.937	1P	0.34	1P	0.89	1P	0.59
NOV 24,88	NOV 23,88		8.95		5.22		0.41		1.039		0.10		0.76		0.51
NOV 25,88	NOV 24,88		4.00		4.37		0.22		1.003		0.07		1.44		0.29
NOV 26,88	NOV 25,88	UG	69.86		6.79		0.30		1.888		0.38		0.88		0.69
NOV 27,88	NOV 26,88		13.10		6.85		0.90		1.917		0.51		1.27		1.41
NOV 28,88	NOV 27,88		5.10		1.83		0.18		0.441		0.08		1.52		0.26
NOV 29,88	NOV 28,88		11.52		3.14		0.34		0.780	<T	0.03		0.80		0.37
NOV 30,88	NOV 29,88	1P	20.67	1P	4.33	1P	0.32	1P	1.098	1P	0.10	1P	0.89	1P	0.42
DEC 1,88	NOV 30,88		26.49		3.14		0.38		0.847		0.19		0.98		0.56
DEC 2,88	DEC 1,88		23.11		2.69		0.47		0.715		0.07		1.64		0.54
DEC 3,88	DEC 2,88		50.84		4.00		0.47		1.130		0.27		0.57		0.74
DEC 4,88	DEC 3,88		29.15		2.27		0.42		0.655		0.23		0.15		0.65
DEC 5,88	DEC 4,88		16.84		1.15		0.35		0.391		0.22		0.36		0.57

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 11

REMOVAL DATE	EXPOSURE DATE	SAMPLING START HR.	END HR.	FILTER TYPE 01-ACTIVE 02-PASSIVE 03-BLANK	FLOW VOLUME(L)	SAMPLE NUMBER	PROJECT CODE 02-APIOS 03-SPECIAL	SUBPROJECT CODE 01-MOE 03-AES 04-ON HYDRO	COMMENTS FIELD OFFICE
DEC 6,88	DEC 5,88	800	800	1	27161.0	59628	2	1	
DEC 14,88	DEC 13,88	900	800	1	20695.0	59660	2	1	
DEC 15,88	DEC 14,88	800	800	1	35313.0	59659	2	1	
DEC 16,88	DEC 15,88	800	800	1	28950.0	59658	2	1	
DEC 17,88	DEC 16,88	800	800	1	24808.0	59657	2	1	
DEC 18,88	DEC 17,88	800	800	1	32408.0	59656	2	1	
DEC 19,88	DEC 18,88	800	800	1	28838.0	59655	2	1	
DEC 20,88	DEC 19,88	800	800	1	27835.0	59654	2	1	
DEC 21,88	DEC 20,88	900	800	1	26643.0	59675	2	1	
DEC 22,88	DEC 21,88	800	800	1	28170.0	59676	2	1	
DEC 23,88	DEC 22,88	800	800	1	27919.0	59677	2	1	
DEC 24,88	DEC 23,88	800	800	1	26009.0	59678	2	1	
DEC 25,88	DEC 24,88	800	800	1	28170.0	59679	2	1	
DEC 26,88	DEC 25,88	800	800	1	27859.0	59680	2	1	
DEC 27,88	DEC 26,88	800	800	1	27266.0	59681	2	1	
DEC 28,88	DEC 27,88	900	800	1	26199.0	59699	2	1	
DEC 29,88	DEC 28,88	800	800	1	29288.0	59700	2	1	
DEC 30,88	DEC 29,88	800	800	1	29104.0	59701	2	1	
DEC 31,88	DEC 30,88	800	800	1	26608.0	59698	2	1	

ONTARIO MINISTRY OF THE ENVIRONMENT
AIR SAMPLING ANALYSIS RESULTS
APIOS - ACIDIC PRECIPITATION IN ONTARIO STUDY

STATION NAME : PENN. STATE/DAILY/AIR

PAGE : 12

REMOVAL DATE	EXPOSURE DATE		SULPHUR DIOXIDE UG/M**3		SULPHATE UG/M**3		NITRIC AS N UG/M**3		AMMONIUM AS N UG/M**3		NITRATE AS N UG/M**3		SULPHATE NYLON F. UG/M**3		TOTL NO3 AS N UG/M**3
DEC 6,88	DEC 5,88	UG	66.36		2.70		0.23		1.111		0.59		0.00		0.82
DEC 14,88	DEC 13,88	1P	17.65	1P	3.97	1P	0.37	1P	1.320	1P	0.47	1P	0.60	1P	0.84
DEC 15,88	DEC 14,88		16.84		3.15		0.39		0.941		0.32		0.58		0.71
DEC 16,88	DEC 15,88		6.14		1.80		0.14		0.360		0.12		0.29		0.26
DEC 17,88	DEC 16,88		20.95		4.04		0.57		0.993		0.36		0.58		0.94
DEC 18,88	DEC 17,88		23.02		3.09		0.45		0.874		0.28		0.69		0.73
DEC 19,88	DEC 18,88		29.42		3.37		0.48		0.906		0.17		0.74		0.65
DEC 20,88	DEC 19,88		29.60		2.88		0.32		0.985		0.61		0.59		0.94
DEC 21,88	DEC 20,88	1P	13.80	1P	3.27	1P	0.47	1P	0.000	1P	0.30	1P	0.47	1P	0.77
DEC 22,88	DEC 21,88		8.49		2.84		0.28		0.000		0.18		0.51		0.46
DEC 23,88	DEC 22,88		12.41		4.98		0.29		0.000		1.12		0.48		1.41
DEC 24,88	DEC 23,88		8.68		3.38		0.12		0.000		0.15		0.82		0.27
DEC 25,88	DEC 24,88		10.21		3.19		0.33		0.000	<T	0.04		0.65		0.36
DEC 26,88	DEC 25,88		4.50		3.84		0.42		0.000		0.09		0.27		0.51
DEC 27,88	DEC 26,88		10.80		0.99		0.35		0.000		0.17		0.38		0.52
DEC 28,88	DEC 27,88	P	24.33	P	2.86	P	0.47	P	1.084	P	0.50	P	0.65	P	0.97
DEC 29,88	DEC 28,88	P	10.14	P	4.37	P	0.35	P	0.881	P	0.12	P	0.92	P	0.46
DEC 30,88	DEC 29,88	P	53.45	P	6.53	P	0.45	P	1.388	P	0.14	P	0.65	P	0.60
DEC 31,88	DEC 30,88	P	120.43	P	6.35	P	0.44	P	1.672	P	0.27	P	1.09	P	0.71

[illegible]

c.1 a aa